

thm\_2Ereal\_2EREAL\_\_MUL\_\_LINV  
(TMU8639S32X371Ps1pG1ei62GE9dKjYUJqc)

October 26, 2020

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{3}$$

**Definition 1** We define  $c\_2Emin\_2E3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 3** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{4}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{5}$$

**Definition 4** We define  $c\_2Ebool\_2ET$  to be  $(ap\ (ap\ (c\_2Emin\_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

**Definition 5** We define  $c\_2Ebool\_2E21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c\_2Emin\_2E3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V1x \in 2.V1x))$

**Definition 6** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ (ap\ (ap\ (c\_2Emin\_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Let  $c\_2Earithmetic\_2E2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{6}$$

**Definition 7** We define  $c\_2Earithmic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmic\_2EBIT1))$

**Definition 8** We define  $c\_2Earithmic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \quad (7)$$

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (8)$$

**Definition 9** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 10** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2)) (\lambda V2t \in 2.t)))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (9)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (10)$$

**Definition 11** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2Epair\_2E\_2C))$

**Definition 12** We define  $c\_2Ehrat\_2Etrat\_1$  to be  $(ap (ap (c\_2Epair\_2E\_2C\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)))$

Let  $c\_2Ehrat\_2Etrat\_eq : \iota$  be given. Assume the following.

$$c\_2Ehrat\_2Etrat\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum)}) \quad (11)$$

Let  $ty\_2Ehrat\_2Ehrat : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehrat\_2Ehrat \quad (12)$$

Let  $c\_2Ehrat\_2Ehrat\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Ehrat\_2Ehrat\_ABS\_CLASS \in (ty\_2Ehrat\_2Ehrat^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})}) \quad (13)$$

**Definition 13** We define  $c\_2Ehrat\_2Ehrat\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)$

**Definition 14** We define  $c\_2Ehrat\_2Ehrat\_1$  to be  $(ap\ c\_2Ehrat\_2Ehrat\_ABS\ c\_2Ehrat\_2Etrat\_1)$ .

Let  $c\_2Eh\_rat\_2Eh\_rat\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Eh\_rat\_2Eh\_rat\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{ty\_2Eh\_rat\_2Eh\_rat}) \quad (14)$$

**Definition 15** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.$ if  $(\exists x \in A.p\ (ap\ P\ x))$  then (the  $(\lambda x.x \in A \wedge p\ x)$  of type  $\iota \Rightarrow \iota$ ).

**Definition 16** We define  $c\_2Eh\_rat\_2Eh\_rat\_REP$  to be  $\lambda V0a \in ty\_2Eh\_rat\_2Eh\_rat.(ap\ (c\_2Emin\_2E\_40\ (ty\_2Eh\_rat\_2Eh\_rat\ a)))$

Let  $c\_2Eh\_rat\_2Etr\_at\_add : \iota$  be given. Assume the following.

$$c\_2Eh\_rat\_2Etr\_at\_add \in (((2^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum\ ty\_2Enum\_2Enum)})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum)})^{ty\_2Eh\_rat\_2Eh\_rat}) \quad (15)$$

**Definition 17** We define  $c\_2Eh\_rat\_2Eh\_rat\_add$  to be  $\lambda V0T1 \in ty\_2Eh\_rat\_2Eh\_rat.\lambda V1T2 \in ty\_2Eh\_rat\_2Eh\_rat.(c\_2Eh\_rat\_2Eh\_rat\_add\ T1\ T2)$

**Definition 18** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40\ a))))$

**Definition 19** We define  $c\_2Eh\_real\_2Eh\_rat\_lt$  to be  $\lambda V0x \in ty\_2Eh\_rat\_2Eh\_rat.\lambda V1y \in ty\_2Eh\_rat\_2Eh\_rat.(c\_2Eh\_rat\_2Eh\_rat\_lt\ x\ y)$

**Definition 20** We define  $c\_2Eh\_real\_2Ecut\_of\_hrat$  to be  $\lambda V0x \in ty\_2Eh\_rat\_2Eh\_rat.(\lambda V1y \in ty\_2Eh\_rat\_2Eh\_rat.(c\_2Eh\_real\_2Ecut\_of\_hrat\ x\ y))$

Let  $ty\_2Eh\_real\_2Eh\_real : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eh\_real\_2Eh\_real \quad (16)$$

Let  $c\_2Eh\_real\_2Eh\_real : \iota$  be given. Assume the following.

$$c\_2Eh\_real\_2Eh\_real \in (ty\_2Eh\_real\_2Eh\_real^{(2^{ty\_2Eh\_rat\_2Eh\_rat})}) \quad (17)$$

**Definition 21** We define  $c\_2Eh\_real\_2Eh\_real\_1$  to be  $(ap\ c\_2Eh\_real\_2Eh\_real\ (ap\ c\_2Eh\_real\_2Ecut\_of\_hrat))$

Let  $c\_2Eh\_real\_2Ecut : \iota$  be given. Assume the following.

$$c\_2Eh\_real\_2Ecut \in ((2^{ty\_2Eh\_rat\_2Eh\_rat})^{ty\_2Eh\_real\_2Eh\_real}) \quad (18)$$

**Definition 22** We define  $c\_2Eh\_real\_2Eh\_real\_add$  to be  $\lambda V0X \in ty\_2Eh\_real\_2Eh\_real.\lambda V1Y \in ty\_2Eh\_real\_2Eh\_real.(c\_2Eh\_real\_2Eh\_real\_add\ X\ Y)$

**Definition 23** We define  $c\_2Erealax\_2Etreax\_1$  to be  $(ap\ (ap\ (c\_2Epair\_2E\_2C\ ty\_2Eh\_real\_2Eh\_real\ ty\_2Eh\_real\_2Eh\_real)))$

Let  $c\_2Erealax\_2Etreax\_eq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreax\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Eh\_real\_2Eh\_real\ ty\_2Eh\_real\_2Eh\_real)})^{(ty\_2Epair\_2Eprod\ ty\_2Eh\_real\_2Eh\_real)}) \quad (19)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Eh\_real\_2Eh\_real\ ty\_2Eh\_real\_2Eh\_real)})}) \quad (20)$$

**Definition 24** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Eh\_real\_2Eh\_real\ ty\_2Eh\_real\_2Eh\_real).(c\_2Erealax\_2Ereal\_ABS\_CLASS\ r)$

**Definition 25** We define  $c\_2Erealax\_2Ereal\_1$  to be  $(ap\ c\_2Erealax\_2Ereal\_ABS\ c\_2Erealax\_2Ereal\_1)$ .

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax\_2Ereal\_1}) \quad (21)$$

**Definition 26** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap\ (c\_2Emin\_2E40\ t))$

Let  $c\_2Erealax\_2Ereal\_inv : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_inv \in ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \quad (22)$$

**Definition 27** We define  $c\_2Erealax\_2Einv$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap\ c\_2Erealax\_2Ereal\_ABS)$

Let  $c\_2Erealax\_2Ereal\_mul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_mul \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \quad (23)$$

**Definition 28** We define  $c\_2Erealax\_2Ereal\_mul$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 29** We define  $c\_2Erealax\_2Ereal\_0$  to be  $(ap\ (ap\ (c\_2Epair\_2E2C\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)))$

**Definition 30** We define  $c\_2Erealax\_2Ereal\_0$  to be  $(ap\ c\_2Erealax\_2Ereal\_ABS\ c\_2Erealax\_2Ereal\_0)$ .

**Definition 31** We define  $c\_2Ebool\_2E2F$  to be  $(ap\ (c\_2Ebool\_2E21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 32** We define  $c\_2Ebool\_2E7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E7E))$

Assume the following.

$$(c\_2Erealax\_2Ereal\_0 = (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0)) \quad (24)$$

Assume the following.

$$(c\_2Erealax\_2Ereal\_1 = (ap\ c\_2Ereal\_2Ereal\_of\_num\ (ap\ c\_2Earithmic\_2ENUMERAL\ (ap\ c\_2Earithmic\_2EBIT1\ c\_2Earithmic\_2EZERO)))) \quad (25)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.((\neg(V0x = c\_2Erealax\_2Ereal\_0)) \Rightarrow ((ap\ (ap\ c\_2Erealax\_2Ereal\_mul\ (ap\ c\_2Erealax\_2Einv\ V0x))\ V0x) = c\_2Erealax\_2Ereal\_1))) \quad (26)$$

**Theorem 1**

$$(\forall V0x \in ty\_2Erealax\_2Ereal.((\neg(V0x = (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0))) \Rightarrow ((ap\ (ap\ c\_2Erealax\_2Ereal\_mul\ (ap\ c\_2Erealax\_2Einv\ V0x))\ V0x) = (ap\ c\_2Ereal\_2Ereal\_of\_num\ (ap\ c\_2Earithmic\_2ENUMERAL\ (ap\ c\_2Earithmic\_2EBIT1\ c\_2Earithmic\_2EZERO)))))))$$