

# thm\_2Ereal\_2EREAL\_OVER1 (TMPVFAM- ZLAEZRH1g5pChtkB45TSDDZAvmFv)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_21$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \tag{1}$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{2}$$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \tag{3}$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax}) \tag{4}$$

**Definition 3** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap\ P\ x))$  then  $(the (\lambda x.x \in A \wedge p))$  of type  $\iota \Rightarrow \iota$ .

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))))$

**Definition 5** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap (c\_2Emin\_2E\_40 (ty\_2Erealax\_2Ereal\_REP\_CLASS)))$

Let  $c\_2Erealax\_2Etreall\_inv : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreall\_inv \in ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \tag{5}$$

Let  $c\_2Erealax\_2Etrealm\_eq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)} \quad (6)$$

Let  $c\_2Erealax\_2Ereal\_2ABS\_2CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_2ABS\_2CLASS \in (ty\_2Erealax\_2Ereal)^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}} \quad (7)$$

**Definition 6** We define  $c\_2Erealax\_2Ereal\_2ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)$

**Definition 7** We define  $c\_2Erealax\_2Einv$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap\ c\_2Erealax\_2Ereal\_2ABS)$

Let  $c\_2Erealax\_2Etrealm\_mul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_mul \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)} \quad (8)$$

**Definition 8** We define  $c\_2Erealax\_2Ereal\_2mul$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 9** We define  $c\_2Ereal\_2E\_2F$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal.(a$

Let  $c\_2Enum\_2EZERO\_2REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_2REP \in \omega \quad (9)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (10)$$

Let  $c\_2Enum\_2EABS\_2num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_2num \in (ty\_2Enum\_2Enum)^{\omega} \quad (11)$$

**Definition 10** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_2num\ c\_2Enum\_2EZERO\_2REP)$ .

**Definition 11** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_2num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_2num \in (\omega^{ty\_2Enum\_2Enum}) \quad (12)$$

Let  $c\_2Enum\_2ESUC\_2REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_2REP \in (\omega^{\omega}) \quad (13)$$

**Definition 12** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_2num$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum)^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (14)$$

**Definition 13** We define `c.Earithmic.EBIT1` to be  $\lambda V0n \in ty\_Enum\_Enum.(ap (ap c.Earithmic$

**Definition 14** We define `c.Earithmic.ENUMERAL` to be  $\lambda V0x \in ty\_Enum\_Enum.V0x$ .

Let `c.Ereal.Ereal_of_num` :  $\iota$  be given. Assume the following.

$$c.Ereal.Ereal\_of\_num \in (ty\_Erealax\_Ereal^{ty\_Enum\_Enum}) \quad (15)$$

Assume the following.

$$True \quad (16)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (17)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty\_Erealax\_Ereal.((ap (ap c.Erealax\_Ereal\_mul \\ & V0x) (ap c.Ereal.Ereal\_of\_num (ap c.Earithmic.ENUMERAL \\ & (ap c.Earithmic.EBIT1 c.Earithmic.EZERO)))) = V0x)) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & ((ap c.Erealax\_Einv (ap c.Ereal.Ereal\_of\_num (ap c.Earithmic.ENUMERAL \\ & (ap c.Earithmic.EBIT1 c.Earithmic.EZERO)))) = (ap c.Ereal.Ereal\_of\_num \\ & (ap c.Earithmic.ENUMERAL (ap c.Earithmic.EBIT1 c.Earithmic.EZERO)))) \end{aligned} \quad (19)$$

**Theorem 1**

$$\begin{aligned} & (\forall V0x \in ty\_Erealax\_Ereal.((ap (ap c.Ereal.E\_2F V0x) \\ & (ap c.Ereal.Ereal\_of\_num (ap c.Earithmic.ENUMERAL ( \\ & ap c.Earithmic.EBIT1 c.Earithmic.EZERO)))) = V0x)) \end{aligned}$$