

thm\_2Ereal\_2EREAL\_\_POW\_\_MONO\_\_LT  
(TMQYpU2x2un7YEFbc1GDfoQF82K6RA1XxiS)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \text{ (ap } P \ x)) \text{ of type } \iota \Rightarrow \iota.$

**Definition 2** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y)$  of type  $\iota \Rightarrow \iota.$

**Definition 3** We define `c_2Ebool_2E_3F` to be  $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } V0P \text{ (ap (c_2Emin_2E_40 } A \text{ (ap } P \ x))$

**Definition 4** We define `c_2Ebool_2E_T` to be  $(\text{ap (ap (c_2Emin_2E_3D } (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 5** We define `c_2Ebool_2E_21` to be  $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap (ap (c_2Emin_2E_3D } (2^{A-27a})$

**Definition 6** We define `c_2Ebool_2E_F` to be  $(\text{ap (c_2Ebool_2E_21 } 2) (\lambda V0t \in 2.V0t)).$

**Definition 7** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2. \lambda Q \in 2. \text{inj\_o } (p \Rightarrow q)$  of type  $\iota.$

**Definition 8** We define `c_2Ebool_2E_7E` to be  $(\lambda V0t \in 2. (\text{ap (ap c_2Emin_2E_3D_3D_3E } V0t) \text{ c_2Ebool_2E_F$

Let `ty_2Enum_2Enum` :  $\iota$  be given. Assume the following.

$$\text{nonempty ty\_2Enum\_2Enum} \tag{1}$$

**Definition 9** We define `c_2Ebool_2E_2F_5C` to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap (c_2Ebool_2E_21 } 2) (\lambda V2t \in 2. \text{c_2Ebool_2E_7E$

Let `c_2Enum_2EREP_num` :  $\iota$  be given. Assume the following.

$$\text{c\_2Enum\_2EREP\_num} \in (\text{omega}^{\text{ty\_2Enum\_2Enum}}) \tag{2}$$

Let `c_2Enum_2ESUC_REP` :  $\iota$  be given. Assume the following.

$$\text{c\_2Enum\_2ESUC\_REP} \in (\text{omega}^{\text{omega}}) \tag{3}$$

Let `c_2Enum_2EABS_num` :  $\iota$  be given. Assume the following.

$$\text{c\_2Enum\_2EABS\_num} \in (\text{ty\_2Enum\_2Enum}^{\text{omega}}) \tag{4}$$

**Definition 10** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

**Definition 11** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 12** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

**Definition 13** We define  $c\_2Earithmetic\_2E\_3C\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (5)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (6)$$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \quad (7)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax\_2Ereal}) \quad (8)$$

**Definition 14** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap\ (c\_2Emin\_2E\_40\ t$

Let  $c\_2Erealax\_2Etreall\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreall\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \quad (9)$$

**Definition 15** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 16** We define  $c\_2Ereal\_2Ereal\_lte$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in omega \quad (10)$$

**Definition 17** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 18** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (11)$$

**Definition 19** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic$

**Definition 20** We define  $c\_2Earithmic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Erealax\_2Etrealmul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealmul \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)))(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal) \quad (12)$$

Let  $c\_2Erealax\_2Etrealeq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealeq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)) \quad (13)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal)^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}}) \quad (14)$$

**Definition 21** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)$

**Definition 22** We define  $c\_2Erealax\_2Ereal\_mul$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

Let  $c\_2Ereal\_2Epow : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Epow \in ((ty\_2Erealax\_2Ereal)^{ty\_2Enum\_2Enum})^{ty\_2Erealax\_2Ereal} \quad (15)$$

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal)^{ty\_2Enum\_2Enum} \quad (16)$$

Assume the following.

$$((ap\ c\_2Earithmic\_2ENUMERAL\ (ap\ c\_2Earithmic\_2EBIT1\ c\_2Earithmic\_2EZERO)) = (ap\ c\_2Enum\_2ESUC\ c\_2Enum\_2E0)) \quad (17)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum.(p\ (ap\ (ap\ c\_2Earithmic\_2E\_3C\_3D\ c\_2Enum\_2E0)\ V0n))) \quad (18)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.((ap\ c\_2Enum\_2ESUC\ V0m) = (ap\ (ap\ c\_2Earithmic\_2E\_2B\ V0m)\ (ap\ c\_2Earithmic\_2ENUMERAL\ (ap\ c\_2Earithmic\_2EBIT1\ c\_2Earithmic\_2EZERO)))))) \quad (19)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.(p\ (ap\ (ap\ c\_2Eprim\_rec\_2E\_3C\ V1n)\ V0m)) \Rightarrow (\exists V2p \in ty\_2Enum\_2Enum.(V0m = (ap\ (ap\ c\_2Earithmic\_2E\_2B\ V1n)\ (ap\ (ap\ c\_2Earithmic\_2E\_2B\ V2p)\ (ap\ c\_2Earithmic\_2ENUMERAL\ (ap\ c\_2Earithmic\_2EBIT1\ c\_2Earithmic\_2EZERO)))))))))) \quad (20)$$

Assume the following.

$$(\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) (ap (ap c\_2Earithmetic\_2E\_2B V0m) (ap c\_2Enum\_2ESUC V1n)))))) \quad (21)$$

Assume the following.

$$True \quad (22)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (24)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (25)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (27)$$

Assume the following.

$$(\forall V0P \in (2^{ty\_2Enum\_2Enum}). (((p (ap V0P c\_2Enum\_2E0)) \wedge (\forall V1n \in ty\_2Enum\_2Enum. ((p (ap V0P V1n)) \Rightarrow (p (ap V0P (ap c\_2Enum\_2ESUC V1n)))))) \Rightarrow (\forall V2n \in ty\_2Enum\_2Enum. (p (ap V0P V2n)))))) \quad (28)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) (ap c\_2Enum\_2ESUC V0n)))) \quad (29)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. (\forall V2z \in ty\_2Erealax\_2Ereal. (((p (ap (ap c\_2Erealax\_2Ereal\_lt V0x) V1y)) \wedge (p (ap (ap c\_2Erealax\_2Ereal\_lt V1y) V2z))) \Rightarrow (p (ap (ap c\_2Erealax\_2Ereal\_lt V0x) V2z)))))) \quad (30)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. ((ap (ap c\_2Erealax\_2Ereal\_mul \\
& (ap c\_2Ereal\_2Ereal\_of\_num (ap c\_2Earithmetic\_2ENUMERAL ( \\
& ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))) V0x) = V0x))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. ((ap (ap c\_2Erealax\_2Ereal\_mul \\
& V0x) (ap c\_2Ereal\_2Ereal\_of\_num (ap c\_2Earithmetic\_2ENUMERAL \\
& (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))) = V0x))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1y \in ty\_2Erealax\_2Ereal. \\
& (\forall V2z \in ty\_2Erealax\_2Ereal. (((p (ap (ap c\_2Erealax\_2Ereal\_lt \\
& V1y) V2z)) \wedge (p (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num \\
& c\_2Enum\_2E0)) V0x))) \Rightarrow (p (ap (ap c\_2Erealax\_2Ereal\_lt (ap (ap \\
& c\_2Erealax\_2Ereal\_mul V0x) V1y)) (ap (ap c\_2Erealax\_2Ereal\_mul \\
& V0x) V2z)))))))
\end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& (p (ap (ap c\_2Ereal\_2Ereal\_lte (ap c\_2Ereal\_2Ereal\_of\_num \\
& V0m)) (ap c\_2Ereal\_2Ereal\_of\_num V1n))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& V0m) V1n))))
\end{aligned} \tag{34}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& (p (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num \\
& V0m)) (ap c\_2Ereal\_2Ereal\_of\_num V1n))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& V0m) V1n))))
\end{aligned} \tag{35}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x1 \in ty\_2Erealax\_2Ereal. (\forall V1x2 \in ty\_2Erealax\_2Ereal. \\
& (\forall V2y1 \in ty\_2Erealax\_2Ereal. (\forall V3y2 \in ty\_2Erealax\_2Ereal. \\
& (((p (ap (ap c\_2Ereal\_2Ereal\_lte (ap c\_2Ereal\_2Ereal\_of\_num \\
& c\_2Enum\_2E0)) V0x1)) \wedge ((p (ap (ap c\_2Ereal\_2Ereal\_lte (ap c\_2Ereal\_2Ereal\_of\_num \\
& c\_2Enum\_2E0)) V2y1)) \wedge ((p (ap (ap c\_2Erealax\_2Ereal\_lt V0x1) \\
& V1x2)) \wedge (p (ap (ap c\_2Erealax\_2Ereal\_lt V2y1) V3y2)))))) \Rightarrow (p (ap \\
& (ap c\_2Erealax\_2Ereal\_lt (ap (ap c\_2Erealax\_2Ereal\_mul V0x1) \\
& V2y1)) (ap (ap c\_2Erealax\_2Ereal\_mul V1x2) V3y2))))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0x \in ty\_2Erealax\_2Ereal.((ap (ap c\_2Ereal\_2Epow V0x) \\
c\_2Enum\_2E0) = (ap c\_2Ereal\_2Ereal\_of\_num (ap c\_2Earithmetic\_2ENUMERAL \\
& (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) \wedge (\forall V1x \in \\
ty\_2Erealax\_2Ereal.(\forall V2n \in ty\_2Enum\_2Enum.((ap (ap c\_2Ereal\_2Epow \\
& V1x) (ap c\_2Enum\_2ESUC V2n)) = (ap (ap c\_2Erealax\_2Ereal\_mul V1x) \\
& (ap (ap c\_2Ereal\_2Epow V1x) V2n))))))
\end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
& (\forall V0c \in ty\_2Erealax\_2Ereal.(\forall V1m \in ty\_2Enum\_2Enum. \\
& (\forall V2n \in ty\_2Enum\_2Enum.((ap (ap c\_2Ereal\_2Epow V0c) (ap \\
& (ap c\_2Earithmetic\_2E\_2B V1m) V2n)) = (ap (ap c\_2Erealax\_2Ereal\_mul \\
& (ap (ap c\_2Ereal\_2Epow V0c) V1m)) (ap (ap c\_2Ereal\_2Epow V0c) V2n))))))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealax\_2Ereal.(\forall V1n \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num \\
c\_2Enum\_2E0)) V0x)) \Rightarrow (p (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num \\
& c\_2Enum\_2E0)) (ap (ap c\_2Ereal\_2Epow V0x) V1n))))))
\end{aligned} \tag{39}$$

**Theorem 1**

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.( \\
& \forall V2x \in ty\_2Erealax\_2Ereal.(((p (ap (ap c\_2Erealax\_2Ereal\_lt \\
& (ap c\_2Ereal\_2Ereal\_of\_num (ap c\_2Earithmetic\_2ENUMERAL ( \\
& ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))) V2x)) \wedge ( \\
& p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) V1n))) \Rightarrow (p (ap (ap c\_2Erealax\_2Ereal\_lt \\
& (ap (ap c\_2Ereal\_2Epow V2x) V0m)) (ap (ap c\_2Ereal\_2Epow V2x) V1n))))))
\end{aligned}$$