

thm_2Ereal_2Ele__int
(TMMZ4te9gPpWka9HssDKfzGvVF4AoxvJZMY)

October 26, 2020

Definition 1 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.$ if $(\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p$
of type $\iota \Rightarrow \iota$).

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$
of type $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A$

Definition 4 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$
of type ι .

Definition 5 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V$

Definition 6 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}$

Definition 7 We define $c_2Ebool_2E_5C_2E_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2$

Definition 8 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (omega^{ty_2Enum_2Enum}) \tag{2}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (omega^{omega}) \tag{3}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \tag{4}$$

Definition 9 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num ($

Let $c_2Erealax_2Etrealm_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (13)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})} \quad (14)$$

Definition 17 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 18 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal$

Definition 19 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.((V0m = c_2Enum_2E0) \vee (\exists V1n \in ty_2Enum_2Enum.(V0m = (ap\ c_2Enum_2ESUC\ V1n)))))) \quad (15)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.((p\ (ap\ (ap\ c_2Earithmic_2E_3C_3D\ V0n)\ c_2Enum_2E0)) \Leftrightarrow (V0n = c_2Enum_2E0)))) \quad (16)$$

Assume the following.

$$True \quad (17)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (22)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\
& p V0t))))))
\end{aligned} \tag{23}$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(\neg((ap\ c_2Enum_2ESUC\ V0n) = c_2Enum_2E0))) \tag{24}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum.(p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ c_2Enum_2E0) \\
& (ap\ c_2Enum_2ESUC\ V0n))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal. \\
& ((\neg(p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ V0x\ V1y)))) \Leftrightarrow (p\ (ap\ (ap\ c_2Erealax_2Ereal_lt \\
& V1y\ V0x))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal.(((p\ (ap\ (ap\ c_2Erealax_2Ereal_lt \\
& V0x\ V1y)) \wedge (p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ V1y\ V2z))) \Rightarrow (p\ (ap\ (\\
& ap\ c_2Erealax_2Ereal_lt\ V0x\ V2z))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal.(\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal.(((p\ (ap\ (ap\ c_2Ereal_2Ereal_lte \\
& V0x\ V1y)) \wedge (p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ V1y\ V2z))) \Rightarrow (p\ (ap\ (\\
& ap\ c_2Ereal_2Ereal_lte\ V0x\ V2z))))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal.((p\ (ap\ (ap\ c_2Erealax_2Ereal_lt \\
& (ap\ c_2Erealax_2Ereal_neg\ V0x))\ (ap\ c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0))) \Leftrightarrow (p\ (ap\ (ap\ c_2Erealax_2Ereal_lt\ (ap\ c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)\ V0x))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal.((p\ (ap\ (ap\ c_2Ereal_2Ereal_lte \\
& (ap\ c_2Erealax_2Ereal_neg\ V0x))\ (ap\ c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0))) \Leftrightarrow (p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ (ap\ c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)\ V0x))))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned} & ((ap \ c_2Erealax_2Ereal_neg \ (ap \ c_2Ereal_2Ereal_of_num \ c_2Enum_2E0)) = \\ & \quad (ap \ c_2Ereal_2Ereal_of_num \ c_2Enum_2E0)) \end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in \ ty_2Enum_2Enum. (p \ (ap \ (ap \ c_2Ereal_2Ereal_lte \\ & \ (ap \ c_2Ereal_2Ereal_of_num \ c_2Enum_2E0)) \ (ap \ c_2Ereal_2Ereal_of_num \\ & \quad V0n)))) \end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in \ ty_2Enum_2Enum. (\forall V1n \in \ ty_2Enum_2Enum. (\\ & \ (p \ (ap \ (ap \ c_2Ereal_2Ereal_lte \ (ap \ c_2Ereal_2Ereal_of_num \\ & \ V0m)) \ (ap \ c_2Ereal_2Ereal_of_num \ V1n))) \Leftrightarrow (p \ (ap \ (ap \ c_2Earithmic_2E_3C_3D \\ & \quad V0m) \ V1n)))))) \end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in \ ty_2Enum_2Enum. (\forall V1n \in \ ty_2Enum_2Enum. (\\ & \ (p \ (ap \ (ap \ c_2Erealax_2Ereal_lt \ (ap \ c_2Ereal_2Ereal_of_num \\ & \ V0m)) \ (ap \ c_2Ereal_2Ereal_of_num \ V1n))) \Leftrightarrow (p \ (ap \ (ap \ c_2Eprim_rec_2E_3C \\ & \quad V0m) \ V1n)))))) \end{aligned} \tag{34}$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in \ ty_2Erealax_2Ereal. (\forall V1y \in \ ty_2Erealax_2Ereal. \\ & \ ((p \ (ap \ (ap \ c_2Ereal_2Ereal_lte \ (ap \ c_2Erealax_2Ereal_neg \ V0x)) \\ & \ (ap \ c_2Erealax_2Ereal_neg \ V1y))) \Leftrightarrow (p \ (ap \ (ap \ c_2Ereal_2Ereal_lte \\ & \quad V1y) \ V0x)))))) \end{aligned} \tag{35}$$

Theorem 1

$$\begin{aligned} & (\forall V0n \in \ ty_2Enum_2Enum. (\forall V1m \in \ ty_2Enum_2Enum. (\\ & \ ((p \ (ap \ (ap \ c_2Ereal_2Ereal_lte \ (ap \ c_2Ereal_2Ereal_of_num \\ & \ V0n)) \ (ap \ c_2Ereal_2Ereal_of_num \ V1m))) \Leftrightarrow (p \ (ap \ (ap \ c_2Earithmic_2E_3C_3D \\ & \quad V0n) \ V1m))) \wedge (((p \ (ap \ (ap \ c_2Ereal_2Ereal_lte \ (ap \ c_2Erealax_2Ereal_neg \\ & \ (ap \ c_2Ereal_2Ereal_of_num \ V0n)) \ (ap \ c_2Ereal_2Ereal_of_num \\ & \ V1m))) \Leftrightarrow True) \wedge (((p \ (ap \ (ap \ c_2Ereal_2Ereal_lte \ (ap \ c_2Ereal_2Ereal_of_num \\ & \ V0n)) \ (ap \ c_2Erealax_2Ereal_neg \ (ap \ c_2Ereal_2Ereal_of_num \\ & \ V1m)))) \Leftrightarrow ((V0n = c_2Enum_2E0) \wedge (V1m = c_2Enum_2E0))) \wedge ((p \ (ap \ (ap \\ & \ c_2Ereal_2Ereal_lte \ (ap \ c_2Erealax_2Ereal_neg \ (ap \ c_2Ereal_2Ereal_of_num \\ & \ V0n)) \ (ap \ c_2Erealax_2Ereal_neg \ (ap \ c_2Ereal_2Ereal_of_num \\ & \ V1m)))) \Leftrightarrow (p \ (ap \ (ap \ c_2Earithmic_2E_3C_3D \ V1m) \ V0n)))))))))) \end{aligned}$$