

thm\_2Ereal\_sigma\_2EREAL\_SUM\_IMAGE\_EQ  
(TMMhM-  
MEnQ4YgGhnW1kze2PwLRsRSht3rzwQ)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F))$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{3}$$

**Definition 8** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP)$ .

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \quad (4)$$

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (5)$$

**Definition 9** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap\ V1f\ V0x)))$

**Definition 10** We define  $c\_2Emin\_2E40$  to be  $\lambda A. \lambda P \in 2^A. \mathbf{if} (\exists x \in A. p (ap\ P\ x)) \mathbf{then} (the (\lambda x. x \in A \wedge P\ x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 11** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. (ap\ V2t2\ V1t1))))$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (6)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow \forall A1. nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (7)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax}) \quad (8)$$

**Definition 12** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal. (ap\ (c\_2Emin\_2E40\ (ty\_2Erealax\ V0a)))$

Let  $c\_2Erealax\_2Etrealm\_add : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \quad (9)$$

Let  $c\_2Erealax\_2Etrealm\_eq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_eq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \quad (10)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal)^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})} \quad (11)$$

**Definition 13** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)$

**Definition 14** We define  $c\_2Erealax\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal. \lambda V1T2 \in ty\_2Erealax$

Let  $c\_2Epred\_set\_2EITSET : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EITSET\ A\_27a\ A\_27b \in (((A\_27b^{A\_27b})^{(2^{A\_27a})})^{((A\_27b^{A\_27b})^{A\_27a})}) \quad (12)$$

**Definition 15** We define  $c\_2Ereal\_sigma\_2EREAL\_SUM\_IMAGE$  to be  $\lambda A\_27a : \iota.\lambda V0f \in (ty\_2Erealx\_2E)$

**Definition 16** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2.))$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (13)$$

**Definition 17** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b)\ (V0x\ V1y))$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \quad (14)$$

**Definition 18** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A\_27a}).(ap\ (c\_2Epred\_set\_2EGSPEC\ A\_27a\ (2^{A\_27a}))\ (V0x\ V1s))$

**Definition 19** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2E\_2F)$ .

**Definition 20** We define  $c\_2Epred\_set\_2EFINITE$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).(ap\ (c\_2Ebool\_2E\_21\ 2)\ (V0s))$

Assume the following.

$$True \quad (15)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (16)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t))))) \quad (18)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3))))) \quad (19)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\
& (\forall V2x \in A.27a. (\forall V3x.27 \in A.27a. (\forall V4y \in A.27a. \\
& (\forall V5y.27 \in A.27a. (((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge ((p\ V1Q) \Rightarrow (V2x = V3x.27)) \wedge \\
& ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y.27)))))) \Rightarrow ((ap\ (ap\ (ap\ (c.2Ebool.2ECOND\ A.27a) \\
& V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c.2Ebool.2ECOND\ A.27a)\ V1Q)\ V3x.27) \\
& V5y.27)))))))))
\end{aligned} \tag{20}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}). ((p\ (ap \\
& (c.2Epred\_set\_2EFINITE\ A.27a)\ V0P)) \Rightarrow (\forall V1f \in (ty\_2Erealax\_2Ereal^{A.27a}). \\
& ((ap\ (ap\ (c.2Ereal\_sigma\_2EREAL\_SUM\_IMAGE\ A.27a)\ V1f)\ V0P) = \\
& (ap\ (ap\ (c.2Ereal\_sigma\_2EREAL\_SUM\_IMAGE\ A.27a)\ (\lambda V2x \in \\
& A.27a. (ap\ (ap\ (ap\ (c.2Ebool.2ECOND\ ty\_2Erealax\_2Ereal)\ (ap\ (ap \\
& (c.2Ebool.2EIN\ A.27a)\ V2x)\ V0P))\ (ap\ V1f\ V2x))\ (ap\ c.2Ereal.2Ereal\_of\_num \\
& c.2Enum.2E0))))\ V0P))))))
\end{aligned} \tag{21}$$

**Theorem 1**

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A.27a}). (\forall V1f \in \\
& (ty\_2Erealax\_2Ereal^{A.27a}). (\forall V2f.27 \in (ty\_2Erealax\_2Ereal^{A.27a}). \\
& (((p\ (ap\ (c.2Epred\_set\_2EFINITE\ A.27a)\ V0s)) \wedge (\forall V3x \in A.27a. \\
& ((p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a)\ V3x)\ V0s)) \Rightarrow ((ap\ V1f\ V3x) = (ap\ V2f.27 \\
& V3x)))))) \Rightarrow ((ap\ (ap\ (c.2Ereal\_sigma\_2EREAL\_SUM\_IMAGE\ A.27a) \\
& V1f)\ V0s) = (ap\ (ap\ (c.2Ereal\_sigma\_2EREAL\_SUM\_IMAGE\ A.27a) \\
& V2f.27)\ V0s))))))
\end{aligned}$$