

thm_2Ereal_sigma_2EREAL_SUM_IMAGE_IF_ELIM (TMWN12LhM5MHvDwv96M2MfX6uTc24tcQrwz)

October 26, 2020

Definition 1 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \ x)) \text{ of type } \iota \Rightarrow \iota.$

Definition 2 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota.$

Definition 3 We define `c_2Ebool_2E_3F` to be $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } V0P \text{ (ap (c_2Emin_2E_40 } A \ P))$

Definition 4 We define `c_2Ebool_2E_T` to be $(\text{ap (ap (c_2Emin_2E_3D } (2^2)) (\lambda V0x \in 2. V0x)) (\lambda V1x \in 2. V1x))$

Definition 5 We define `c_2Ebool_2E_21` to be $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap (ap (c_2Emin_2E_3D } (2^{A-27a}) \ P))$

Definition 6 We define `c_2Ebool_2E_F` to be $(\text{ap (c_2Ebool_2E_21 } 2) (\lambda V0t \in 2. V0t)).$

Definition 7 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p \Rightarrow q)$ of type $\iota.$

Definition 8 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap (c_2Ebool_2E_21 } 2) (\lambda V2t \in 2. V2t))$

Definition 9 We define `c_2Ebool_2ECOND` to be $\lambda A. 27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A. 27a. (\lambda V2t2 \in A. 27a. (\text{ap (c_2Emin_2E_3D } (2^{A-27a}) \ P))$

Definition 10 We define `c_2Ecombin_2E_S` to be $\lambda A. 27a : \iota. \lambda A. 27b : \iota. \lambda A. 27c : \iota. (\lambda V0f \in ((A. 27c^{A-27b})^{A-27a})$

Definition 11 We define `c_2Ecombin_2E_C` to be $\lambda A. 27a : \iota. \lambda A. 27b : \iota. \lambda A. 27c : \iota. (\lambda V0f \in ((A. 27c^{A-27b})^{A-27a})$

Definition 12 We define `c_2Ecombin_2E_o` to be $\lambda A. 27a : \iota. \lambda A. 27b : \iota. \lambda A. 27c : \iota. \lambda V0f \in (A. 27b^{A-27c}). \lambda V1f \in (A. 27b^{A-27c}).$

Definition 13 We define `c_2Ebool_2E_IN` to be $\lambda A. 27a : \iota. (\lambda V0x \in A. 27a. (\lambda V1f \in (2^{A-27a}). (\text{ap } V1f \ V0x))$

Let `ty_2Ehreal_2Ehreal` : ι be given. Assume the following.

$$\text{nonempty } \text{ty_2Ehreal_2Ehreal} \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (2)$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \quad (3)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax}) \quad (4)$$

Definition 14 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E40\ ty_2Erealax))$

Let $c_2Erealax_2Etrealm_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_neg \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal}) \quad (5)$$

Let $c_2Erealax_2Etrealm_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (6)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})} \quad (7)$$

Definition 15 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 16 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal)$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (8)$$

Definition 17 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 18 We define $c_2Ebool_2E5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V2t \in 2.(c_2Ebool_2E21\ 2)))))$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b} A_27a})}) \quad (9)$$

Definition 19 We define c_2Epair_2E2C to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2EABS_prod\ A_27a\ A_27b))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \end{aligned} \quad (10)$$

Definition 20 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap\ (c_2E$

Definition 21 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E$

Definition 22 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2E$

Definition 23 We define $c_2Epred_set_2EDELETE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1x \in A_27a.(ap\ (ap$

Let $c_2Erealax_2Etreax_add : \iota$ be given. Assume the following.

$$\begin{aligned} c_2Erealax_2Etreax_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal \\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal) \end{aligned} \quad (11)$$

Definition 24 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Ereal$

Definition 25 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap\ (c_2Ebool_2E_21\ (2$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (12)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (13)$$

Definition 26 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \quad (14)$$

Let $c_2Epred_set_2EITSET : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EITSET \\ A_27a\ A_27b \in (((A_27b^{A_27b})^{(2^{A_27a})})^{((A_27b^{A_27b})^{A_27a})}) \end{aligned} \quad (15)$$

Definition 27 We define $c_2Ereal_sigma_2EREAL_SUM_IMAGE$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_2Erealax_2E$

Assume the following.

$$True \quad (16)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p \\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a.(p\ V0t) \Leftrightarrow (p\ V0t))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (19)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (23)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0Q \in 2. (\forall V1P \in (2^{A_27a}). ((\forall V2x \in A_27a. ((p\ (ap\ V1P\ V2x)) \vee (p\ V0Q))) \Leftrightarrow ((\forall V3x \in A_27a. (p\ (ap\ V1P\ V3x)) \vee (p\ V0Q)))))) \quad (24)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee ((p\ V1B) \wedge (p\ V2C))) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \wedge ((p\ V0A) \vee (p\ V2C)))))) \quad (25)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V1B) \wedge (p\ V2C)) \vee (p\ V0A)) \Leftrightarrow (((p\ V1B) \vee (p\ V0A)) \wedge ((p\ V2C) \vee (p\ V0A)))))) \quad (26)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (27)$$

Assume the following.

$$2.(((\forall V0x \in 2.(\forall V1x.27 \in 2.(\forall V2y \in 2.(\forall V3y.27 \in 2.(((p V0x) \Leftrightarrow (p V1x.27)) \wedge ((p V1x.27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y.27)))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x.27) \Rightarrow (p V3y.27)))))) \Rightarrow (28)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in 2. \\ & (\forall V2x \in A.27a.(\forall V3x.27 \in A.27a.(\forall V4y \in A.27a. \\ & (\forall V5y.27 \in A.27a.(((p V0P) \Leftrightarrow (p V1Q)) \wedge ((p V1Q) \Rightarrow (V2x = V3x.27)) \wedge \\ & ((\neg(p V1Q)) \Rightarrow (V4y = V5y.27)))) \Rightarrow ((ap (ap (ap (c.2Ebool.2ECOND A.27a) \\ & V0P) V2x) V4y) = (ap (ap (ap (c.2Ebool.2ECOND A.27a) V1Q) V3x.27) \\ & V5y.27))))))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow ((\forall V0t1 \in A.27a.(\forall V1t2 \in \\ & A.27a.((ap (ap (ap (c.2Ebool.2ECOND A.27a) c.2Ebool.2ET) V0t1) \\ & V1t2) = V0t1))) \wedge (\forall V2t1 \in A.27a.(\forall V3t2 \in A.27a.((ap \\ & (ap (ap (c.2Ebool.2ECOND A.27a) c.2Ebool.2EF) V2t1) V3t2) = V3t2)))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in \\ & A.27a.(\forall V2s \in (2^{A.27a}).((p (ap (ap (c.2Ebool.2EIN A.27a) \\ & V0x) (ap (ap (c.2Epred._set.2EINSERT A.27a) V1y) V2s))) \Leftrightarrow ((V0x = \\ & V1y) \vee (p (ap (ap (c.2Ebool.2EIN A.27a) V0x) V2s)))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1s \in \\ & (2^{A.27a}).((\neg(p (ap (ap (c.2Ebool.2EIN A.27a) V0x) V1s))) \Leftrightarrow ((ap \\ & (ap (c.2Epred._set.2EDELETE A.27a) V1s) V0x) = V1s)))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{(2^{A.27a})}).((\\ & (p (ap V0P (c.2Epred._set.2EEMPTY A.27a))) \wedge (\forall V1s \in (2^{A.27a}). \\ & (((p (ap (c.2Epred._set.2EFINITE A.27a) V1s)) \wedge (p (ap V0P V1s))) \Rightarrow \\ & (\forall V2e \in A.27a.((\neg(p (ap (ap (c.2Ebool.2EIN A.27a) V2e) V1s))) \Rightarrow \\ & (p (ap V0P (ap (ap (c.2Epred._set.2EINSERT A.27a) V2e) V1s)))))) \Rightarrow \\ & (\forall V3s \in (2^{A.27a}).((p (ap (c.2Epred._set.2EFINITE A.27a) \\ & V3s)) \Rightarrow (p (ap V0P V3s)))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& \quad (((ap\ c_2Ereal_2Ereal_of_num\ V0n) = (ap\ c_2Ereal_2Ereal_of_num \\
& \quad V1m)) \Leftrightarrow (V0n = V1m)) \wedge (((ap\ c_2Erealax_2Ereal_neg\ (ap\ c_2Ereal_2Ereal_of_num \\
& \quad V0n)) = (ap\ c_2Ereal_2Ereal_of_num\ V1m)) \Leftrightarrow ((V0n = c_2Enum_2E0) \wedge \\
& \quad (V1m = c_2Enum_2E0))) \wedge (((ap\ c_2Ereal_2Ereal_of_num\ V0n) = \\
& \quad (ap\ c_2Erealax_2Ereal_neg\ (ap\ c_2Ereal_2Ereal_of_num\ V1m))) \Leftrightarrow \\
& \quad ((V0n = c_2Enum_2E0) \wedge (V1m = c_2Enum_2E0))) \wedge (((ap\ c_2Erealax_2Ereal_neg \\
& \quad (ap\ c_2Ereal_2Ereal_of_num\ V0n)) = (ap\ c_2Erealax_2Ereal_neg \\
& \quad (ap\ c_2Ereal_2Ereal_of_num\ V1m))) \Leftrightarrow (V0n = V1m)))))) \\
& \hspace{15em} (34)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0f \in (ty_2Erealax_2Ereal^{A_27a}). \\
& \quad (((ap\ (ap\ (c_2Ereal_sigma_2EREAL_SUM_IMAGE\ A_27a)\ V0f)\ (c_2Epred_set_2EEMPTY \\
& \quad A_27a)) = (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0)) \wedge (\forall V1e \in \\
& \quad A_27a. (\forall V2s \in (2^{A_27a}). ((p\ (ap\ (c_2Epred_set_2EFINITE \\
& \quad A_27a)\ V2s)) \Rightarrow ((ap\ (ap\ (c_2Ereal_sigma_2EREAL_SUM_IMAGE\ A_27a) \\
& \quad V0f)\ (ap\ (ap\ (c_2Epred_set_2EINSERT\ A_27a)\ V1e)\ V2s)) = (ap\ (ap \\
& \quad c_2Erealax_2Ereal_add\ (ap\ V0f\ V1e))\ (ap\ (ap\ (c_2Ereal_sigma_2EREAL_SUM_IMAGE \\
& \quad A_27a)\ V0f)\ (ap\ (ap\ (c_2Epred_set_2EDELETE\ A_27a)\ V2s)\ V1e)))))))))) \\
& \hspace{15em} (35)
\end{aligned}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \hspace{10em} (36)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \hspace{10em} (37)$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \\
& \hspace{15em} (38)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \\
& \hspace{15em} (39)
\end{aligned}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \hspace{10em} (40)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\
& \quad (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\
& \quad p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\
& \quad ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \\
& \hspace{15em} (41)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \wedge (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (\neg(p \ V1q)) \vee (\neg(p \ V2r)))) \wedge (((p \ V1q) \vee \\
& (\neg(p \ V0p))) \wedge ((p \ V2r) \vee (\neg(p \ V0p))))))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \vee (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (\neg(p \ V1q))) \wedge ((p \ V0p) \vee (\neg(p \ V2r)))) \wedge \\
& ((p \ V1q) \vee ((p \ V2r) \vee (\neg(p \ V0p))))))))))
\end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \Rightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \wedge (\\
& \neg(p \ V1q)) \vee ((p \ V2r) \vee (\neg(p \ V0p))))))))))
\end{aligned} \tag{44}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \ V0p) \Leftrightarrow (\neg(p \ V1q))) \Leftrightarrow (((p \ V0p) \vee \\
& (p \ V1q)) \wedge ((\neg(p \ V1q)) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{45}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (p \ V0p))) \tag{46}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (\neg(p \ V1q)))) \tag{47}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1P \in \\
& (2^{A_27a}). (\forall V2f \in (ty_2Erealax_2Ereal^{A_27a}). (((p \ (ap \\
& (c_2Epred_set_2EFINITE \ A_27a) \ V0s)) \wedge (\forall V3x \in A_27a. ((\\
& p \ (ap \ (ap \ (c_2Ebool_2EIN \ A_27a) \ V3x) \ V0s)) \Rightarrow (p \ (ap \ V1P \ V3x)))))) \Rightarrow (\\
& (ap \ (ap \ (c_2Ereal_sigma_2EREAL_SUM_IMAGE \ A_27a) \ (\lambda V4x \in \\
& A_27a. (ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ ty_2Erealax_2Ereal) \ (ap \ V1P \\
& V4x)) \ (ap \ V2f \ V4x)) \ (ap \ c_2Ereal_2Ereal_of_num \ c_2Enum_2E0)))) \\
& V0s) = (ap \ (ap \ (c_2Ereal_sigma_2EREAL_SUM_IMAGE \ A_27a) \ V2f) \\
& V0s))))))
\end{aligned}$$