

thm_2Ereal_sigma_2EREAL_SUM_IMAGE_SUB
 (TMHgGSVUmaAC-
 sijL2JHUd72A2dqPs9dBKGt)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Definition 8 We define $c_2Ebool_2EBOUNDED$ to be $(\lambda V0v \in 2.c_2Ebool_2ET)$.

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{3}$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})ty_2Erealax_2Ereal) \tag{4}$$

Definition 9 We define $c_2Emin_2E.40$ to be $\lambda A.\lambda P \in 2^A$. **if** $(\exists x \in A.p (ap P x))$ **then** (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).

Definition 10 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal$.(ap $(c_2Emin_2E.40$ (t

Let $c_2Erealax_2Etrealm_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_neg \in ((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)) \quad (5)$$

Let $c_2Erealax_2Etrealm_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_eq \in ((2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal)) \quad (6)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)}} \quad (7)$$

Definition 11 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty$

Definition 12 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal$.(ap $c_2Erealax_2Ereal$

Let $c_2Erealax_2Etrealm_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_add \in (((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)) \quad (8)$$

Definition 13 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal$. $\lambda V1T2 \in ty_2Erealax$

Definition 14 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealax_2Ereal$. $\lambda V1y \in ty_2Erealax_2Ereal$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (9)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty ty_2Enum_2Enum \quad (10)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum)^{\omega} \quad (11)$$

Definition 15 We define c_2Enum_2E0 to be (ap $c_2Enum_2EABS_num$ $c_2Enum_2EZERO_REP$).

Definition 16 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (12)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (13)$$

Definition 17 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num)$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})_{ty_2Enum_2Enum} \quad (14)$$

Definition 18 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2B))$

Definition 19 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal)^{ty_2Enum_2Enum} \quad (15)$$

Let $c_2Erealax_2Etrealmul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealmul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})_{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (16)$$

Definition 20 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Let $c_2Epred_set_2EITSET : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EITSET\ A_27a\ A_27b \in (((A_27b^{A_27b})^{(2^{A_27a})})^{((A_27b^{A_27b})^{A_27a})}) \quad (17)$$

Definition 21 We define $c_2Ereal_sigma_2EREAL_SUM_IMAGE$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_2Erealax_2Ereal)$

Definition 22 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap\ V1f\ V0x)))$

Definition 23 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2))))$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (18)$$

Definition 24 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2EABS_prod))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \end{aligned} \quad (19)$$

Definition 25 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap\ (c_2Ebool_2E_2EINSERT\ V0x\ V1s))$.

Definition 26 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2E_2EEMPTY\ V0x)$.

Definition 27 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap\ (c_2Ebool_2E_2EFINITE\ V0s))$.

Assume the following.

$$True \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (22)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \Rightarrow \\ ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} (\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in \\ 2.(((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow \\ (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \end{aligned} \quad (25)$$

Assume the following.

$$(\forall V0v \in 2.((p\ (ap\ c_2Ebool_2EBOUNDED\ V0v)) \Leftrightarrow True)) \quad (26)$$

Assume the following.

$$\begin{aligned} (\forall V0x \in ty_2Erealax_2Ereal.((ap\ c_2Erealax_2Ereal_neg \\ V0x) = (ap\ (ap\ c_2Erealax_2Ereal_mul\ (ap\ c_2Erealax_2Ereal_neg \\ (ap\ c_2Ereal_2Ereal_of_num\ (ap\ c_2Earithmetic_2ENUMERAL\ (\\ ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO))))))\ V0x)) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}). ((p\ (ap \\
& (c.2Epred_set_2EFINITE\ A.27a)\ V0P)) \Rightarrow (\forall V1f \in (ty_2Erealax_2Ereal^{A.27a}). \\
& (\forall V2c \in ty_2Erealax_2Ereal. ((ap\ (ap\ (c.2Ereal_sigma_2EREAL_SUM_IMAGE \\
& A.27a)\ (\lambda V3x \in A.27a. (ap\ (ap\ c.2Erealax_2Ereal_mul\ V2c)\ (ap \\
& V1f\ V3x))))\ V0P) = (ap\ (ap\ c.2Erealax_2Ereal_mul\ V2c)\ (ap\ (ap\ (c.2Ereal_sigma_2EREAL_SUM_IMAGE \\
& A.27a)\ V1f)\ V0P))))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A.27a}). ((p\ (ap \\
& (c.2Epred_set_2EFINITE\ A.27a)\ V0s)) \Rightarrow (\forall V1f \in (ty_2Erealax_2Ereal^{A.27a}). \\
& (\forall V2f_27 \in (ty_2Erealax_2Ereal^{A.27a}). ((ap\ (ap\ (c.2Ereal_sigma_2EREAL_SUM_IMAGE \\
& A.27a)\ (\lambda V3x \in A.27a. (ap\ (ap\ c.2Erealax_2Ereal_add\ (ap\ V1f \\
& V3x))\ (ap\ V2f_27\ V3x))))\ V0s) = (ap\ (ap\ c.2Erealax_2Ereal_add\ (\\
& ap\ (ap\ (c.2Ereal_sigma_2EREAL_SUM_IMAGE\ A.27a)\ V1f)\ V0s)) \\
& (ap\ (ap\ (c.2Ereal_sigma_2EREAL_SUM_IMAGE\ A.27a)\ V2f_27)\ V0s))))))
\end{aligned} \tag{29}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A.27a}). (\forall V1f \in \\
& (ty_2Erealax_2Ereal^{A.27a}). (\forall V2f_27 \in (ty_2Erealax_2Ereal^{A.27a}). \\
& ((p\ (ap\ (c.2Epred_set_2EFINITE\ A.27a)\ V0s)) \Rightarrow ((ap\ (ap\ (c.2Ereal_sigma_2EREAL_SUM_IMAGE \\
& A.27a)\ (\lambda V3x \in A.27a. (ap\ (ap\ c.2Ereal_2Ereal_sub\ (ap\ V1f\ V3x)) \\
& (ap\ V2f_27\ V3x))))\ V0s) = (ap\ (ap\ c.2Ereal_2Ereal_sub\ (ap\ (ap\ (c.2Ereal_sigma_2EREAL_SUM_IMAGE \\
& A.27a)\ V1f)\ V0s))\ (ap\ (ap\ (c.2Ereal_sigma_2EREAL_SUM_IMAGE \\
& A.27a)\ V2f_27)\ V0s))))))
\end{aligned}$$