

thm_2Ereal__topology_2EABS__SUM__TRIVIAL__LEMMA
(TMXVhGwh-
moAy1qSNffLkMFNj4hcBZU5DmCk)

October 26, 2020

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{3}$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})_{ty_2Erealax}) \tag{4}$$

Definition 1 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A$. **if** $(\exists x \in A.p\ (ap\ P\ x))$ **then** (the $(\lambda x.x \in A \wedge p\ x)$ of type $\iota \Rightarrow \iota$).

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_21$ to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2)))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x)$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda P \in (2^{A-27a}).(ap\ (ap\ (c_2Emin_2E_3D\ (2^{A-27a})))\ P)$

Definition 5 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E_40\ (ty_2Erealax_2Ereal_REP_CLASS\ a)))$

Let $c_2Erealax_2Etrealt_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealt_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})_{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \tag{5}$$

Definition 6 We define $c_Erealax_Ereal_lt$ to be $\lambda V0T1 \in ty_Erealax_Ereal.\lambda V1T2 \in ty_Erealax_Ereal$

Definition 7 We define $c_Emin_E3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 8 We define $c_Ebool_E5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_E21 2) (\lambda V2t \in 2$

Definition 9 We define c_Ebool_E2F to be $(ap (c_Ebool_E21 2) (\lambda V0t \in 2.V0t))$.

Definition 10 We define c_Ebool_E7E to be $(\lambda V0t \in 2.(ap (ap c_Emin_E3D_3D_3E V0t) c_Ebool_E2F$

Definition 11 We define $c_Ebool_E2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_E21 2) (\lambda V2t \in 2$

Let $ty_EEnum_EEnum : \iota$ be given. Assume the following.

$$nonempty\ ty_EEnum_EEnum \tag{6}$$

Let $c_EEnum_EERP_num : \iota$ be given. Assume the following.

$$c_EEnum_EERP_num \in (\omega^{ty_EEnum_EEnum}) \tag{7}$$

Let $c_EEnum_EESUC_REP : \iota$ be given. Assume the following.

$$c_EEnum_EESUC_REP \in (\omega^{\omega}) \tag{8}$$

Let $c_EEnum_EEABS_num : \iota$ be given. Assume the following.

$$c_EEnum_EEABS_num \in (ty_EEnum_EEnum^{\omega}) \tag{9}$$

Definition 12 We define c_EEnum_EESUC to be $\lambda V0m \in ty_EEnum_EEnum.(ap c_EEnum_EEABS_num$

Definition 13 We define c_Ebool_E3F to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_Emin_E40$

Definition 14 We define $c_Eprim_rec_E3C$ to be $\lambda V0m \in ty_EEnum_EEnum.\lambda V1n \in ty_EEnum_EEnum$

Definition 15 We define $c_Earithmic_E3C_3D$ to be $\lambda V0m \in ty_EEnum_EEnum.\lambda V1n \in ty_EEnum_EEnum$

Let $c_Epair_EEABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_Epair_EEABS_prod \\ A_27a\ A_27b \in ((ty_Epair_Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \tag{10}$$

Definition 16 We define c_Epair_E2C to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2$

Let $c_Epred_set_EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_Epred_set_EGSPEC \\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_Epair_Eprod\ A_27a\ 2)^{A_27b}}) \end{aligned} \tag{11}$$

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \quad (16)$$

Let $c_2Erealax_2Etrealm_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_neg \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal) \\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)} \quad (17)$$

Definition 32 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal$

Definition 33 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Definition 34 We define c_2Ereal_2Eabs to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap\ (ap\ (ap\ (c_2Ebool_2ECONI$

Assume the following.

$$True \quad (18)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2.((p\ V0t) \vee \neg(p\ V0t))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge \\ (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee \\ (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ (p\ V0t) \Rightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (23)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (24)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (25)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\
& p V0t))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
& ((ap (ap c_2Eiterate_2E_2E V0m) V1n) = (c_2Epred_set_2EEMPTY \\
& ty_2Enum_2Enum)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C V1n) V0m))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\\
& (\forall V0f \in (ty_2Erealax_2Ereal^{A_27a}). ((ap (ap (c_2Eiterate_2ESum \\
& A_27a) (c_2Epred_set_2EEMPTY A_27a)) V0f) = (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0))) \wedge (\forall V1x \in A_27b. (\forall V2f \in (ty_2Erealax_2Ereal^{A_27b}). \\
& (\forall V3s \in (2^{A_27b}). ((p (ap (c_2Epred_set_2EFINITE A_27b) \\
& V3s)) \Rightarrow ((ap (ap (c_2Eiterate_2ESum A_27b) (ap (ap (c_2Epred_set_2EINSERT \\
& A_27b) V1x) V3s)) V2f) = (ap (ap (ap (c_2Ebool_2ECOND ty_2Erealax_2Ereal) \\
& (ap (ap (c_2Ebool_2EIN A_27b) V1x) V3s)) (ap (ap (c_2Eiterate_2ESum \\
& A_27b) V3s) V2f)) (ap (ap c_2Erealax_2Ereal_add (ap V2f V1x)) (\\
& ap (ap (c_2Eiterate_2ESum A_27b) V3s) V2f))))))))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow ((\forall V0s \in (2^{A_27a}). ((ap (\\
& ap (c_2Epred_set_2EINTER A_27a) (c_2Epred_set_2EEMPTY A_27a)) \\
& V0s) = (c_2Epred_set_2EEMPTY A_27a))) \wedge (\forall V1s \in (2^{A_27a}). \\
& ((ap (ap (c_2Epred_set_2EINTER A_27a) V1s) (c_2Epred_set_2EEMPTY \\
& A_27a)) = (c_2Epred_set_2EEMPTY A_27a))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& ((ap c_2Ereal_2Eabs (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) = \\
& (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0))
\end{aligned} \tag{30}$$

Theorem 1

$$\begin{aligned} & (\forall V0P \in 2. (\forall V1s \in (2^{ty_2Enum_2Enum}). (\forall V2m \in \\ & \quad ty_2Enum_2Enum. (\forall V3n \in ty_2Enum_2Enum. (\forall V4f \in (\\ & \quad ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). (\forall V5e \in ty_2Erealax_2Ereal. \\ & \quad ((p (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num \\ & \quad c_2Enum_2E0)) V5e)) \Rightarrow ((p V0P) \Rightarrow (p (ap (ap c_2Erealax_2Ereal_lt \\ & \quad (ap c_2Ereal_2Eabs (ap (ap (c_2Eiterate_2ESum ty_2Enum_2Enum) \\ & (ap (ap (c_2Epred_set_2EINTER ty_2Enum_2Enum) V1s) (ap (ap c_2Eiterate_2E_2E_2E \\ & \quad V2m) V3n))) V4f))) V5e))) \Leftrightarrow ((p V0P) \Rightarrow ((p (ap (ap c_2Eprim_rec_2E_3C \\ & \quad V3n) V2m)) \vee (p (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Eabs \\ & (ap (ap (c_2Eiterate_2ESum ty_2Enum_2Enum) (ap (ap (c_2Epred_set_2EINTER \\ & \quad ty_2Enum_2Enum) V1s) (ap (ap c_2Eiterate_2E_2E_2E V2m) V3n))) \\ & \quad V4f))) V5e))))))))) \end{aligned}$$