

thm_2Ereal__topology_2EBOUNDED__DECREASING__CONVERGENCE
(TMGq-
mAECa94P1saGdiEgbHMQnDb9gxLyZeY)

October 26, 2020

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2E2T to be $(ap (ap (c_2Emin_2E3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2ESND A_27a A_27b \in (A_27b^{(ty_2Epair_2Eprod A_27a A_27b)}) \tag{2}$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EFST A_27a A_27b \in (A_27a^{(ty_2Epair_2Eprod A_27a A_27b)}) \tag{3}$$

Definition 3 We define c_2Ebool_2E21 to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E3D (2^{A_27a}))$

Definition 4 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A_27b})$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty ty_2Ehreal_2Ehreal \tag{4}$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty ty_2Erealax_2Ereal \tag{5}$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax}) \quad (6)$$

Definition 5 We define c_2Emin_2E40 to be $\lambda A.\lambda P \in 2^A$. **if** $(\exists x \in A.p (ap\ P\ x))$ **then** (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).

Definition 6 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal$. $(ap\ (c_2Emin_2E40\ (ty_2Erealax_2Ereal_REP\ a)))$

Let $c_2Erealax_2Etreall_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreall_neg \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{ty_2Etreall_neg}) \quad (7)$$

Let $c_2Erealax_2Etreall_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreall_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (8)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})} \quad (9)$$

Definition 7 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 8 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal$. $(ap\ c_2Erealax_2Ereal_neg\ (c_2Erealax_2Ereal_ABS\ T1))$

Let $ty_2Ereal_topology_2Enet : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ereal_topology_2Enet\ A0) \quad (10)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (11)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (12)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum)^{\omega} \quad (13)$$

Definition 9 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal)^{ty_2Enum_2Enum} \quad (14)$$

Let $c_2Erealax_2Etreall_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreall_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (15)$$

Definition 10 We define $c_2Erealax_2Ereal_lte$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$.

Definition 11 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21) 2) (\lambda V0t \in 2.V0t)$.

Definition 12 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 13 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_21) 2)$.

Definition 14 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$.

Definition 15 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21) 2) (\lambda V2t \in 2.V2t) 2))$.

Definition 16 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap (c_2Emin_2E_3D_3D_3E V2t2) c_2Ebool_2E_21) 2) 2))$.

Definition 17 We define c_2Ereal_2Eabs to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap (ap (ap (c_2Ebool_2ECOND) 2) 2) 2) V0x)$.

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (16)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega^a}) \quad (17)$$

Definition 18 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num V0m)$.

Definition 19 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40) 2) V0P))$.

Definition 20 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$.

Definition 21 We define $c_2Earithmetic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$.

Definition 22 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21) 2) (\lambda V2t \in 2.V2t) 2))$.

Definition 23 We define $c_2Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$.

Let $c_2Ereal_topology_2Emk_net : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} &\forall A_27a.nonempty A_27a \Rightarrow c_2Ereal_topology_2Emk_net \\ &A_27a \in ((ty_2Ereal_topology_2Enet A_27a)^{(2^{A_27a})^{A_27a}}) \end{aligned} \quad (18)$$

Definition 24 We define $c_2Ereal_topology_2Esequentially$ to be $(ap (c_2Ereal_topology_2Emk_net ty_2Ereal_topology_2Esequentially))$.

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} &\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod \\ &A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (19)$$

Definition 25 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Emin_2E_3D_3D_3E) 2) V0x V1y)$.

Let $c_2Ereal_topology_2EDist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2EDist \in (ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)}) \quad (20)$$

Let $c_2Ereal_topology_2Enetord : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ereal_topology_2Enetord\ A_27a \in ((2^{A_27a})^{A_27a})^{(ty_2Ereal_topology_2Enet\ A_27a)} \quad (21)$$

Definition 26 We define $c_2Ereal_topology_2Etrivial_limit$ to be $\lambda A_27a : \iota. \lambda V0net \in (ty_2Ereal_topology_2Etrivial_limit)$

Definition 27 We define $c_2Ereal_topology_2Eeventually$ to be $\lambda A_27a : \iota. \lambda V0p \in (2^{A_27a}). \lambda V1net \in (ty_2Ereal_topology_2Eeventually)$

Definition 28 We define $c_2Ereal_topology_2E_2D_2D_3E$ to be $\lambda A_27a : \iota. \lambda V0f \in (ty_2Erealax_2Ereal^{A_27a})$

Definition 29 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2ET)$.

Definition 30 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap\ V1f\ V0x)))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b})}) \quad (22)$$

Definition 31 We define $c_2Ereal_topology_2Ebounded_def$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}). (ap\ (c_2Ebool_2EIN))$

Assume the following.

$$True \quad (23)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (24)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p\ V0t) \Leftrightarrow (p\ V0t)))) \quad (25)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \quad (27)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (28)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (29)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (30)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow (p V1t2) \Rightarrow (p V2t3)) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3))))) \quad (31)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x.27 \in 2.(\forall V2y \in 2.(\forall V3y.27 \in 2.(((p V0x) \Leftrightarrow (p V1x.27)) \wedge ((p V1x.27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y.27)))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x.27) \Rightarrow (p V3y.27)))))) \quad (32)$$

Assume the following.

$$(\forall V0x \in ty.2Erealax.2Ereal.((ap c.2Ereal.2Eabs (ap c.2Erealax.2Ereal_neg V0x)) = (ap c.2Ereal.2Eabs V0x))) \quad (33)$$

Assume the following.

$$(\forall V0x \in ty.2Erealax.2Ereal.(\forall V1y \in ty.2Erealax.2Ereal.((p (ap (ap c.2Ereal.2Ereal_lte (ap c.2Erealax.2Ereal_neg V0x)) (ap c.2Erealax.2Ereal_neg V1y))) \Leftrightarrow (p (ap (ap c.2Ereal.2Ereal_lte V1y) V0x)))))) \quad (34)$$

Assume the following.

$$(\forall V0x \in ty.2Erealax.2Ereal.((ap c.2Erealax.2Ereal_neg (ap c.2Erealax.2Ereal_neg V0x)) = V0x)) \quad (35)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& nonempty\ A.27c \Rightarrow \forall A.27d.nonempty\ A.27d \Rightarrow \forall A.27e.nonempty \\
& A.27e \Rightarrow \forall A.27f.nonempty\ A.27f \Rightarrow \forall A.27g.nonempty\ A.27g \Rightarrow \\
& (\forall V0Q \in (2^{A.27b}).(\forall V1P \in (2^{A.27a}).(\forall V2f \in \\
& (A.27b^{A.27a}).(\forall V3z \in A.27b.((p\ (ap\ (ap\ (c.2Ebool.2EIN \\
& A.27b)\ V3z)\ (ap\ (c.2Epred_set.2EGSPEC\ A.27b\ A.27a)\ (\lambda V4x \in \\
& A.27a.(ap\ (ap\ (c.2Epair.2E.2C\ A.27b\ 2)\ (ap\ V2f\ V4x))\ (ap\ V1P\ V4x)))))) \Rightarrow \\
& (p\ (ap\ V0Q\ V3z)))) \Leftrightarrow (\forall V5x \in A.27a.((p\ (ap\ V1P\ V5x)) \Rightarrow (p\ (ap\ V0Q \\
& (ap\ V2f\ V5x)))))) \wedge ((\forall V6P \in ((2^{A.27d})^{A.27c}).(\forall V7f \in \\
& ((A.27b^{A.27d})^{A.27c}).(\forall V8z \in A.27b.((p\ (ap\ (ap\ (c.2Ebool.2EIN \\
& A.27b)\ V8z)\ (ap\ (c.2Epred_set.2EGSPEC\ A.27b\ (ty.2Epair.2Eprod \\
& A.27c\ A.27d))\ (ap\ (c.2Epair.2EUNCURRY\ A.27c\ A.27d\ (ty.2Epair.2Eprod \\
& A.27b\ 2))\ (\lambda V9x \in A.27c.(\lambda V10y \in A.27d.(ap\ (ap\ (c.2Epair.2E.2C \\
& A.27b\ 2)\ (ap\ (ap\ V7f\ V9x)\ V10y))\ (ap\ (ap\ V6P\ V9x)\ V10y)))))) \Rightarrow (p \\
& (ap\ V0Q\ V8z)))) \Leftrightarrow (\forall V11x \in A.27c.(\forall V12y \in A.27d.((p \\
& (ap\ (ap\ V6P\ V11x)\ V12y)) \Rightarrow (p\ (ap\ V0Q\ (ap\ (ap\ V7f\ V11x)\ V12y)))))) \wedge \\
& (\forall V13P \in (((2^{A.27g})^{A.27f})^{A.27e}).(\forall V14f \in (((A.27b^{A.27g})^{A.27f})^{A.27e}). \\
& (\forall V15z \in A.27b.((p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27b)\ V15z)\ (\\
& ap\ (c.2Epred_set.2EGSPEC\ A.27b\ (ty.2Epair.2Eprod\ A.27e\ (ty.2Epair.2Eprod \\
& A.27f\ A.27g)))\ (ap\ (c.2Epair.2EUNCURRY\ A.27e\ (ty.2Epair.2Eprod \\
& A.27f\ A.27g)\ (ty.2Epair.2Eprod\ A.27b\ 2))\ (\lambda V16w \in A.27e.(ap \\
& (c.2Epair.2EUNCURRY\ A.27f\ A.27g\ (ty.2Epair.2Eprod\ A.27b\ 2)) \\
& (\lambda V17x \in A.27f.(\lambda V18y \in A.27g.(ap\ (ap\ (c.2Epair.2E.2C\ A.27b \\
& 2)\ (ap\ (ap\ (ap\ V14f\ V16w)\ V17x)\ V18y))\ (ap\ (ap\ (ap\ V13P\ V16w)\ V17x) \\
& V18y)))))) \Rightarrow (p\ (ap\ V0Q\ V15z)))) \Leftrightarrow (\forall V19w \in A.27e.(\forall V20x \in \\
& A.27f.(\forall V21y \in A.27g.((p\ (ap\ (ap\ (ap\ V13P\ V19w)\ V20x)\ V21y)) \Rightarrow \\
& (p\ (ap\ V0Q\ (ap\ (ap\ (ap\ V14f\ V19w)\ V20x)\ V21y)))))))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0net \in (ty.2Ereal_topology.2Enet \\
& A.27a).(\forall V1f \in (ty.2Erealax.2Ereal^{A.27a}).(\forall V2l \in \\
& ty.2Erealax.2Ereal.((p\ (ap\ (ap\ (ap\ (c.2Ereal_topology.2E.2D.2D.3E \\
& A.27a)\ (\lambda V3x \in A.27a.(ap\ c.2Erealax.2Ereal_neg\ (ap\ V1f\ V3x)))) \\
& (ap\ c.2Erealax.2Ereal_neg\ V2l))\ V0net)) \Leftrightarrow (p\ (ap\ (ap\ (ap\ (c.2Ereal_topology.2E.2D.2D.3E \\
& A.27a)\ V1f)\ V2l)\ V0net))))))
\end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).(((p (ap c_2Ereal_topology_2Ebounded_def \\
& \quad (ap (c_2Epred_set_2EGSPEC ty_2Erealax_2Ereal ty_2Enum_2Enum) \\
& \quad (\lambda V1n \in ty_2Enum_2Enum.(ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal \\
& \quad 2) (ap V0s V1n)) (ap (ap (c_2Ebool_2EIN ty_2Enum_2Enum) V1n) (c_2Epred_set_2EUNIV \\
& \quad \quad ty_2Enum_2Enum)))))) \wedge (\forall V2n \in ty_2Enum_2Enum.(p (ap (\\
& \quad \quad ap c_2Ereal_2Ereal_lte (ap V0s V2n)) (ap V0s (ap c_2Enum_2ESUC \\
& \quad V2n)))))) \Rightarrow (\exists V3l \in ty_2Erealax_2Ereal.(p (ap (ap (ap (c_2Ereal_topology_2E_2D_2D_3E \\
& \quad \quad ty_2Enum_2Enum) V0s) V3l) c_2Ereal_topology_2Esequentially))))))
\end{aligned} \tag{38}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{39}$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{40}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False))) \tag{41}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \tag{42}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))))) \tag{43}$$

Theorem 1

$$\begin{aligned}
& (\forall V0s \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).(((p (ap c_2Ereal_topology_2Ebounded_def \\
& \quad (ap (c_2Epred_set_2EGSPEC ty_2Erealax_2Ereal ty_2Enum_2Enum) \\
& \quad (\lambda V1n \in ty_2Enum_2Enum.(ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal \\
& \quad 2) (ap V0s V1n)) (ap (ap (c_2Ebool_2EIN ty_2Enum_2Enum) V1n) (c_2Epred_set_2EUNIV \\
& \quad \quad ty_2Enum_2Enum)))))) \wedge (\forall V2n \in ty_2Enum_2Enum.(p (ap (\\
& \quad \quad ap c_2Ereal_2Ereal_lte (ap V0s (ap c_2Enum_2ESUC V2n)) (ap V0s \\
& \quad V2n)))))) \Rightarrow (\exists V3l \in ty_2Erealax_2Ereal.(p (ap (ap (ap (c_2Ereal_topology_2E_2D_2D_3E \\
& \quad \quad ty_2Enum_2Enum) V0s) V3l) c_2Ereal_topology_2Esequentially))))))
\end{aligned}$$