

thm_2Ereal__topology_2EBOUNDED__EQ__BOLZANO__WEIERSST
 (TMduKbQdgPgqDFiCAJUWCHn-
 QPiFeDpnLPMC)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$
 of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_2IN$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 4 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$
 of type ι .

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 6 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{1}$$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Definition 8 We define $c_2Ebool_2E_2EF$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 9 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2EF$

Definition 10 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \text{ then } (the (\lambda x.x \in A \wedge p x))$
 of type $\iota \Rightarrow \iota$.

Definition 11 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (2)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (3)$$

Definition 12 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2EABS_prod\ A_27a\ A_27b)\ x\ y)$

Let $c_2Ereal_topology_2EDist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2EDist \in (ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)}) \quad (4)$$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (5)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal}) \quad (6)$$

Definition 13 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E_40\ ty_2Erealax_2Ereal)\ a)$

Let $c_2Erealax_2Etreall_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreall_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (7)$$

Definition 14 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.(c_2Erealax_2Etreall_lt\ T1\ T2)$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (8)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (9)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (10)$$

Definition 15 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \quad (11)$$

Definition 16 We define $c_Ereal_topology_EOpen$ to be $\lambda V0s \in (2^{ty_Erealax_Ereal}).(ap (c_Ebool_E2$

Definition 17 We define $c_Ereal_topology_Elimit_point_of$ to be $\lambda V0x \in ty_Erealax_Ereal.\lambda V1s \in ($

Definition 18 We define $c_Ebool_E5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_E21 2) (\lambda V2t \in$

Let $c_Epred_set_EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_Epred_set_EGSPEC \\ A_27a A_27b \in ((2^{A_27a})^{(ty_Epair_Eprod A_27a 2)^{A_27b}}) \end{aligned} \quad (12)$$

Definition 19 We define $c_Epred_set_EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap (c_E$

Definition 20 We define $c_Epred_set_EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_Ebool_E2F).$

Definition 21 We define $c_Epred_set_EFINITE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap (c_Ebool_E21 2)$

Let $c_Erealax_Etrealm_neg : \iota$ be given. Assume the following.

$$\begin{aligned} c_Erealax_Etrealm_neg \in ((ty_Epair_Eprod ty_Ehreal_Ehreal \\ ty_Ehreal_Ehreal)^{(ty_Epair_Eprod ty_Ehreal_Ehreal ty_Ehreal_Ehreal)}) \end{aligned} \quad (13)$$

Let $c_Erealax_Etrealm_eq : \iota$ be given. Assume the following.

$$c_Erealax_Etrealm_eq \in ((2^{(ty_Epair_Eprod ty_Ehreal_Ehreal ty_Ehreal_Ehreal)})^{(ty_Epair_Eprod ty_Ehreal_Ehreal)}) \quad (14)$$

Let $c_Erealax_Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_Erealax_Ereal_ABS_CLASS \in (ty_Erealax_Ereal)^{(2^{(ty_Epair_Eprod ty_Ehreal_Ehreal ty_Ehreal_Ehreal)})} \quad (15)$$

Definition 22 We define $c_Erealax_Ereal_ABS$ to be $\lambda V0r \in (ty_Epair_Eprod ty_Ehreal_Ehreal ty_Ehreal_Ehreal)$

Definition 23 We define $c_Erealax_Ereal_neg$ to be $\lambda V0T1 \in ty_Erealax_Ereal.(ap c_Erealax_Ereal$

Definition 24 We define $c_Ereal_Ereal_lte$ to be $\lambda V0x \in ty_Erealax_Ereal.\lambda V1y \in ty_Erealax_Ereal$

Definition 25 We define c_Ebool_ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Definition 26 We define c_Ereal_Eabs to be $\lambda V0x \in ty_Erealax_Ereal.(ap (ap (ap (c_Ebool_ECOND$

Definition 27 We define $c_Ereal_topology_Ebounded_def$ to be $\lambda V0s \in (2^{ty_Erealax_Ereal}).(ap (c_Ebool$

Assume the following.

$$True \quad (16)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\ V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \end{aligned} \quad (17)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \wedge ((p V1t2) \wedge (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \wedge (p V2t3)))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(((p V0t) \Rightarrow False) \Rightarrow (\neg(p V0t)))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (21)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (22)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (24)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((\neg(\forall V1x \in A.27a.(p(ap V0P V1x)))) \Leftrightarrow (\exists V2x \in A.27a.(\neg(p(ap V0P V2x)))))) \quad (25)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((\neg(\exists V1x \in A.27a.(p(ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A.27a.(\neg(p(ap V0P V2x)))))) \quad (26)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A.27a}).(((p V0P) \wedge (\forall V2x \in A.27a.(p(ap V1Q V2x)))) \Leftrightarrow (\forall V3x \in A.27a.((p V0P) \wedge (p(ap V1Q V3x)))))) \quad (27)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A-27a}).(\forall V1Q \in \\ 2.(((\exists V2x \in A.27a.(p \ (ap \ V0P \ V2x))) \vee (p \ V1Q))) \Leftrightarrow (\exists V3x \in \\ A.27a.((p \ (ap \ V0P \ V3x)) \vee (p \ V1Q)))))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (\\ 2^{A-27a}).(((p \ V0P) \vee (\exists V2x \in A.27a.(p \ (ap \ V1Q \ V2x)))) \Leftrightarrow (\exists V3x \in \\ A.27a.((p \ V0P) \vee (p \ (ap \ V1Q \ V3x)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A-27a}).(\forall V1Q \in \\ 2.(((\exists V2x \in A.27a.((p \ (ap \ V0P \ V2x)) \wedge (p \ V1Q))) \Leftrightarrow ((\exists V3x \in \\ A.27a.(p \ (ap \ V0P \ V3x)) \wedge (p \ V1Q)))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (\\ 2^{A-27a}).(((\exists V2x \in A.27a.((p \ V0P) \wedge (p \ (ap \ V1Q \ V2x)))) \Leftrightarrow ((p \\ V0P) \wedge (\exists V3x \in A.27a.(p \ (ap \ V1Q \ V3x)))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0Q \in 2.(\forall V1P \in (\\ 2^{A-27a}).(((\forall V2x \in A.27a.((p \ (ap \ V1P \ V2x)) \vee (p \ V0Q))) \Leftrightarrow ((\forall V3x \in \\ A.27a.(p \ (ap \ V1P \ V3x)) \vee (p \ V0Q)))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p \ V0A) \vee (\\ (p \ V1B) \vee (p \ V2C))) \Leftrightarrow (((p \ V0A) \vee (p \ V1B)) \vee (p \ V2C)))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2.(\forall V1B \in 2.(((p \ V0A) \vee (p \ V1B)) \Leftrightarrow ((p \ V1B) \vee \\ (p \ V0A)))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p \ V0A) \wedge (p \ V1B))) \Leftrightarrow ((\neg(\\ p \ V0A) \vee (\neg(p \ V1B)))) \wedge ((\neg((p \ V0A) \vee (p \ V1B))) \Leftrightarrow ((\neg(p \ V0A) \wedge (\neg(p \ V1B)))))))) \end{aligned} \quad (35)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty \ A.27a \Rightarrow \forall A.27b.nonempty \ A.27b \Rightarrow (\\ \forall V0P \in ((2^{A-27b})^{A-27a}).(\forall V1x \in A.27a.(\exists V2y \in \\ A.27b.(p \ (ap \ (ap \ V0P \ V1x) \ V2y))) \Leftrightarrow (\exists V3f \in (A.27b^{A-27a}).(\\ \forall V4x \in A.27a.(p \ (ap \ (ap \ V0P \ V4x) \ (ap \ V3f \ V4x)))))) \end{aligned} \quad (36)$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealax_2Ereal}).(\forall V1t \in (2^{ty_2Erealax_2Ereal}). \\
& (((\neg(p (ap c_2Ereal_topology_2Ebounded_def V1t)) \wedge (p (ap (ap (\\
& c_2Epred_set_2ESUBSET ty_2Erealax_2Ereal) V0s) V1t))) \Rightarrow (p (\\
& ap c_2Ereal_topology_2Ebounded_def V0s))))))
\end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealax_2Ereal}).(\forall V1t \in (2^{ty_2Erealax_2Ereal}). \\
& (((\neg(p (ap (c_2Epred_set_2EFINITE ty_2Erealax_2Ereal) V1t))) \wedge \\
& (p (ap (ap (c_2Epred_set_2ESUBSET ty_2Erealax_2Ereal) V1t) V0s)))) \Rightarrow \\
& (\exists V2x \in ty_2Erealax_2Ereal.(p (ap (ap c_2Ereal_topology_2Elimit_point_of \\
& V2x) V1t)))))) \Rightarrow (p (ap c_2Ereal_topology_2Ebounded_def V0s)))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealax_2Ereal}).(((p (ap c_2Ereal_topology_2Ebounded_def \\
& V0s)) \wedge (\neg(p (ap (c_2Epred_set_2EFINITE ty_2Erealax_2Ereal) \\
& V0s)))) \Rightarrow (\exists V1x \in ty_2Erealax_2Ereal.(p (ap (ap c_2Ereal_topology_2Elimit_point_of \\
& V1x) V0s))))))
\end{aligned} \tag{39}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{40}$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{41}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{43}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \tag{44}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg \\
& p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{45}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{46}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge ((p V0p) \vee (\neg(p V2r)))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (\\
& \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))
\end{aligned} \tag{49}$$

Theorem 1

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealax_2Ereal}). ((p (ap\ c_2Ereal_topology_2Ebounded_def \\
& V0s)) \Leftrightarrow (\forall V1t \in (2^{ty_2Erealax_2Ereal}). (((p (ap (ap (c_2Epred_set_2ESUBSET \\
& ty_2Erealax_2Ereal) V1t) V0s)) \wedge (\neg(p (ap (c_2Epred_set_2EFINITE \\
& ty_2Erealax_2Ereal) V1t)))) \Rightarrow (\exists V2x \in ty_2Erealax_2Ereal. \\
& (p (ap (ap\ c_2Ereal_topology_2Elimit_point_of\ V2x) V1t))))))
\end{aligned}$$