

thm_2Ereal__topology_2EBOUNDED__INTERVAL
(TMQeuhpHaWNtNJUtE-
gaEKRMFV4X43ZeMeff)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ **then** (the $(\lambda x.x \in A \wedge p)$ of type $\iota \Rightarrow \iota$).

Definition 4 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c_2Emin_2E_40 A_27a))))$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $c_2Ereal_topology_2EOPEN_interval : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2EOPEN_interval \in ((2^{ty_2Erealax_2Ereal})(ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)) \tag{3}$$

Definition 5 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A-27a}).(ap V1f V0x)))$

Definition 6 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 7 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})) P) V0P))$

Definition 8 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap (c_2Emin_2E_3D (2^{A-27a})) s) t)$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (4)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (5)$$

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.))$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (6)$$

Definition 10 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2EABS_prod\ x\ y)\ (c_2Epair_2EABS_prod\ x\ y))$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (7)$$

Let $c_2Elist_2EHD : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EHD\ A_27a \in (A_27a^{(ty_2Elist_2Elist\ A_27a)}) \quad (8)$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND\ A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \quad (9)$$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (10)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal_REP_CLASS}) \quad (11)$$

Definition 11 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E_40\ (c_2Erealax_2Ereal_REP_CLASS\ a))\ (c_2Erealax_2Ereal_REP_CLASS\ a))$

Let $c_2Erealax_2Etreallt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreallt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (12)$$

Definition 12 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.(c_2Erealax_2Ereal_lt\ T1\ T2)$

Definition 13 We define c_Ebool_EF to be $(ap (c_Ebool_E21\ 2) (\lambda V0t \in 2.V0t))$.

Definition 14 We define c_Ebool_E7E to be $(\lambda V0t \in 2.(ap (ap c_Emin_E3D_3D_3E V0t) c_Ebool_E21\ 2))$.

Definition 15 We define $c_Ereal_Ereal_lte$ to be $\lambda V0x \in ty_Erealax_Ereal.\lambda V1y \in ty_Erealax_Ereal$.

Let $c_Epair_EFAST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_Epair_EFAST \\ A_27a\ A_27b \in (A_27a^{(ty_Epair_Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (13)$$

Let $c_Epred_set_EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_Epred_set_EGSPEC \\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_Epair_Eprod\ A_27a\ 2)^{A_27b}}) \end{aligned} \quad (14)$$

Definition 16 We define $c_Ereal_topology_ECLOSED_interval$ to be $\lambda V0l \in (ty_Elist_Elist\ (ty_Epair_Eprod\ ty_Erealax_Ereal\ ty_Ereal_Ereal))$.

Let $c_Erealax_Etrealm_neg : \iota$ be given. Assume the following.

$$\begin{aligned} c_Erealax_Etrealm_neg \in ((ty_Epair_Eprod\ ty_Ehreal_Ehreal \\ ty_Ehreal_Ehreal)^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)}) \end{aligned} \quad (15)$$

Let $c_Erealax_Etrealm_eq : \iota$ be given. Assume the following.

$$c_Erealax_Etrealm_eq \in ((2^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)})^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal)}) \quad (16)$$

Let $c_Erealax_Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_Erealax_Ereal_ABS_CLASS \in (ty_Erealax_Ereal)^{(2^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)})} \quad (17)$$

Definition 17 We define $c_Erealax_Ereal_ABS$ to be $\lambda V0r \in (ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)$.

Definition 18 We define $c_Erealax_Ereal_neg$ to be $\lambda V0T1 \in ty_Erealax_Ereal.(ap\ c_Erealax_Ereal_neg)$.

Let $c_Eenum_EZERO_REP : \iota$ be given. Assume the following.

$$c_Eenum_EZERO_REP \in \omega \quad (18)$$

Let $ty_Eenum_Eenum : \iota$ be given. Assume the following.

$$nonempty\ ty_Eenum_Eenum \quad (19)$$

Let $c_Eenum_EABS_num : \iota$ be given. Assume the following.

$$c_Eenum_EABS_num \in (ty_Eenum_Eenum^{\omega}) \quad (20)$$

Definition 19 We define c_Eenum_E0 to be $(ap\ c_Eenum_EABS_num\ c_Eenum_EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \quad (21)$$

Definition 20 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Definition 21 We define c_2Ereal_2Eabs to be $\lambda V0x \in ty_2Erealax_2Ereal. (ap (ap (ap (c_2Ebool_2ECOND$

Definition 22 We define $c_2Ereal_topology_2Ebounded_def$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}). (ap (c_2Ebo$

Definition 23 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21) 2) (\lambda V2t \in$

Assume the following.

$$True \quad (22)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2. (((p V0t) \Rightarrow False) \Rightarrow (\neg(p V0t)))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (25)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (26)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)) \quad (27)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (28)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (29)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((\neg(\forall V1x \in A.27a.(p\ (ap\ V0P\ V1x)))) \Leftrightarrow (\exists V2x \in A.27a.(\neg(p\ (ap\ V0P\ V2x)))))) \quad (30)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).(\forall V1Q \in (2^{A.27a}).((\exists V2x \in A.27a.((p\ (ap\ V0P\ V2x)) \vee (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow ((\exists V3x \in A.27a.(p\ (ap\ V0P\ V3x))) \vee (\exists V4x \in A.27a.(p\ (ap\ V1Q\ V4x))))))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p\ V0A) \vee (p\ V1B) \vee (p\ V2C))) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \vee (p\ V2C)))))) \quad (32)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p\ V0A) \vee (p\ V1B)) \Leftrightarrow ((p\ V1B) \vee (p\ V0A)))))) \quad (33)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \wedge (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A)) \vee (\neg(p\ V1B)))) \wedge ((\neg((p\ V0A) \vee (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A)) \wedge (\neg(p\ V1B))))))) \quad (34)$$

Assume the following.

$$(\forall V0s \in (2^{ty.2Erealx.2Ereal}).(\forall V1t \in (2^{ty.2Erealx.2Ereal}).(((p\ (ap\ c.2Ereal_topology_2Ebounded_def\ V1t)) \wedge (p\ (ap\ (ap\ c.2Epred_set_2ESUBSET\ ty.2Erealx.2Ereal)\ V0s)\ V1t))) \Rightarrow (p\ (ap\ c.2Ereal_topology_2Ebounded_def\ V0s)))))) \quad (35)$$

Assume the following.

$$(\forall V0a \in ty.2Erealx.2Ereal.(\forall V1b \in ty.2Erealx.2Ereal.(p\ (ap\ (ap\ (ap\ (c.2Epred_set_2ESUBSET\ ty.2Erealx.2Ereal)\ (ap\ c.2Ereal_topology_2EOPEN_interval\ (ap\ (ap\ (c.2Epair_2E.2C\ ty.2Erealx.2Ereal\ ty.2Erealx.2Ereal)\ V0a)\ V1b)))\ (ap\ c.2Ereal_topology_2ECLOSED_interval\ (ap\ (ap\ (c.2Elist.2ECONS\ (ty.2Epair.2Eprod\ ty.2Erealx.2Ereal\ ty.2Erealx.2Ereal)\ (ap\ (ap\ (c.2Epair_2E.2C\ ty.2Erealx.2Ereal\ ty.2Erealx.2Ereal)\ V0a)\ V1b))\ (c.2Elist.2ENIL\ (ty.2Epair.2Eprod\ ty.2Erealx.2Ereal\ ty.2Erealx.2Ereal)))))))))) \quad (36)$$

Assume the following.

$$(\forall V0a \in ty.2Erealx.2Ereal.(\forall V1b \in ty.2Erealx.2Ereal.(p\ (ap\ c.2Ereal_topology_2Ebounded_def\ (ap\ c.2Ereal_topology_2ECLOSED_interval\ (ap\ (ap\ (c.2Elist.2ECONS\ (ty.2Epair.2Eprod\ ty.2Erealx.2Ereal\ ty.2Erealx.2Ereal)\ (ap\ (ap\ (c.2Epair_2E.2C\ ty.2Erealx.2Ereal\ ty.2Erealx.2Ereal)\ V0a)\ V1b))\ (c.2Elist.2ENIL\ (ty.2Epair.2Eprod\ ty.2Erealx.2Ereal\ ty.2Erealx.2Ereal)))))))))) \quad (37)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (38)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow \text{False}))) \quad (39)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p V0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \quad (40)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \quad (41)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow \text{False}) \Rightarrow (((p V0A) \Rightarrow \text{False}) \Rightarrow \text{False}))) \quad (42)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (43)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (44)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (45)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (46)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (47)$$

Theorem 1

$$\begin{aligned} & ((\forall V0a \in ty_2Erealax_2Ereal. (\forall V1b \in ty_2Erealax_2Ereal. \\ & (p (ap\ c_2Ereal_topology_2Ebounded_def (ap\ c_2Ereal_topology_2ECLOSED_interval \\ & (ap (ap (c_2Elist_2ECONS (ty_2Epair_2Eprod\ ty_2Erealax_2Ereal \\ & ty_2Erealax_2Ereal)) (ap (ap (c_2Epair_2E_2C\ ty_2Erealax_2Ereal \\ & ty_2Erealax_2Ereal)\ V0a)\ V1b)) (c_2Elist_2ENIL (ty_2Epair_2Eprod \\ & ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)))))) \wedge (\forall V2a \in \\ & ty_2Erealax_2Ereal. (\forall V3b \in ty_2Erealax_2Ereal. (p (ap \\ & c_2Ereal_topology_2Ebounded_def (ap\ c_2Ereal_topology_2EOPEN_interval \\ & (ap (ap (c_2Epair_2E_2C\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal) \\ & V2a)\ V3b))))))))) \end{aligned}$$