

thm_2Ereal__topology_2ECLOSED__COMPONENTS (TMEvu1yCjw2tuHqba9YYkqQf7q5u5QfsmFC)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (1)$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2ESND A_27a A_27b \in (A_27b^{(ty_2Epair_2Eprod A_27a A_27b)}) \quad (2)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EFST A_27a A_27b \in (A_27a^{(ty_2Epair_2Eprod A_27a A_27b)}) \quad (3)$$

Definition 7 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A_27b})$

Definition 8 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let $ty_2Erealx_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealx_2Ereal \quad (4)$$

Definition 9 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2ET)$.

Definition 10 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap\ V1f\ V0x)))$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (5)$$

Definition 11 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2Epair_2EABS_prod\ x\ y))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \end{aligned} \quad (6)$$

Definition 12 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap\ (c_2Epair_2EABS_prod\ s\ t))$

Let $c_2Ereal_topology_2EDist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2EDist \in (ty_2Erealx_2Ereal^{(ty_2Epair_2Eprod\ ty_2Erealx_2Ereal\ ty_2Erealx_2Ereal)}) \quad (7)$$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (8)$$

Let $c_2Erealx_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealx_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealx_2Ereal}) \quad (9)$$

Definition 13 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p\ (ap\ P\ x)) \text{ then } (the\ (\lambda x. x \in A \wedge P\ x)) \text{ of type } \iota \Rightarrow \iota.$

Definition 14 We define $c_2Erealx_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealx_2Ereal. (ap\ (c_2Emin_2E_40\ a))$

Let $c_2Erealx_2Etreall_lt : \iota$ be given. Assume the following.

$$c_2Erealx_2Etreall_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (10)$$

Definition 15 We define $c_2Erealx_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealx_2Ereal. \lambda V1T2 \in ty_2Erealx_2Ereal. (ap\ (c_2Etreall_lt\ T1\ T2))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{11}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{12}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{13}$$

Definition 16 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \tag{14}$$

Definition 17 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 18 We define $c_2Ereal_topology_2EOpen$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}). (ap\ (c_2Ebool_2E_2$

Definition 19 We define $c_2Ereal_topology_2EClosed$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}). (ap\ c_2Ereal_topo$

Definition 20 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap\ ($

Definition 21 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2EF)$.

Definition 22 We define $c_2Epred_set_2EINTER$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap\ (c$

Definition 23 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 24 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap\ (c$

Definition 25 We define $c_2Ereal_topology_2Econnected$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}). (ap\ c_2Ebool_2E$

Definition 26 We define $c_2Ereal_topology_2Econnected_component$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}). \lambda V$

Definition 27 We define $c_2Ereal_topology_2Ecomponents$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}). (ap\ (c_2Epre$

Assume the following.

$$True \tag{15}$$

Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p\ V0t)) \Leftrightarrow (p\ V0t))) \tag{16}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ & (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \end{aligned} \tag{17}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t))))) \quad (19)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A_27a}). ((\forall V2x \in A_27a. ((p\ V0P) \Rightarrow (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow ((p\ V0P) \Rightarrow (\forall V3x \in A_27a. (p\ (ap\ V1Q\ V3x))))))) \quad (20)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3))))) \quad (21)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in 2. (((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27))))) \quad (22)$$

Assume the following.

$$(\forall V0r \in 2. (\forall V1p \in 2. (\forall V2q \in 2. (((p\ V1p) \wedge (p\ V2q) \Rightarrow (p\ V0r)) \Leftrightarrow ((p\ V1p) \Rightarrow ((p\ V2q) \Rightarrow (p\ V0r))))) \quad (23)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& nonempty\ A.27c \Rightarrow \forall A.27d.nonempty\ A.27d \Rightarrow \forall A.27e.nonempty \\
& A.27e \Rightarrow \forall A.27f.nonempty\ A.27f \Rightarrow \forall A.27g.nonempty\ A.27g \Rightarrow \\
& (\forall V0Q \in (2^{A.27b}).(\forall V1P \in (2^{A.27a}).(\forall V2f \in \\
& (A.27b^{A.27a}).(\forall V3z \in A.27b.((p\ (ap\ (ap\ (c.2Ebool.2EIN \\
& A.27b)\ V3z)\ (ap\ (c.2Epred_set.2EGSPEC\ A.27b\ A.27a)\ (\lambda V4x \in \\
& A.27a.(ap\ (ap\ (c.2Epair.2E.2C\ A.27b\ 2)\ (ap\ V2f\ V4x))\ (ap\ V1P\ V4x)))))) \Rightarrow \\
& (p\ (ap\ V0Q\ V3z)))) \Leftrightarrow (\forall V5x \in A.27a.((p\ (ap\ V1P\ V5x)) \Rightarrow (p\ (ap\ V0Q \\
& (ap\ V2f\ V5x)))))) \wedge ((\forall V6P \in ((2^{A.27d})^{A.27c}).(\forall V7f \in \\
& ((A.27b^{A.27d})^{A.27c}).(\forall V8z \in A.27b.((p\ (ap\ (ap\ (c.2Ebool.2EIN \\
& A.27b)\ V8z)\ (ap\ (c.2Epred_set.2EGSPEC\ A.27b\ (ty.2Epair.2Eprod \\
& A.27c\ A.27d))\ (ap\ (c.2Epair.2EUNCURRY\ A.27c\ A.27d\ (ty.2Epair.2Eprod \\
& A.27b\ 2))\ (\lambda V9x \in A.27c.(\lambda V10y \in A.27d.(ap\ (ap\ (c.2Epair.2E.2C \\
& A.27b\ 2)\ (ap\ (ap\ V7f\ V9x)\ V10y))\ (ap\ (ap\ V6P\ V9x)\ V10y)))))) \Rightarrow (p \\
& (ap\ V0Q\ V8z)))) \Leftrightarrow (\forall V11x \in A.27c.(\forall V12y \in A.27d.((p \\
& (ap\ (ap\ V6P\ V11x)\ V12y)) \Rightarrow (p\ (ap\ V0Q\ (ap\ (ap\ V7f\ V11x)\ V12y)))))) \wedge \\
& (\forall V13P \in (((2^{A.27g})^{A.27f})^{A.27e}).(\forall V14f \in (((A.27b^{A.27g})^{A.27f})^{A.27e}). \\
& (\forall V15z \in A.27b.((p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27b)\ V15z)\ (\\
& ap\ (c.2Epred_set.2EGSPEC\ A.27b\ (ty.2Epair.2Eprod\ A.27e\ (ty.2Epair.2Eprod \\
& A.27f\ A.27g)))\ (ap\ (c.2Epair.2EUNCURRY\ A.27e\ (ty.2Epair.2Eprod \\
& A.27f\ A.27g)\ (ty.2Epair.2Eprod\ A.27b\ 2))\ (\lambda V16w \in A.27e.(ap \\
& (c.2Epair.2EUNCURRY\ A.27f\ A.27g\ (ty.2Epair.2Eprod\ A.27b\ 2)) \\
& (\lambda V17x \in A.27f.(\lambda V18y \in A.27g.(ap\ (ap\ (c.2Epair.2E.2C\ A.27b \\
& 2)\ (ap\ (ap\ (ap\ V14f\ V16w)\ V17x)\ V18y))\ (ap\ (ap\ (ap\ V13P\ V16w)\ V17x \\
& V18y)))))) \Rightarrow (p\ (ap\ V0Q\ V15z)))) \Leftrightarrow (\forall V19w \in A.27e.(\forall V20x \in \\
& A.27f.(\forall V21y \in A.27g.((p\ (ap\ (ap\ (ap\ V13P\ V19w)\ V20x)\ V21y)) \Rightarrow \\
& (p\ (ap\ V0Q\ (ap\ (ap\ (ap\ V14f\ V19w)\ V20x)\ V21y)))))))))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (2^{ty.2Erealax.2Ereal}).(\forall V1x \in ty.2Erealax.2Ereal. \\
& ((p\ (ap\ c.2Ereal_topology.2EClosed\ V0s)) \Rightarrow (p\ (ap\ c.2Ereal_topology.2EClosed \\
& (ap\ (ap\ c.2Ereal_topology.2Econnected_component\ V0s)\ V1x))))))
\end{aligned} \tag{25}$$

Theorem 1

$$\begin{aligned}
& (\forall V0s \in (2^{ty.2Erealax.2Ereal}).(\forall V1c \in (2^{ty.2Erealax.2Ereal}). \\
& (((p\ (ap\ c.2Ereal_topology.2EClosed\ V0s)) \wedge (p\ (ap\ (ap\ (c.2Ebool.2EIN \\
& (2^{ty.2Erealax.2Ereal})\ V1c)\ (ap\ c.2Ereal_topology.2Ecomponents \\
& V0s)))) \Rightarrow (p\ (ap\ c.2Ereal_topology.2EClosed\ V1c))))))
\end{aligned}$$