

thm_2Ereal_topology_2ECLOSED_FIP (TMV- GyJn7EyCV4faC1Gt6FuarR8MxWXqsrhd)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2ET)$.

Definition 6 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 7 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 8 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow q Q)$ of type ι .

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (1)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (2)$$

Definition 10 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Ebool_2EIN$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC A_27a A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod A_27a 2)^{A_27b}}) \quad (3)$$

Definition 11 We define $c_2Epred_set_2EBIGINTER$ to be $\lambda A.27a : \iota.\lambda V0P \in (2^{(2^A-27^a)}).(ap (c_2Epred_s$

Definition 12 We define $c_2Epred_set_2EINTER$ to be $\lambda A.27a : \iota.\lambda V0s \in (2^{A-27^a}).\lambda V1t \in (2^{A-27^a}).(ap (c_$

Definition 13 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E$

Definition 14 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A.27a : \iota.\lambda V0s \in (2^{A-27^a}).\lambda V1t \in (2^{A-27^a}).(ap ($

Definition 15 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

Definition 16 We define $c_2Epred_set_2EINSERT$ to be $\lambda A.27a : \iota.\lambda V0x \in A.27a.\lambda V1s \in (2^{A-27^a}).(ap (c_$

Definition 17 We define $c_2Epred_set_2EFINITE$ to be $\lambda A.27a : \iota.\lambda V0s \in (2^{A-27^a}).(ap (c_2Ebool_2E_21 (2$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{4}$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{5}$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)} ty_2Erealax) \tag{6}$$

Definition 18 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge$
of type $\iota \Rightarrow \iota$.

Definition 19 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E_40 (t$

Let $c_2Erealax_2Etrealm_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_neg \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal) \tag{7}$$

Let $c_2Erealax_2Etrealm_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)} (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal) \tag{8}$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)} \tag{9}$$

Definition 20 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal$

Definition 21 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap c_2Erealax_2Ereal$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{10}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{11}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{12}$$

Definition 22 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \tag{13}$$

Let $c_2Erealax_2Ereal_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)) \tag{14}$$

Definition 23 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.$

Definition 24 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal.$

Definition 25 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.$

Definition 26 We define c_2Ereal_2Eabs to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap\ (ap\ (ap\ (c_2Ebool_2ECOND$

Definition 27 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 28 We define $c_2Ereal_topology_2Ebounded_def$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}).(ap\ (c_2Ebo$

Definition 29 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2$

Let $c_2Ereal_topology_2EDist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2EDist \in (ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)}) \tag{15}$$

Definition 30 We define $c_2Ereal_topology_2EOpen$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}).(ap\ (c_2Ebool_2E_2$

Definition 31 We define $c_2Ereal_topology_2EClosed$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}).(ap\ c_2Ereal_topo$

Assume the following.

$$True \tag{16}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \tag{17}$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (18)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (19)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (22)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p V0t)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\ & (2^{A_27a}). ((V0s = V1t) \Leftrightarrow (\forall V2x \in A_27a. ((p (ap (ap (c_2Ebool_2EIN \\ & A_27a) V2x) V0s)) \Leftrightarrow (p (ap (ap (c_2Ebool_2EIN A_27a) V2x) V1t))))))) \end{aligned} \quad (24)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (\neg(p (ap (ap (c_2Ebool_2EIN A_27a) V0x) (c_2Epred_set_2EEMPTY A_27a)))))) \quad (25)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (p (ap (ap (c_2Ebool_2EIN A_27a) V0x) (c_2Epred_set_2EUNIV A_27a)))) \quad (26)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\ & (2^{A_27a}). (\forall V2x \in A_27a. ((p (ap (ap (c_2Ebool_2EIN A_27a) \\ & V2x) (ap (ap (c_2Epred_set_2EINTER A_27a) V0s) V1t))) \Leftrightarrow ((p (ap \\ & (ap (c_2Ebool_2EIN A_27a) V2x) V0s)) \wedge (p (ap (ap (c_2Ebool_2EIN \\ & A_27a) V2x) V1t)))))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow ((\forall V0s \in (2^{A.27a}).((ap\ (\\ & ap\ (c.2Epred_set.2EINTER\ A.27a)\ (c.2Epred_set.2EUNIV\ A.27a)) \\ & V0s) = V0s)) \wedge (\forall V1s \in (2^{A.27a}).((ap\ (ap\ (c.2Epred_set.2EINTER \\ & A.27a)\ V1s)\ (c.2Epred_set.2EUNIV\ A.27a)) = V1s))) \end{aligned} \quad (28)$$

Assume the following.

$$(p\ (ap\ c.2Ereal_topology.2EClosed\ (c.2Epred_set.2EUNIV\ ty.2Erealax.2Ereal))) \quad (29)$$

Assume the following.

$$\begin{aligned} & (\forall V0s \in (2^{ty.2Erealax.2Ereal}).(\forall V1f \in (2^{(2^{ty.2Erealax.2Ereal})}). \\ & (((p\ (ap\ c.2Ereal_topology.2EClosed\ V0s)) \wedge ((\forall V2t \in (2^{ty.2Erealax.2Ereal}). \\ & ((p\ (ap\ (ap\ (c.2Ebool.2EIN\ (2^{ty.2Erealax.2Ereal})\ V2t)\ V1f)) \Rightarrow \\ & (p\ (ap\ c.2Ereal_topology.2EClosed\ V2t)))))) \wedge ((\exists V3t \in (2^{ty.2Erealax.2Ereal}). \\ & ((p\ (ap\ (ap\ (c.2Ebool.2EIN\ (2^{ty.2Erealax.2Ereal})\ V3t)\ V1f)) \wedge \\ & (p\ (ap\ c.2Ereal_topology.2Ebounded_def\ V3t)))))) \wedge (\forall V4f.27 \in \\ & (2^{(2^{ty.2Erealax.2Ereal})}).(((p\ (ap\ (c.2Epred_set.2EFINITE \\ & (2^{ty.2Erealax.2Ereal})\ V4f.27)) \wedge (p\ (ap\ (ap\ (c.2Epred_set.2ESUBSET \\ & (2^{ty.2Erealax.2Ereal})\ V4f.27)\ V1f)))) \Rightarrow (\neg((ap\ (ap\ (c.2Epred_set.2EINTER \\ & ty.2Erealax.2Ereal)\ V0s)\ (ap\ (c.2Epred_set.2EBIGINTER\ ty.2Erealax.2Ereal) \\ & V4f.27)) = (c.2Epred_set.2EEMPTY\ ty.2Erealax.2Ereal)))))) \Rightarrow \\ & (\neg((ap\ (ap\ (c.2Epred_set.2EINTER\ ty.2Erealax.2Ereal)\ V0s)\ (\\ & ap\ (c.2Epred_set.2EBIGINTER\ ty.2Erealax.2Ereal)\ V1f)) = (c.2Epred_set.2EEMPTY \\ & ty.2Erealax.2Ereal)))))) \end{aligned} \quad (30)$$

Theorem 1

$$\begin{aligned} & (\forall V0f \in (2^{(2^{ty.2Erealax.2Ereal})}).(((\forall V1t \in (2^{ty.2Erealax.2Ereal}). \\ & ((p\ (ap\ (ap\ (c.2Ebool.2EIN\ (2^{ty.2Erealax.2Ereal})\ V1t)\ V0f)) \Rightarrow \\ & (p\ (ap\ c.2Ereal_topology.2EClosed\ V1t)))))) \wedge ((\exists V2t \in (2^{ty.2Erealax.2Ereal}). \\ & ((p\ (ap\ (ap\ (c.2Ebool.2EIN\ (2^{ty.2Erealax.2Ereal})\ V2t)\ V0f)) \wedge \\ & (p\ (ap\ c.2Ereal_topology.2Ebounded_def\ V2t)))))) \wedge (\forall V3f.27 \in \\ & (2^{(2^{ty.2Erealax.2Ereal})}).(((p\ (ap\ (c.2Epred_set.2EFINITE \\ & (2^{ty.2Erealax.2Ereal})\ V3f.27)) \wedge (p\ (ap\ (ap\ (c.2Epred_set.2ESUBSET \\ & (2^{ty.2Erealax.2Ereal})\ V3f.27)\ V0f)))) \Rightarrow (\neg((ap\ (c.2Epred_set.2EBIGINTER \\ & ty.2Erealax.2Ereal)\ V3f.27) = (c.2Epred_set.2EEMPTY\ ty.2Erealax.2Ereal)))))) \Rightarrow \\ & (\neg((ap\ (c.2Epred_set.2EBIGINTER\ ty.2Erealax.2Ereal)\ V0f) = \\ & (c.2Epred_set.2EEMPTY\ ty.2Erealax.2Ereal)))))) \end{aligned}$$