

thm\_2Ereal\_\_topology\_2ECLOSED\_\_SEQUENTIAL\_\_LIMITS  
(TMGspxVZbJW-  
caxR2GU3n8NKmRPk72QZWuNe)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ecombin\_2EK$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0x \in A\_27a.(\lambda V1y \in A\_27b.V0x))$

**Definition 4** We define  $c\_2Ecombin\_2ES$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.(\lambda V0f \in ((A\_27c^{A\_27b})^{A\_27a}))$

**Definition 5** We define  $c\_2Ecombin\_2EI$  to be  $\lambda A\_27a : \iota.(ap (ap (c\_2Ecombin\_2ES A\_27a (A\_27a^{A\_27a})) A\_27a))$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \tag{1}$$

**Definition 6** We define  $c\_2Epred\_set\_2EUNIV$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2ET)$ .

**Definition 7** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(\lambda V1f V0x)))$

**Definition 8** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(\lambda V0t \in 2.(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})) P t)))$

**Definition 9** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2)) (\lambda V0t \in 2.V0t)$ .

**Definition 10** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 11** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap (c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2EF)))$

**Definition 12** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2)) (\lambda V2t \in 2.V2t)))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (2)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (3)$$

**Definition 13** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Epair\_2Eprod\ A\_27a\ A\_27b)\ x\ y)$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{A\_27b}}) \quad (4)$$

**Definition 14** We define  $c\_2Epred\_set\_2EDIFF$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27a)\ s\ t)$

Let  $c\_2Ereal\_topology\_2EDist : \iota$  be given. Assume the following.

$$c\_2Ereal\_topology\_2EDist \in (ty\_2Erealax\_2Ereal^{(ty\_2Epair\_2Eprod\ ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal)}) \quad (5)$$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (6)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax\_2Ereal}) \quad (7)$$

**Definition 15** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x)) \text{ then } (the\ (\lambda x.x \in A)\ P)$  of type  $\iota \Rightarrow \iota$ .

**Definition 16** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap\ (c\_2Emin\_2E\_40\ a)\ ty\_2Erealax\_2Ereal)$

Let  $c\_2Erealax\_2Etreallt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreallt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \quad (8)$$

**Definition 17** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal.(c\_2Emin\_2E\_40\ T1\ T2)$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (9)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (10)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (11)$$

**Definition 18** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (12)$$

**Definition 19** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 20** We define  $c\_2Ereal\_topology\_2EOpen$  to be  $\lambda V0s \in (2^{ty\_2Erealax\_2Ereal}). (ap\ (c\_2Ebool\_2E\_2$

**Definition 21** We define  $c\_2Ereal\_topology\_2EClosed$  to be  $\lambda V0s \in (2^{ty\_2Erealax\_2Ereal}). (ap\ c\_2Ereal\_topo$

**Definition 22** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. c\_2Ebool\_2EF)$ .

**Definition 23** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

**Definition 24** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. \lambda V1s \in (2^{A\_27a}). (ap\ (c\_2$

**Definition 25** We define  $c\_2Epred\_set\_2EDELETE$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1x \in A\_27a. (ap\ (a$

**Definition 26** We define  $c\_2Ereal\_topology\_2Elimit\_point\_of$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal. \lambda V1s \in ($

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (13)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (14)$$

**Definition 27** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap\ c\_2Enum\_2EABS\_num$

**Definition 28** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum$

**Definition 29** We define  $c\_2Earithmetic\_2E\_3E$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum$

**Definition 30** We define  $c\_2Earithmetic\_2E\_3E\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum$

Let  $ty\_2Ereal\_topology\_2Enet : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ereal\_topology\_2Enet\ A0) \quad (15)$$

Let  $c\_2Ereal\_topology\_2Emk\_net : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Ereal\_topology\_2Emk\_net \\ A\_27a \in ((ty\_2Ereal\_topology\_2Enet\ A\_27a)^{(2^{A\_27a})^{A\_27a}}) \end{aligned} \quad (16)$$

**Definition 31** We define  $c\_2Ereal\_topology\_2Esequentially$  to be  $(ap\ (c\_2Ereal\_topology\_2Emk\_net\ ty\_2E$

Let  $c\_2Ereal\_topology\_2Enetord : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Ereal\_topology\_2Enetord\ A\_27a \in ((2^{A\_27a})^{A\_27a})^{(ty\_2Ereal\_topology\_2Enet\ A\_27a)} \quad (17)$$

**Definition 32** We define  $c\_2Ereal\_topology\_2Etrivial\_limit$  to be  $\lambda A\_27a : \iota.\lambda V0net \in (ty\_2Ereal\_topology$

**Definition 33** We define  $c\_2Ereal\_topology\_2Eeventually$  to be  $\lambda A\_27a : \iota.\lambda V0p \in (2^{A\_27a}).\lambda V1net \in (ty\_2$

**Definition 34** We define  $c\_2Ereal\_topology\_2E2D\_2D\_3E$  to be  $\lambda A\_27a : \iota.\lambda V0f \in (ty\_2Erealax\_2Ereal^A$

**Definition 35** We define  $c\_2Epred\_set\_2EUNION$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap (c$

**Definition 36** We define  $c\_2Ereal\_topology\_2Eclosure$  to be  $\lambda V0s \in (2^{ty\_2Erealax\_2Ereal}).(ap (ap (c\_2Epred$

Assume the following.

$$True \tag{18}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \tag{19}$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \tag{20}$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee (\neg (p V0t)))) \tag{21}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p V0t) \Leftrightarrow (p V0t)))) \tag{22}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \wedge ((p V1t2) \wedge (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \wedge (p V2t3)))))) \tag{23}$$

Assume the following.

$$(\forall V0t \in 2.(((p V0t) \Rightarrow False) \Rightarrow (\neg (p V0t)))) \tag{24}$$

Assume the following.

$$(\forall V0t \in 2.((\neg (p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \tag{25}$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \tag{26}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \vee (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \vee True) \Leftrightarrow True) \wedge \\
& (((False \vee (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee False) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee \\
& (p \ V0t)) \Leftrightarrow (p \ V0t))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (( \\
& (p \ V0t) \Rightarrow False) \Leftrightarrow (\neg(p \ V0t))))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge \\
& ((\neg False) \Leftrightarrow True)))
\end{aligned} \tag{29}$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \tag{30}$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{31}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\
& p \ V0t))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((\neg(\forall V1x \in A.27a.(p \ (ap \ V0P \ V1x)))) \Leftrightarrow (\exists V2x \in A.27a.(\neg(p \ (ap \ V0P \ V2x)))))) \tag{33}$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((\neg(\exists V1x \in A.27a.(p \ (ap \ V0P \ V1x)))) \Leftrightarrow (\forall V2x \in A.27a.(\neg(p \ (ap \ V0P \ V2x)))))) \tag{34}$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).(\forall V1Q \in 2.(((\forall V2x \in A.27a.(p \ (ap \ V0P \ V2x))) \wedge (p \ V1Q)) \Leftrightarrow (\forall V3x \in A.27a.((p \ (ap \ V0P \ V3x)) \wedge (p \ V1Q)))))) \tag{35}$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A.27a}).(((p \ V0P) \wedge (\forall V2x \in A.27a.(p \ (ap \ V1Q \ V2x)))) \Leftrightarrow (\forall V3x \in A.27a.((p \ V0P) \wedge (p \ (ap \ V1Q \ V3x)))))) \tag{36}$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A-27a}).(\forall V1Q \in \\ 2.(((\exists V2x \in A.27a.(p \ (ap \ V0P \ V2x))) \vee (p \ V1Q))) \Leftrightarrow (\exists V3x \in \\ A.27a.((p \ (ap \ V0P \ V3x)) \vee (p \ V1Q)))))) \end{aligned} \quad (37)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in ( \\ 2^{A-27a}).(((p \ V0P) \vee (\exists V2x \in A.27a.(p \ (ap \ V1Q \ V2x)))) \Leftrightarrow (\exists V3x \in \\ A.27a.((p \ V0P) \vee (p \ (ap \ V1Q \ V3x)))))) \end{aligned} \quad (38)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A-27a}).(\forall V1Q \in \\ 2.(((\exists V2x \in A.27a.((p \ (ap \ V0P \ V2x)) \wedge (p \ V1Q))) \Leftrightarrow ((\exists V3x \in \\ A.27a.(p \ (ap \ V0P \ V3x)) \wedge (p \ V1Q)))))) \end{aligned} \quad (39)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in ( \\ 2^{A-27a}).(((\exists V2x \in A.27a.((p \ V0P) \wedge (p \ (ap \ V1Q \ V2x)))) \Leftrightarrow ((p \\ V0P) \wedge (\exists V3x \in A.27a.(p \ (ap \ V1Q \ V3x)))))) \end{aligned} \quad (40)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in ( \\ 2^{A-27a}).(((\forall V2x \in A.27a.((p \ V0P) \vee (p \ (ap \ V1Q \ V2x)))) \Leftrightarrow ((p \\ V0P) \vee (\forall V3x \in A.27a.(p \ (ap \ V1Q \ V3x)))))) \end{aligned} \quad (41)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p \ V0A) \vee ( \\ (p \ V1B) \vee (p \ V2C))) \Leftrightarrow (((p \ V0A) \vee (p \ V1B)) \vee (p \ V2C)))))) \end{aligned} \quad (42)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2.(\forall V1B \in 2.(((p \ V0A) \vee (p \ V1B)) \Leftrightarrow ((p \ V1B) \vee \\ (p \ V0A)))) \end{aligned} \quad (43)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p \ V0A) \wedge (p \ V1B))) \Leftrightarrow ((\neg( \\ p \ V0A) \vee (\neg(p \ V1B)))) \wedge ((\neg((p \ V0A) \vee (p \ V1B))) \Leftrightarrow ((\neg(p \ V0A) \wedge (\neg(p \ V1B)))))))) \end{aligned} \quad (44)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty \ A.27a \Rightarrow \forall A.27b.nonempty \ A.27b \Rightarrow ( \\ \forall V0P \in ((2^{A-27b})^{A-27a}).((\forall V1x \in A.27a.(\exists V2y \in \\ A.27b.(p \ (ap \ (ap \ V0P \ V1x) \ V2y)))) \Leftrightarrow (\exists V3f \in (A.27b^{A-27a}).( \\ \forall V4x \in A.27a.(p \ (ap \ (ap \ V0P \ V4x) \ (ap \ V3f \ V4x)))))) \end{aligned} \quad (45)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((ap\ (c\_2Ecombin\_2EI\ A\_27a)\ V0x) = V0x)) \quad (46)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}). (\forall V1x \in \\ & A\_27a. (\forall V2y \in A\_27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V1x) \\ & (ap\ (ap\ (c\_2Epred\_set\_2EDELETE\ A\_27a)\ V0s)\ V2y))) \Leftrightarrow ((p\ (ap\ (ap \\ & (c\_2Ebool\_2EIN\ A\_27a)\ V1x)\ V0s)) \wedge (\neg(V1x = V2y))))))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned} & (\forall V0s \in (2^{ty\_2Erealax\_2Ereal}). ((p\ (ap\ c\_2Ereal\_topology\_2EClosed \\ & V0s)) \Leftrightarrow (\forall V1x \in ty\_2Erealax\_2Ereal. ((p\ (ap\ (ap\ c\_2Ereal\_topology\_2Elimit\_point\_of \\ & V1x)\ V0s)) \Rightarrow (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ ty\_2Erealax\_2Ereal)\ V1x) \\ & V0s)))))) \end{aligned} \quad (48)$$

Assume the following.

$$(\forall V0s \in (2^{ty\_2Erealax\_2Ereal}). ((p\ (ap\ c\_2Ereal\_topology\_2EClosed\ V0s)) \Rightarrow ((ap\ c\_2Ereal\_topology\_2Eclosure\ V0s) = V0s))) \quad (49)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty\_2Erealax\_2Ereal. (\forall V1s \in (2^{ty\_2Erealax\_2Ereal}). \\ & ((p\ (ap\ (ap\ c\_2Ereal\_topology\_2Elimit\_point\_of\ V0x)\ V1s)) \Leftrightarrow \\ & (\exists V2f \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}). ((\forall V3n \in \\ & ty\_2Enum\_2Enum. (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ ty\_2Erealax\_2Ereal) \\ & (ap\ V2f\ V3n))\ (ap\ (ap\ (c\_2Epred\_set\_2EDELETE\ ty\_2Erealax\_2Ereal) \\ & V1s)\ V0x)))) \wedge (p\ (ap\ (ap\ (ap\ (c\_2Ereal\_topology\_2E\_2D\_2D\_3E\ ty\_2Enum\_2Enum) \\ & V2f)\ V0x)\ c\_2Ereal\_topology\_2Esequentially)))))) \end{aligned} \quad (50)$$

Assume the following.

$$\begin{aligned} & (\forall V0s \in (2^{ty\_2Erealax\_2Ereal}). (\forall V1l \in ty\_2Erealax\_2Ereal. \\ & ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ ty\_2Erealax\_2Ereal)\ V1l)\ (ap\ c\_2Ereal\_topology\_2Eclosure \\ & V0s))) \Leftrightarrow (\exists V2x \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}). ( \\ & (\forall V3n \in ty\_2Enum\_2Enum. (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ ty\_2Erealax\_2Ereal) \\ & (ap\ V2x\ V3n))\ V0s))) \wedge (p\ (ap\ (ap\ (ap\ (c\_2Ereal\_topology\_2E\_2D\_2D\_3E \\ & ty\_2Enum\_2Enum)\ V2x)\ V1l)\ c\_2Ereal\_topology\_2Esequentially)))))) \end{aligned} \quad (51)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (52)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (53)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (54)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (55)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (56)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (57)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (58)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (59)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (60)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (61)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (62)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (63)$$



Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))))) \quad (64)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (65)$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (66)$$

**Theorem 1**

$$(\forall V0s \in (2^{ty\_2Erealax\_2Ereal}).((p (ap c\_2Ereal\_topology\_2EClosed V0s)) \Leftrightarrow (\forall V1x \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}).(\forall V2l \in ty\_2Erealax\_2Ereal.(((\forall V3n \in ty\_2Enum\_2Enum.(p (ap (ap (c\_2Ebool\_2EIN ty\_2Erealax\_2Ereal) (ap V1x V3n)) V0s))) \wedge (p (ap (ap (c\_2Ereal\_topology\_2E\_2D\_2D\_3E ty\_2Enum\_2Enum) V1x) V2l) c\_2Ereal\_topology\_2Esequentially)))) \Rightarrow (p (ap (ap (c\_2Ebool\_2EIN ty\_2Erealax\_2Ereal) V2l) V0s))))))))))$$