

# thm\_2Ereal\_topology\_2ECLOSURE\_INJECTIVE\_LINEAR\_IMA (TMXhNbhr2TqPavdueV4y98yTViECrEo3MQd)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$   
of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$  then (the  $(\lambda x.x \in A \wedge p$   
of type  $\iota \Rightarrow \iota$ .

**Definition 4** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c\_2Emin\_2E\_40 A$

**Definition 5** We define  $c\_2Ecombin\_2EK$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0x \in A\_27a.(\lambda V1y \in A\_27b.V0x))$

**Definition 6** We define  $c\_2Ecombin\_2ES$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.(\lambda V0f \in ((A\_27c^{A-27b})^{A-27a}$

**Definition 7** We define  $c\_2Ecombin\_2EI$  to be  $\lambda A\_27a : \iota.(ap (ap (c\_2Ecombin\_2ES A\_27a (A\_27a^{A-27a}) A$

Let  $ty\_2Erealx\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealx\_2Ereal \tag{1}$$

**Definition 8** We define  $c\_2Epred\_set\_2EUNIV$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2ET)$ .

**Definition 9** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A-27a}).(ap V1f V0x)))$

**Definition 10** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}$

**Definition 11** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 12** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$   
of type  $\iota$ .

**Definition 13** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F$

**Definition 14** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (2)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (3)$$

**Definition 15** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Epair\_2Eprod\ A\_27a\ A\_27b)\ x\ y)$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \quad (4)$$

**Definition 16** We define  $c\_2Epred\_set\_2EDIFF$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27a)\ s\ t)$

Let  $c\_2Ereal\_topology\_2EDist : \iota$  be given. Assume the following.

$$c\_2Ereal\_topology\_2EDist \in (ty\_2Erealax\_2Ereal^{(ty\_2Epair\_2Eprod\ ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal)}) \quad (5)$$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (6)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax\_2Ereal}) \quad (7)$$

**Definition 17** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap\ (c\_2Emin\_2E\_40\ ty\_2Erealax\_2Ereal)\ a)$

Let  $c\_2Erealax\_2Etreal\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreal\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \quad (8)$$

**Definition 18** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal.(c\_2Etreal\_lt\ T1\ T2)$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in omega \quad (9)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (10)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{omega}) \quad (11)$$

**Definition 19** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (12)$$

**Definition 20** We define  $c\_2Ereal\_topology\_2EOpen$  to be  $\lambda V0s \in (2^{ty\_2Erealax\_2Ereal}).(ap\ (c\_2Ebool\_2E2$

**Definition 21** We define  $c\_2Ereal\_topology\_2EClosed$  to be  $\lambda V0s \in (2^{ty\_2Erealax\_2Ereal}).(ap\ c\_2Ereal\_topo$

**Definition 22** We define  $c\_2Ereal\_topology\_2Elimit\_point\_of$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1s \in ($

**Definition 23** We define  $c\_2Ebool\_2E5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E21\ 2)\ (\lambda V2t \in$

**Definition 24** We define  $c\_2Epred\_set\_2EUNION$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c$

**Definition 25** We define  $c\_2Ereal\_topology\_2Eclosure$  to be  $\lambda V0s \in (2^{ty\_2Erealax\_2Ereal}).(ap\ (ap\ (c\_2Epred$

**Definition 26** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in$

**Definition 27** We define  $c\_2Epred\_set\_2ESUBSET$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ ($

Let  $c\_2Erealax\_2Etrealmul : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealmul \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal))^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \quad (13)$$

Let  $c\_2Erealax\_2Etrealeq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealeq \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal))^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \quad (14)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal^{(2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal))}) \quad (15)$$

**Definition 28** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty$

**Definition 29** We define  $c\_2Erealax\_2Ereal\_mul$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax$

Let  $c\_2Erealax\_2Ereal\_add : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal))^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \quad (16)$$

**Definition 30** We define  $c\_2Erealax\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax$

**Definition 31** We define  $c\_2Ereal\_topology\_2Elinear$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal})$

Assume the following.

$$True \quad (17)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. ((p V0t1) \Rightarrow (p V1t2)) \Rightarrow ((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))) \quad (18)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2. (((p V0t) \Rightarrow False) \Rightarrow (\neg(p V0t)))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (23)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (24)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (25)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (27)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A-27a}).((\neg(\forall V1x \in A.27a.(p (ap V0P V1x)))) \Leftrightarrow (\exists V2x \in A.27a.(\neg(p (ap V0P V2x)))))) \quad (28)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A-27a}).(\forall V1Q \in 2.(((\exists V2x \in A.27a.(p (ap V0P V2x))) \vee (p V1Q)) \Leftrightarrow (\exists V3x \in A.27a.((p (ap V0P V3x)) \vee (p V1Q)))))) \quad (29)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A-27a}).(((p V0P) \vee (\exists V2x \in A.27a.(p (ap V1Q V2x)))) \Leftrightarrow (\exists V3x \in A.27a.((p V0P) \vee (p (ap V1Q V3x)))))) \quad (30)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A-27a}).(((\forall V2x \in A.27a.((p V0P) \vee (p (ap V1Q V2x)))) \Leftrightarrow ((p V0P) \vee (\forall V3x \in A.27a.(p (ap V1Q V3x)))))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee (p V1B) \vee (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))))) \quad (32)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))) \quad (33)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A) \vee (\neg(p V1B)))))) \wedge (((\neg(p V0A) \vee (p V1B)) \Leftrightarrow ((\neg(p V0A) \wedge (\neg(p V1B)))))) \quad (34)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow (\forall V0P \in ((2^{A-27b})^{A-27a}).((\forall V1x \in A.27a.(\exists V2y \in A.27b.(p (ap (ap V0P V1x) V2y)))) \Leftrightarrow (\exists V3f \in (A.27b^{A-27a}).(\forall V4x \in A.27a.(p (ap (ap V0P V4x) (ap V3f V4x)))))) \quad (35)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.((ap (c.2Ecombin_2EI A.27a) V0x) = V0x)) \quad (36)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}). (\forall V1t \in \\ & (2^{A\_27a}). (((p\ (ap\ (ap\ (c\_2Epred\_set\_2ESUBSET\ A\_27a)\ V0s)\ V1t)) \wedge \\ & (p\ (ap\ (ap\ (c\_2Epred\_set\_2ESUBSET\ A\_27a)\ V1t)\ V0s))) \Rightarrow (V0s = V1t)))) \end{aligned} \quad (37)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \forall V0s \in (2^{A\_27a}). (\forall V1t \in (2^{A\_27a}). ((p\ (ap\ (ap\ (c\_2Epred\_set\_2ESUBSET \\ & A\_27a)\ V0s)\ V1t)) \Rightarrow (\forall V2f \in (A\_27b^{A\_27a}). (p\ (ap\ (ap\ (c\_2Epred\_set\_2ESUBSET \\ & A\_27b)\ (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE\ A\_27a\ A\_27b)\ V2f)\ V0s))\ ( \\ & ap\ (ap\ (c\_2Epred\_set\_2EIMAGE\ A\_27a\ A\_27b)\ V2f)\ V1t)))))) \end{aligned} \quad (38)$$

Assume the following.

$$\begin{aligned} & (\forall V0s \in (2^{ty\_2Erealax\_2Ereal}). (p\ (ap\ c\_2Ereal\_topology\_2EClosed \\ & (ap\ c\_2Ereal\_topology\_2Eclosure\ V0s)))) \end{aligned} \quad (39)$$

Assume the following.

$$\begin{aligned} & (\forall V0s \in (2^{ty\_2Erealax\_2Ereal}). (p\ (ap\ (ap\ (c\_2Epred\_set\_2ESUBSET \\ & ty\_2Erealax\_2Ereal)\ V0s)\ (ap\ c\_2Ereal\_topology\_2Eclosure\ V0s)))) \end{aligned} \quad (40)$$

Assume the following.

$$\begin{aligned} & (\forall V0s \in (2^{ty\_2Erealax\_2Ereal}). (\forall V1t \in (2^{ty\_2Erealax\_2Ereal}). \\ & (((p\ (ap\ (ap\ (c\_2Epred\_set\_2ESUBSET\ ty\_2Erealax\_2Ereal)\ V0s) \\ & V1t)) \wedge (p\ (ap\ c\_2Ereal\_topology\_2EClosed\ V1t))) \Rightarrow (p\ (ap\ (ap\ (c\_2Epred\_set\_2ESUBSET \\ & ty\_2Erealax\_2Ereal)\ (ap\ c\_2Ereal\_topology\_2Eclosure\ V0s)) \\ & V1t)))))) \end{aligned} \quad (41)$$

Assume the following.

$$\begin{aligned} & (\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}). (((p \\ & (ap\ c\_2Ereal\_topology\_2Elinear\ V0f)) \wedge (\forall V1x \in ty\_2Erealax\_2Ereal. \\ & (\forall V2y \in ty\_2Erealax\_2Ereal. (((ap\ V0f\ V1x) = (ap\ V0f\ V2y)) \Rightarrow \\ & (V1x = V2y)))))) \Rightarrow (\forall V3s \in (2^{ty\_2Erealax\_2Ereal}). ((p\ (ap \\ & c\_2Ereal\_topology\_2EClosed\ V3s)) \Rightarrow (p\ (ap\ c\_2Ereal\_topology\_2EClosed \\ & (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE\ ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal) \\ & V0f)\ V3s)))))) \end{aligned} \quad (42)$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}).(\forall V1s \in \\
& \quad (2^{ty\_2Erealax\_2Ereal}).((p (ap c\_2Ereal\_topology\_2Elinear \\
& \quad V0f)) \Rightarrow (p (ap (ap (c\_2Epred\_set\_2ESUBSET ty\_2Erealax\_2Ereal) \\
& \quad (ap (ap (c\_2Epred\_set\_2EIMAGE ty\_2Erealax\_2Ereal ty\_2Erealax\_2Ereal) \\
& \quad V0f) (ap c\_2Ereal\_topology\_2Eclosure V1s))) (ap c\_2Ereal\_topology\_2Eclosure \\
& \quad (ap (ap (c\_2Epred\_set\_2EIMAGE ty\_2Erealax\_2Ereal ty\_2Erealax\_2Ereal) \\
& \quad V0f) V1s)))))))))
\end{aligned} \tag{43}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{44}$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{45}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{46}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{47}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \tag{48}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\
& \quad (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg \\
& \quad p V2r) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& \quad ((\neg(p V1q)) \vee (\neg(p V0p)))))))))))))
\end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\
& \quad (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& \quad (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{50}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\
& \quad (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\
& \quad ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{51}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ( \\
& \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (52)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (53)
\end{aligned}$$

**Theorem 1**

$$\begin{aligned}
& (\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}). (\forall V1s \in \\
& (2^{ty\_2Erealax\_2Ereal}). (((p (ap c\_2Ereal\_topology\_2Elinear \\
& V0f)) \wedge (\forall V2x \in ty\_2Erealax\_2Ereal. (\forall V3y \in ty\_2Erealax\_2Ereal. \\
& (((ap V0f V2x) = (ap V0f V3y)) \Rightarrow (V2x = V3y)))))) \Rightarrow ((ap c\_2Ereal\_topology\_2Eclosure \\
& (ap (ap (c\_2Epred\_set\_2EIMAGE ty\_2Erealax\_2Ereal ty\_2Erealax\_2Ereal) \\
& V0f) V1s)) = (ap (ap (c\_2Epred\_set\_2EIMAGE ty\_2Erealax\_2Ereal \\
& ty\_2Erealax\_2Ereal) V0f) (ap c\_2Ereal\_topology\_2Eclosure V1s))))))
\end{aligned}$$