

thm_2Ereal__topology_2ECLOSURE__INTERVAL
 (TMWDtLX-
 EHn1LRFAPLq4KrNVaY3t8btM2RsJ)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 5 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Definition 6 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Definition 8 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ **then** (the $(\lambda x.x \in A \wedge P x)$) of type $\iota \Rightarrow \iota$.

Definition 9 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap (c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_7E V0t) c_2Ebool_2E_7E V0t))$

Let $ty_2Erealx_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealx_2Ereal \tag{1}$$

Definition 10 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2ET)$.

Definition 11 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A-27a}).(ap V1f V0x))$

Definition 12 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_7E V0t) c_2Ebool_2E_7E V0t)$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (2)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (3)$$

Definition 13 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2Eprod\ A_27a\ A_27b)\ x\ y)$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \quad (4)$$

Definition 14 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2Epred_set_2EGSPEC\ A_27a\ A_27a)\ s\ t)$

Let $c_2Ereal_topology_2EDist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2EDist \in (ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)}) \quad (5)$$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (6)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal}) \quad (7)$$

Definition 15 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E40\ ty_2Erealax_2Ereal)\ a)$

Let $c_2Erealax_2Etrealt_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealt_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (8)$$

Definition 16 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.(c_2Etrealt_lt\ T1\ T2)$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \quad (9)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (10)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \quad (11)$$

Definition 17 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \quad (12)$$

Definition 18 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 19 We define $c_2Ereal_topology_2EOpen$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}). (ap\ (c_2Ebool_2E_2$

Definition 20 We define $c_2Ereal_topology_2EClosed$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}). (ap\ c_2Ereal_topo$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (13)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (14)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (15)$$

Let $c_2Elist_2EHD : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2EHD\ A_27a \in (A_27a)^{(ty_2Elist_2Elist\ A_27a)} \quad (16)$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Epair_2ESND\ A_27a\ A_27b \in (A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \quad (17)$$

Definition 21 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal. \lambda V1y \in ty_2Erealax_2Er$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Epair_2EFST\ A_27a\ A_27b \in (A_27a)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \quad (18)$$

Definition 22 We define $c_2Ereal_topology_2ECLOSED_interval$ to be $\lambda V0l \in (ty_2Elist_2Elist\ (ty_2Epa$

Definition 23 We define $c_2Ereal_topology_2Elimit_point_of$ to be $\lambda V0x \in ty_2Erealax_2Ereal. \lambda V1s \in ($

Definition 24 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap\ (c$

Definition 25 We define $c_2Ereal_topology_2Eclosure$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}). (ap\ (ap\ (c_2Epred$

Definition 26 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2EF)$.

Let $c_2Ereal_topology_2EOPEN_interval : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2EOPEN_interval \in ((2^{ty_2Erealax_2Ereal})^{(ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Ereal)}) \quad (19)$$

Assume the following.

$$True \quad (20)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2. ((p\ V0t) \vee (\neg(p\ V0t)))) \quad (23)$$

Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p\ V0t) \Leftrightarrow (p\ V0t)))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (25)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (26)$$

Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (27)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (28)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0t1 \in A.27a. (\forall V1t2 \in \\ & A.27a. (((ap\ (ap\ (ap\ (c.2Ebool.2ECOND\ A.27a)\ c.2Ebool.2ET)\ V0t1) \\ & V1t2) = V0t1) \wedge ((ap\ (ap\ (ap\ (c.2Ebool.2ECOND\ A.27a)\ c.2Ebool.2EF) \\ & V0t1)\ V1t2) = V1t2)))) \end{aligned} \quad (29)$$

Assume the following.

$$(\forall V0s \in (2^{ty.2Erealax.2Ereal}). ((p\ (ap\ c.2Ereal_topology.2EClosed\ V0s)) \Rightarrow ((ap\ c.2Ereal_topology.2Eclosure\ V0s) = V0s))) \quad (30)$$

Assume the following.

$$((ap\ c.2Ereal_topology.2Eclosure\ (c.2Epred_set.2EEMPTY\ ty.2Erealax.2Ereal)) = (c.2Epred_set.2EEMPTY\ ty.2Erealax.2Ereal)) \quad (31)$$

Assume the following.

$$\begin{aligned} & (\forall V0a \in ty.2Erealax.2Ereal. (\forall V1b \in ty.2Erealax.2Ereal. \\ & (p\ (ap\ c.2Ereal_topology.2EClosed\ (ap\ c.2Ereal_topology.2ECLOSED_interval \\ & (ap\ (ap\ (c.2Elist.2ECONS\ (ty.2Epair.2Eprod\ ty.2Erealax.2Ereal \\ & ty.2Erealax.2Ereal))\ (ap\ (ap\ (c.2Epair.2E.2C\ ty.2Erealax.2Ereal \\ & ty.2Erealax.2Ereal)\ V0a)\ V1b))\ (c.2Elist.2ENIL\ (ty.2Epair.2Eprod \\ & ty.2Erealax.2Ereal\ ty.2Erealax.2Ereal)))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} & (\forall V0a \in ty.2Erealax.2Ereal. (\forall V1b \in ty.2Erealax.2Ereal. \\ & ((\neg((ap\ c.2Ereal_topology.2EOPEN_interval\ (ap\ (ap\ (c.2Epair.2E.2C \\ & ty.2Erealax.2Ereal\ ty.2Erealax.2Ereal)\ V0a)\ V1b)) = (c.2Epred_set.2EEMPTY \\ & ty.2Erealax.2Ereal))) \Rightarrow ((ap\ c.2Ereal_topology.2Eclosure\ (\\ & ap\ c.2Ereal_topology.2EOPEN_interval\ (ap\ (ap\ (c.2Epair.2E.2C \\ & ty.2Erealax.2Ereal\ ty.2Erealax.2Ereal)\ V0a)\ V1b))) = (ap\ c.2Ereal_topology.2ECLOSED_interval \\ & (ap\ (ap\ (c.2Elist.2ECONS\ (ty.2Epair.2Eprod\ ty.2Erealax.2Ereal \\ & ty.2Erealax.2Ereal))\ (ap\ (ap\ (c.2Epair.2E.2C\ ty.2Erealax.2Ereal \\ & ty.2Erealax.2Ereal)\ V0a)\ V1b))\ (c.2Elist.2ENIL\ (ty.2Epair.2Eprod \\ & ty.2Erealax.2Ereal\ ty.2Erealax.2Ereal)))))) \end{aligned} \quad (33)$$

Theorem 1

$$\begin{aligned}
& ((\forall V0a \in ty_2Erealax_2Ereal. (\forall V1b \in ty_2Erealax_2Ereal. \\
& ((ap\ c_2Ereal_topology_2Eclosure\ (ap\ c_2Ereal_topology_2ECLOSED_interval \\
& (ap\ (ap\ (c_2Elist_2ECONS\ (ty_2Epair_2Eprod\ ty_2Erealax_2Ereal \\
& ty_2Erealax_2Ereal))\ (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Erealax_2Ereal \\
& ty_2Erealax_2Ereal)\ V0a\ V1b))\ (c_2Elist_2ENIL\ (ty_2Epair_2Eprod \\
& ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)))))) = (ap\ c_2Ereal_topology_2ECLOSED_interval \\
& (ap\ (ap\ (c_2Elist_2ECONS\ (ty_2Epair_2Eprod\ ty_2Erealax_2Ereal \\
& ty_2Erealax_2Ereal))\ (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Erealax_2Ereal \\
& ty_2Erealax_2Ereal)\ V0a\ V1b))\ (c_2Elist_2ENIL\ (ty_2Epair_2Eprod \\
& ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)))))) \wedge (\forall V2a \in \\
& ty_2Erealax_2Ereal. (\forall V3b \in ty_2Erealax_2Ereal. ((ap\ c_2Ereal_topology_2Eclosure \\
& (ap\ c_2Ereal_topology_2EOPEN_interval\ (ap\ (ap\ (c_2Epair_2E_2C \\
& ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)\ V2a\ V3b))) = (ap\ (ap\ (\\
& ap\ (c_2Ebool_2ECOND\ (2^{ty_2Erealax_2Ereal}))\ (ap\ (ap\ (c_2Emin_2E_3D \\
& (2^{ty_2Erealax_2Ereal}))\ (ap\ c_2Ereal_topology_2EOPEN_interval \\
& (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal) \\
& V2a\ V3b)))\ (c_2Epred_set_2EEMPTY\ ty_2Erealax_2Ereal)))\ (c_2Epred_set_2EEMPTY \\
& ty_2Erealax_2Ereal))\ (ap\ c_2Ereal_topology_2ECLOSED_interval \\
& (ap\ (ap\ (c_2Elist_2ECONS\ (ty_2Epair_2Eprod\ ty_2Erealax_2Ereal \\
& ty_2Erealax_2Ereal))\ (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Erealax_2Ereal \\
& ty_2Erealax_2Ereal)\ V2a\ V3b))\ (c_2Elist_2ENIL\ (ty_2Epair_2Eprod \\
& ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal))))))))))
\end{aligned}$$