

thm\_2Ereal\_topology\_2ECOMPACT\_FIP  
(TMK5Z7smphxGDTVWGUK1KFtccKhDn9EUk9n)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Epred\_set\_2EUNIV$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2ET)$ .

**Definition 6** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2EF)$ .

**Definition 7** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$

**Definition 8** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 9** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \tag{1}$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \tag{2}$$

**Definition 10** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2Ebool\_2EIN$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC A\_27a A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod A\_27a 2)^{A\_27b}}) \tag{3}$$

**Definition 11** We define  $c\_2Epred\_set\_2EBIGINTER$  to be  $\lambda A.27a : \iota.\lambda V0P \in (2^{(2^A-27a)}).$ (ap (c\\_2Epred\\_s

**Definition 12** We define  $c\_2Epred\_set\_2EINTER$  to be  $\lambda A.27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).$ (ap (c

**Definition 13** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.$ (ap (ap c\\_2Emin\\_2E\\_3D\\_3D\\_3E V0t) c\\_2Ebool\\_2E

**Definition 14** We define  $c\_2Epred\_set\_2ESUBSET$  to be  $\lambda A.27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).$ (ap (

**Definition 15** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.$ (ap (c\\_2Ebool\\_2E\\_21 2) (\lambda V2t \in

**Definition 16** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A.27a : \iota.\lambda V0x \in A.27a.\lambda V1s \in (2^{A-27a}).$ (ap (c

**Definition 17** We define  $c\_2Epred\_set\_2EFINITE$  to be  $\lambda A.27a : \iota.\lambda V0s \in (2^{A-27a}).$ (ap (c\\_2Ebool\\_2E\\_21 (2

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (4)$$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (5)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (6)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (7)$$

**Definition 18** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.$ (ap c\\_2Enum\\_2EABS\\_num

**Definition 19** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.$ **if**  $(\exists x \in A.p$  (ap P x)) **then** (the  $(\lambda x.x \in A \wedge$   
of type  $\iota \Rightarrow \iota$ ).

**Definition 20** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).$ (ap V0P (ap (c\\_2Emin\\_2E\\_40

**Definition 21** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 22** We define  $c\_2Earithmetic\_2E\_3E$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 23** We define  $c\_2Earithmetic\_2E\_3E\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

Let  $ty\_2Ereal\_topology\_2Enet : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ereal\_topology\_2Enet\ A0) \quad (8)$$

Let  $c\_2Ereal\_topology\_2Emk\_net : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c\_2Ereal\_topology\_2Emk\_net\ A.27a \in ((ty\_2Ereal\_topology\_2Enet\ A.27a)^{(2^{A-27a})^{A-27a}}) \quad (9)$$

**Definition 24** We define  $c\_2Ereal\_topology\_2Esequentially$  to be  $(ap (c\_2Ereal\_topology\_2Emk\_net ty\_2Ereal\_topology\_2EDist))$ .  
Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \quad (10)$$

**Definition 25** We define  $c\_2Ecombin\_2Eo$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda A\_27c : \iota. \lambda V0f \in (A\_27b^{A\_27c}). \lambda V1g \in (A\_27a^{A\_27c}).$   
Let  $c\_2Ereal\_topology\_2EDist : \iota$  be given. Assume the following.

$$c\_2Ereal\_topology\_2EDist \in (ty\_2Erealax\_2Ereal^{(ty\_2Epair\_2Eprod\ ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal)}) \quad (11)$$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (12)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax\_2Ereal}) \quad (13)$$

**Definition 26** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal. (ap (c\_2Emin\_2E40))$

Let  $c\_2Erealax\_2Etreallt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreallt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \quad (14)$$

**Definition 27** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal. \lambda V1T2 \in ty\_2Erealax\_2Ereal.$

Let  $c\_2Ereal\_topology\_2Enetord : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Ereal\_topology\_2Enetord\ A\_27a \in (((2^{A\_27a})^{A\_27a})^{(ty\_2Ereal\_topology\_2Enet\ A\_27a)}) \quad (15)$$

**Definition 28** We define  $c\_2Ereal\_topology\_2Etrivial\_limit$  to be  $\lambda A\_27a : \iota. \lambda V0net \in (ty\_2Ereal\_topology\_2Etrivial\_limit\ A\_27a).$

**Definition 29** We define  $c\_2Ereal\_topology\_2Eeventually$  to be  $\lambda A\_27a : \iota. \lambda V0p \in (2^{A\_27a}). \lambda V1net \in (ty\_2Ereal\_topology\_2Eeventually\ A\_27a\ p).$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (16)$$

**Definition 30** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (17)$$

**Definition 31** We define  $c\_2Ereal\_topology\_2E2D\_2D\_3E$  to be  $\lambda A\_27a : \iota. \lambda V0f \in (ty\_2Erealax\_2Ereal^{A\_27a}).$

**Definition 32** We define  $c\_2Ereal\_topology\_2Ecompact$  to be  $\lambda V0s \in (2^{ty\_2Erealax\_2Ereal}). (ap (c\_2Ebool\_2E2E))$

**Definition 33** We define  $c\_2Epred\_set\_2EDIFF$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap (c\_2E$

**Definition 34** We define  $c\_2Ereal\_topology\_2EOpen$  to be  $\lambda V0s \in (2^{ty\_2Erealax\_2Ereal}).(ap (c\_2Ebool\_2E$

**Definition 35** We define  $c\_2Ereal\_topology\_2EClosed$  to be  $\lambda V0s \in (2^{ty\_2Erealax\_2Ereal}).(ap c\_2Ereal\_topo$

Assume the following.

$$True \tag{18}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \tag{19}$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \tag{20}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p V0t)) \Leftrightarrow (p V0t))) \tag{21}$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \tag{22}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \tag{23}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{24}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \tag{25}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}).(\forall V1t \in (2^{A\_27a}).((V0s = V1t) \Leftrightarrow (\forall V2x \in A\_27a.((p (ap (ap (c\_2Ebool\_2EIN A\_27a) V2x) V0s)) \Leftrightarrow (p (ap (ap (c\_2Ebool\_2EIN A\_27a) V2x) V1t))))))) \tag{26}$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.(\neg(p\ (ap\ (ap\ (c_{.2Ebool\_2EIN}\ A_{.27a})\ V0x)\ (c_{.2Epred\_set\_2EEMPTY}\ A_{.27a})))))) \quad (27)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.(p\ (ap\ (ap\ (c_{.2Ebool\_2EIN}\ A_{.27a})\ V0x)\ (c_{.2Epred\_set\_2EUNIV}\ A_{.27a})))) \quad (28)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0s \in (2^{A_{.27a}}).(\forall V1t \in \\ (2^{A_{.27a}}).(\forall V2x \in A_{.27a}.((p\ (ap\ (ap\ (c_{.2Ebool\_2EIN}\ A_{.27a}) \\ V2x)\ (ap\ (ap\ (c_{.2Epred\_set\_2EINTER}\ A_{.27a})\ V0s)\ V1t)))) \Leftrightarrow ((p\ (ap\ (ap\ (c_{.2Ebool\_2EIN}\ A_{.27a})\ V2x)\ V0s)) \wedge (p\ (ap\ (ap\ (c_{.2Ebool\_2EIN}\ A_{.27a})\ V2x)\ V1t)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow ((\forall V0s \in (2^{A_{.27a}}).((ap\ (ap\ (c_{.2Epred\_set\_2EINTER}\ A_{.27a})\ (c_{.2Epred\_set\_2EUNIV}\ A_{.27a})\ V0s) = V0s)) \wedge (\forall V1s \in (2^{A_{.27a}}).((ap\ (ap\ (c_{.2Epred\_set\_2EINTER}\ A_{.27a})\ V1s)\ (c_{.2Epred\_set\_2EUNIV}\ A_{.27a}) = V1s)))))) \quad (30)$$

Assume the following.

$$(p\ (ap\ c_{.2Ereal\_topology\_2EClosed}\ (c_{.2Epred\_set\_2EUNIV}\ ty_{.2Erealax\_2Ereal}))) \quad (31)$$

Assume the following.

$$\begin{aligned} (\forall V0s \in (2^{ty_{.2Erealax\_2Ereal}}).(\forall V1f \in (2^{(2^{ty_{.2Erealax\_2Ereal}})}). \\ (((p\ (ap\ c_{.2Ereal\_topology\_2EClosed}\ V0s)) \wedge ((\forall V2t \in (2^{ty_{.2Erealax\_2Ereal}}). \\ ((p\ (ap\ (ap\ (c_{.2Ebool\_2EIN}\ (2^{ty_{.2Erealax\_2Ereal}})\ V2t)\ V1f)) \Rightarrow \\ (p\ (ap\ c_{.2Ereal\_topology\_2Ecompact}\ V2t)))) \wedge (\forall V3f_{.27} \in \\ (2^{(2^{ty_{.2Erealax\_2Ereal}})}).(((p\ (ap\ (c_{.2Epred\_set\_2EFINITE}\ (2^{ty_{.2Erealax\_2Ereal}})\ V3f_{.27})) \wedge (p\ (ap\ (ap\ (c_{.2Epred\_set\_2ESUBSET}\ (2^{ty_{.2Erealax\_2Ereal}})\ V3f_{.27})\ V1f)))) \Rightarrow (\neg((ap\ (ap\ (c_{.2Epred\_set\_2EINTER}\ ty_{.2Erealax\_2Ereal}\ V0s)\ (ap\ (c_{.2Epred\_set\_2EBIGINTER}\ ty_{.2Erealax\_2Ereal}\ V3f_{.27})) = (c_{.2Epred\_set\_2EEMPTY}\ ty_{.2Erealax\_2Ereal})))))) \Rightarrow \\ (\neg((ap\ (ap\ (c_{.2Epred\_set\_2EINTER}\ ty_{.2Erealax\_2Ereal}\ V0s)\ (ap\ (c_{.2Epred\_set\_2EBIGINTER}\ ty_{.2Erealax\_2Ereal}\ V1f)) = (c_{.2Epred\_set\_2EEMPTY}\ ty_{.2Erealax\_2Ereal})))))) \end{aligned} \quad (32)$$

**Theorem 1**

$$\begin{aligned} & (\forall V0f \in (2^{(2^{ty\_2Erealax\_2Ereal})})) . (((\forall V1t \in (2^{ty\_2Erealax\_2Ereal}) . \\ & ((p (ap (ap (c\_2Ebool\_2EIN (2^{ty\_2Erealax\_2Ereal})) V1t) V0f)) \Rightarrow \\ & (p (ap c\_2Ereal\_topology\_2Ecompact V1t)))) \wedge (\forall V2f\_27 \in \\ & (2^{(2^{ty\_2Erealax\_2Ereal})})) . (((p (ap (c\_2Epred\_set\_2EFINITE \\ & (2^{ty\_2Erealax\_2Ereal})) V2f\_27)) \wedge (p (ap (ap (c\_2Epred\_set\_2ESUBSET \\ & (2^{ty\_2Erealax\_2Ereal})) V2f\_27) V0f))) \Rightarrow (\neg((ap (c\_2Epred\_set\_2EBIGINTER \\ & ty\_2Erealax\_2Ereal) V2f\_27) = (c\_2Epred\_set\_2EEMPTY ty\_2Erealax\_2Ereal)))))) \Rightarrow \\ & (\neg((ap (c\_2Epred\_set\_2EBIGINTER ty\_2Erealax\_2Ereal) V0f) = \\ & (c\_2Epred\_set\_2EEMPTY ty\_2Erealax\_2Ereal)))) \end{aligned}$$