

thm_2Ereal__topology_2Ecompact__imp__fip (TMH6uSaqascU3dwaaaf6Ffv9yXnEjnczwbW)

October 26, 2020

Definition 1 We define `c_2Emin_2E_40` to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p x)$ of type $\iota \Rightarrow \iota$).

Definition 2 We define `c_2Emin_2E_3D` to be $\lambda A.\lambda x \in A.\lambda y \in A.\text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define `c_2Ebool_2ET` to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$.

Definition 4 We define `c_2Ebool_2E_21` to be $\lambda A_{.27a} : \iota.(\lambda V0P \in (2^{A_{.27a}}). (ap (ap (c_2Emin_2E_3D (2^{A_{.27a}})) (\lambda V1f \in 2.V1f) V0x)))$.

Definition 5 We define `c_2Ebool_2EF` to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 6 We define `c_2Epred__set_2EEMPTY` to be $\lambda A_{.27a} : \iota.(\lambda V0x \in A_{.27a}.c_2Ebool_2EF)$.

Definition 7 We define `c_2Ebool_2EIN` to be $\lambda A_{.27a} : \iota.(\lambda V0x \in A_{.27a}.(\lambda V1f \in (2^{A_{.27a}}). (ap V1f V0x)))$.

Definition 8 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2.\lambda Q \in 2.\text{inj_o } (p P \Rightarrow p Q)$ of type ι .

Definition 9 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$.

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \forall A1.\text{nonempty } A1 \Rightarrow \text{nonempty } (ty_2Epair_2Eprod A0 A1) \quad (1)$$

Let `c_2Epair_2EABS__prod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{.27a}.\text{nonempty } A_{.27a} \Rightarrow \forall A_{.27b}.\text{nonempty } A_{.27b} \Rightarrow c_2Epair_2EABS_prod A_{.27a} A_{.27b} \in ((ty_2Epair_2Eprod A_{.27a} A_{.27b})^{(2^{A_{.27b}})^{A_{.27a}}}) \quad (2)$$

Definition 10 We define `c_2Epair_2E_2C` to be $\lambda A_{.27a} : \iota.\lambda A_{.27b} : \iota.\lambda V0x \in A_{.27a}.\lambda V1y \in A_{.27b}.(ap (c_2Ebool_2E_2F_5C (ap (c_2Ebool_2E_21 2) (\lambda V2z \in 2.V2z))))$.

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \end{aligned} \quad (3)$$

Definition 11 We define $c_2Epred_set_2EINTER$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2Epred_set_2EINTER)\ V0s\ V1t)$.

Definition 12 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (A_27a^{A_27b}).(ap\ (c_2Epred_set_2EIMAGE)\ V0f\ V1s)$.

Definition 13 We define $c_2Epred_set_2EBIGINTER$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(2^{A_27a})}).(ap\ (c_2Epred_set_2EBIGINTER)\ V0P)$.

Definition 14 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2ET)$.

Definition 15 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_7E)\ V0t)$.

Definition 16 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2Epred_set_2EDIFF)\ V0s\ V1t)$.

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \quad (4)$$

Let $c_2Ereal_topology_2EDist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2EDist \in (ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)}) \quad (5)$$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (6)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal}) \quad (7)$$

Definition 17 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E_40)\ V0a)$.

Let $c_2Erealax_2Etreallt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreallt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (8)$$

Definition 18 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.(c_2Erealax_2Ereal_lt\ V0T1\ V1T2)$.

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (9)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (10)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (11)$$

Definition 19 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \quad (12)$$

Definition 20 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 21 We define $c_2Ereal_topology_2EOpen$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}). (ap\ (c_2Ebool_2E_2$

Definition 22 We define $c_2Ereal_topology_2EClosed$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}). (ap\ c_2Ereal_topo$

Definition 23 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 24 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1s \in (2^{A_27a}). (ap\ (c_2$

Definition 25 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). (ap\ (c_2Ebool_2E_21\ 2)$

Definition 26 We define $c_2Epred_set_2EBIGUNION$ to be $\lambda A_27a : \iota. \lambda V0P \in (2^{(2^{A_27a})}). (ap\ (c_2Epred_s$

Definition 27 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap\ ($

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (13)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega^a}) \quad (14)$$

Definition 28 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2Enum_2EABS_num$

Definition 29 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Definition 30 We define $c_2Earithmetic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Definition 31 We define $c_2Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Let $ty_2Ereal_topology_2Enet : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty_2Ereal_topology_2Enet\ A0) \quad (15)$$

Let $c_2Ereal_topology_2Emk_net : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} &\forall A_27a. nonempty\ A_27a \Rightarrow c_2Ereal_topology_2Emk_net \\ &A_27a \in ((ty_2Ereal_topology_2Enet\ A_27a)^{(2^{A_27a})^{A_27a}}) \end{aligned} \quad (16)$$

Definition 32 We define $c_2Ereal_topology_2Esequentially$ to be $(ap\ (c_2Ereal_topology_2Emk_net\ ty_2E$

Definition 33 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0f \in (A_27b^{A_27c}). \lambda V1$

Let $c_2Ereal_topology_2Enetord : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ereal_topology_2Enetord\ A_27a \in ((2^{A_27a})^{A_27a})^{(ty_2Ereal_topology_2Enet\ A_27a)} \quad (17)$$

Definition 34 We define $c_2Ereal_topology_2Etrivial_limit$ to be $\lambda A_27a : \iota.\lambda V0net \in (ty_2Ereal_topology_2Enet\ A_27a).$

Definition 35 We define $c_2Ereal_topology_2Eeventually$ to be $\lambda A_27a : \iota.\lambda V0p \in (2^{A_27a}).\lambda V1net \in (ty_2Ereal_topology_2Enet\ A_27a).$

Definition 36 We define $c_2Ereal_topology_2E2D_2D_3E$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_2Erealax_2Ereal\ A_27a).$

Definition 37 We define $c_2Ereal_topology_2Ecompact$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}).(ap\ (c_2Ebool_2Ereal\ A_27a)\ s)$

Assume the following.

$$True \quad (18)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2.((p\ V0t) \vee \neg(p\ V0t))) \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t) \Leftrightarrow (p\ V0t)))) \quad (22)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \wedge (p\ V1t2)) \Leftrightarrow ((p\ V1t2) \wedge (p\ V0t1)))))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (25)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (26)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (27)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (28)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (29)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A-27a}).((\neg(\forall V1x \in A.27a.(p (ap V0P V1x)))) \Leftrightarrow (\exists V2x \in A.27a.(\neg(p (ap V0P V2x)))))) \quad (30)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A-27a}).((\neg(\exists V1x \in A.27a.(p (ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A.27a.(\neg(p (ap V0P V2x)))))) \quad (31)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A-27a}).(\forall V1Q \in 2.(((\forall V2x \in A.27a.(p (ap V0P V2x))) \wedge (p V1Q)) \Leftrightarrow (\forall V3x \in A.27a.((p (ap V0P V3x)) \wedge (p V1Q)))))) \quad (32)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A-27a}).(((p V0P) \wedge (\forall V2x \in A.27a.(p (ap V1Q V2x)))) \Leftrightarrow (\forall V3x \in A.27a.((p V0P) \wedge (p (ap V1Q V3x)))))) \quad (33)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0Q \in 2.(\forall V1P \in (2^{A-27a}).(((\forall V2x \in A.27a.((p (ap V1P V2x)) \vee (p V0Q))) \Leftrightarrow ((\forall V3x \in A.27a.(p (ap V1P V3x))) \vee (p V0Q)))))) \quad (34)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.((\neg((p V0A) \Rightarrow (p V1B))) \Leftrightarrow ((p V0A) \wedge (\neg(p V1B))))) \quad (35)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A) \vee (\neg(p V1B)))))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A) \wedge (\neg(p V1B))))) \quad (36)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee ((p V1B) \wedge (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C))))) \quad (37)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V1B) \wedge (p V2C)) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A))))) \quad (38)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))) \quad (39)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))) \quad (40)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0P \in (2^{A_{.27a}}).(\forall V1a \in A_{.27a}.((\exists V2x \in A_{.27a}.((V1a = V2x) \wedge (p (ap V0P V2x)))) \Leftrightarrow (p (ap V0P V1a)))) \quad (41)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0s \in (2^{A_{.27a}}).(\forall V1t \in (2^{A_{.27a}}).((V0s = V1t) \Leftrightarrow (\forall V2x \in A_{.27a}.((p (ap (ap (c_{.2Ebool_{.2EIN}} A_{.27a} V2x) V0s)) \Leftrightarrow (p (ap (ap (c_{.2Ebool_{.2EIN}} A_{.27a} V2x) V1t)))))) \quad (42)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.(\neg(p (ap (ap (c_{.2Ebool_{.2EIN}} A_{.27a} V0x) (c_{.2Epred_{.set_{.2EEMPTY}} A_{.27a})))) \quad (43)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.(p (ap (ap (c_{.2Ebool_{.2EIN}} A_{.27a} V0x) (c_{.2Epred_{.set_{.2EUNIV}} A_{.27a})))) \quad (44)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A.27a}). (\forall V1t \in \\ & (2^{A.27a}). (\forall V2x \in A.27a. ((p\ (ap\ (ap\ (c.2Ebool_2EIN\ A.27a) \\ & V2x)\ (ap\ (ap\ (c.2Epred_set_2EINTER\ A.27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap\ (ap\ (c.2Ebool_2EIN\ A.27a)\ V2x)\ V0s)) \wedge (p\ (ap\ (ap\ (c.2Ebool_2EIN\ A.27a)\ V2x)\ V1t)))))) \end{aligned} \quad (45)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A.27a}). (\forall V1t \in \\ & (2^{A.27a}). (\forall V2x \in A.27a. ((p\ (ap\ (ap\ (c.2Ebool_2EIN\ A.27a) \\ & V2x)\ (ap\ (ap\ (c.2Epred_set_2EDIFF\ A.27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap\ (ap\ (c.2Ebool_2EIN\ A.27a)\ V2x)\ V0s)) \wedge (\neg (p\ (ap\ (ap\ (c.2Ebool_2EIN\ A.27a)\ V2x)\ V1t)))))) \end{aligned} \quad (46)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \forall V0y \in A.27b. (\forall V1s \in (2^{A.27a}). (\forall V2f \in (A.27b^{A.27a}). \\ & ((p\ (ap\ (ap\ (c.2Ebool_2EIN\ A.27b)\ V0y)\ (ap\ (ap\ (c.2Epred_set_2EIMAGE\ A.27a\ A.27b)\ V2f)\ V1s))) \Leftrightarrow (\exists V3x \in A.27a. ((V0y = (ap\ V2f\ V3x)) \wedge \\ & (p\ (ap\ (ap\ (c.2Ebool_2EIN\ A.27a)\ V3x)\ V1s)))))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \forall V0P \in (2^{A.27a}). (\forall V1f \in (A.27a^{A.27b}). (\forall V2s \in \\ & (2^{A.27b}). ((\exists V3y \in A.27a. ((p\ (ap\ (ap\ (c.2Ebool_2EIN\ A.27a) \\ & V3y)\ (ap\ (ap\ (c.2Epred_set_2EIMAGE\ A.27b\ A.27a)\ V1f)\ V2s))) \Rightarrow (\\ & p\ (ap\ V0P\ V3y)))) \Leftrightarrow (\forall V4x \in A.27b. ((p\ (ap\ (ap\ (c.2Ebool_2EIN\ A.27b)\ V4x)\ V2s)) \Rightarrow (p\ (ap\ V0P\ (ap\ V1f\ V4x)))))) \end{aligned} \quad (48)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \forall V0P \in (2^{A.27a}). (\forall V1f \in (A.27a^{A.27b}). (\forall V2s \in \\ & (2^{A.27b}). ((\exists V3y \in A.27a. ((p\ (ap\ (ap\ (c.2Ebool_2EIN\ A.27a) \\ & V3y)\ (ap\ (ap\ (c.2Epred_set_2EIMAGE\ A.27b\ A.27a)\ V1f)\ V2s))) \wedge (\\ & p\ (ap\ V0P\ V3y)))) \Leftrightarrow (\exists V4x \in A.27b. ((p\ (ap\ (ap\ (c.2Ebool_2EIN\ A.27b)\ V4x)\ V2s)) \wedge (p\ (ap\ V0P\ (ap\ V1f\ V4x)))))) \end{aligned} \quad (49)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \forall V0s \in (2^{A.27a}). ((p\ (ap\ (c.2Epred_set_2EFINITE\ A.27a) \\ & V0s)) \Rightarrow (\forall V1f \in (A.27b^{A.27a}). (p\ (ap\ (c.2Epred_set_2EFINITE\ A.27b)\ (ap\ (ap\ (c.2Epred_set_2EIMAGE\ A.27a\ A.27b)\ V1f)\ V0s)))))) \end{aligned} \quad (50)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1sos \in \\ & (2^{(2^{A_27a})}). ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V0x)\ (ap\ (c_2Epred_set_2EBIGUNION \\ & A_27a)\ V1sos))) \Leftrightarrow (\exists V2s \in (2^{A_27a}). ((p\ (ap\ (ap\ (c_2Ebool_2EIN \\ & A_27a)\ V0x)\ V2s)) \wedge (p\ (ap\ (ap\ (c_2Ebool_2EIN\ (2^{A_27a})\ V2s)\ V1sos))))))))) \end{aligned} \quad (51)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1B \in \\ & (2^{(2^{A_27a})}). ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V0x)\ (ap\ (c_2Epred_set_2EBIGINTER \\ & A_27a)\ V1B))) \Leftrightarrow (\forall V2P \in (2^{A_27a}). ((p\ (ap\ (ap\ (c_2Ebool_2EIN \\ & (2^{A_27a})\ V2P)\ V1B)) \Rightarrow (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V0x)\ V2P))))))))) \end{aligned} \quad (52)$$

Assume the following.

$$(p\ (ap\ c_2Ereal_topology_2EOpen\ (c_2Epred_set_2EUNIV\ ty_2Erealax_2Ereal))) \quad (53)$$

Assume the following.

$$\begin{aligned} & (\forall V0s \in (2^{ty_2Erealax_2Ereal}). (\forall V1t \in (2^{ty_2Erealax_2Ereal}). \\ & (((p\ (ap\ c_2Ereal_topology_2EOpen\ V0s)) \wedge (p\ (ap\ c_2Ereal_topology_2EClosed \\ & V1t))) \Rightarrow (p\ (ap\ c_2Ereal_topology_2EOpen\ (ap\ (ap\ (c_2Epred_set_2EDIFF \\ & ty_2Erealax_2Ereal)\ V0s)\ V1t)))))) \end{aligned} \quad (54)$$

Assume the following.

$$\begin{aligned} & (\forall V0s \in (2^{ty_2Erealax_2Ereal}). ((p\ (ap\ c_2Ereal_topology_2Ecompact \\ & V0s)) \Leftrightarrow (\forall V1f \in (2^{(2^{ty_2Erealax_2Ereal})}). (((\forall V2t \in \\ & (2^{ty_2Erealax_2Ereal}). ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ (2^{ty_2Erealax_2Ereal}) \\ & V2t)\ V1f)) \Rightarrow (p\ (ap\ c_2Ereal_topology_2EOpen\ V2t)))) \wedge (p\ (ap\ (ap \\ & (c_2Epred_set_2ESUBSET\ ty_2Erealax_2Ereal)\ V0s)\ (ap\ (c_2Epred_set_2EBIGUNION \\ & ty_2Erealax_2Ereal)\ V1f)))))) \Rightarrow (\exists V3f_27 \in (2^{(2^{ty_2Erealax_2Ereal})}). \\ & ((p\ (ap\ (ap\ (c_2Epred_set_2ESUBSET\ (2^{ty_2Erealax_2Ereal}) \\ & V3f_27)\ V1f)) \wedge ((p\ (ap\ (c_2Epred_set_2EFINITE\ (2^{ty_2Erealax_2Ereal}) \\ & V3f_27)) \wedge (p\ (ap\ (ap\ (c_2Epred_set_2ESUBSET\ ty_2Erealax_2Ereal \\ & V0s)\ (ap\ (c_2Epred_set_2EBIGUNION\ ty_2Erealax_2Ereal)\ V3f_27)))))))))) \end{aligned} \quad (55)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (56)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (57)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \end{aligned} \quad (58)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow (p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (59)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (60)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(\\ & p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\ & ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (61)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\ & (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \end{aligned} \quad (62)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\ & ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \end{aligned} \quad (63)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (\\ & \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \end{aligned} \quad (64)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ & (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \end{aligned} \quad (65)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (66)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (67)$$

Theorem 1

$$\begin{aligned} & (\forall V0s \in (2^{ty_2Erealax_2Ereal}).(\forall V1f \in (2^{(2^{ty_2Erealax_2Ereal})})). \\ & \quad (((p (ap c_2Ereal_topology_2Ecompact V0s)) \wedge ((\forall V2t \in (\\ & \quad 2^{ty_2Erealax_2Ereal}).((p (ap (ap (c_2Ebool_2EIN (2^{ty_2Erealax_2Ereal})) \\ & \quad V2t) V1f)) \Rightarrow (p (ap c_2Ereal_topology_2EClosed V2t)))))) \wedge (\forall V3f_27 \in \\ & \quad (2^{(2^{ty_2Erealax_2Ereal})})).(((p (ap (c_2Epred_set_2EFINITE \\ & \quad (2^{ty_2Erealax_2Ereal})) V3f_27)) \wedge (p (ap (ap (c_2Epred_set_2ESUBSET \\ & \quad (2^{ty_2Erealax_2Ereal})) V3f_27) V1f))) \Rightarrow (\neg((ap (ap (c_2Epred_set_2EINTER \\ & \quad ty_2Erealax_2Ereal) V0s) (ap (c_2Epred_set_2EBIGINTER ty_2Erealax_2Ereal) \\ & \quad V3f_27)) = (c_2Epred_set_2EEMPTY ty_2Erealax_2Ereal)))))) \Rightarrow \\ & \quad (\neg((ap (ap (c_2Epred_set_2EINTER ty_2Erealax_2Ereal) V0s) (\\ & \quad ap (c_2Epred_set_2EBIGINTER ty_2Erealax_2Ereal) V1f)) = (c_2Epred_set_2EEMPTY \\ & \quad ty_2Erealax_2Ereal)))))) \end{aligned}$$