

thm_2Ereal__topology_2Ecompact__interval__eq
 (TMXs-
 BLSC1MRSna2bGSQlXCHUdT5aidE9Rh4)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{2}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{3}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{4}$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap\ P\ x))$ **then** (the $(\lambda x.x \in A \wedge p$
of type $\iota \Rightarrow \iota$).

Definition 10 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P (ap (c_2Emin_2E_40$

Definition 11 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 12 We define $c_2Earithmetic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 13 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21\ 2) (\lambda V2t \in$

Definition 14 We define $c_2Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Let $ty_2Ereal_topology_2Enet : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ereal_topology_2Enet\ A0) \quad (5)$$

Let $c_2Ereal_topology_2Emk_net : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Ereal_topology_2Emk_net \\ A_27a \in ((ty_2Ereal_topology_2Enet\ A_27a)^{(2^{A_27a})^{A_27a}}) \end{aligned} \quad (6)$$

Definition 15 We define $c_2Ereal_topology_2Esequentially$ to be $(ap (c_2Ereal_topology_2Emk_net\ ty_2Ereal$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \quad (7)$$

Definition 16 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A_27c}).\lambda V1$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (8)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (9)$$

Definition 17 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2$

Let $c_2Ereal_topology_2EDist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2EDist \in (ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)}) \quad (10)$$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (11)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal}) \quad (12)$$

Definition 18 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E40 (t$
Let $c_2Erealax_2Etreall_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreall_lt \in ((2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal)) \quad (13)$$

Definition 19 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$
Let $c_2Ereal_topology_2Eenetord : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ereal_topology_2Eenetord A_27a \in ((2^{A_27a})^{A_27a})(ty_2Ereal_topology_2Eenet A_27a) \quad (14)$$

Definition 20 We define $c_2Ereal_topology_2Etrivial_limit$ to be $\lambda A_27a : \iota.\lambda V0net \in (ty_2Ereal_topology_2Eenetord A_27a)$

Definition 21 We define $c_2Ereal_topology_2Eeventually$ to be $\lambda A_27a : \iota.\lambda V0p \in (2^{A_27a}).\lambda V1net \in (ty_2Ereal_topology_2Eenetord A_27a)$
Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \quad (15)$$

Definition 22 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \quad (16)$$

Definition 23 We define $c_2Ereal_topology_2E2D_2D_3E$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_2Erealax_2Ereal^{A_27a})$

Definition 24 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 25 We define $c_2Ereal_topology_2Ecompact$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}).(ap (c_2Ebool_2EIN V0s))$

Let $c_2Erealax_2Etreall_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreall_neg \in ((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)) \quad (17)$$

Let $c_2Erealax_2Etreall_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreall_eq \in ((2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal)) \quad (18)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal^{(2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})}) \quad (19)$$

Definition 26 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)$

Definition 27 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap c_2Erealax_2Ereal_neg V0T1)$

Definition 28 We define $c_Ereal_Ereal_lte$ to be $\lambda V0x \in ty_Erealax_Ereal. \lambda V1y \in ty_Erealax_Ereal.$

Definition 29 We define c_Ebool_ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Definition 30 We define c_Ereal_Eabs to be $\lambda V0x \in ty_Erealax_Ereal. (ap (ap (ap (c_Ebool_ECOND$

Definition 31 We define $c_Ereal_topology_Ebounded_def$ to be $\lambda V0s \in (2^{ty_Erealax_Ereal}). (ap (c_Ebool$

Definition 32 We define $c_Epred_set_EEMPTY$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_Ebool_ECOND).$

Let $c_Ereal_topology_EOPEN_interval : \iota$ be given. Assume the following.

$$c_Ereal_topology_EOPEN_interval \in ((2^{ty_Erealax_Ereal})^{(ty_Epair_Eprod ty_Erealax_Ereal ty_Ereal)} \quad (20)$$

Let $ty_Elist_Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty_Elist_Elist A0) \quad (21)$$

Let $c_Elist_ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_Elist_ENIL A_27a \in (ty_Elist_Elist A_27a) \quad (22)$$

Let $c_Elist_ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_Elist_ECONS A_27a \in (((ty_Elist_Elist A_27a)^{(ty_Elist_Elist A_27a)})^{A_27a}) \quad (23)$$

Let $c_Elist_EHD : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_Elist_EHD A_27a \in (A_27a)^{(ty_Elist_Elist A_27a)} \quad (24)$$

Let $c_Epair_ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_Epair_ESND A_27a A_27b \in (A_27b)^{(ty_Epair_Eprod A_27a A_27b)} \quad (25)$$

Let $c_Epair_EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_Epair_EFST A_27a A_27b \in (A_27a)^{(ty_Epair_Eprod A_27a A_27b)} \quad (26)$$

Let $c_Epred_set_EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_Epred_set_EGSPEC A_27a A_27b \in ((2^{A_27a})^{(ty_Epair_Eprod A_27a 2)^{A_27b}}) \quad (27)$$

Definition 33 We define $c_Ereal_topology_ECLOSED_interval$ to be $\lambda V0l \in (ty_Elist_Elist (ty_Epair$

Definition 34 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2ET)$.

Definition 35 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2E$

Definition 36 We define $c_2Ereal_topology_2EOpen$ to be $\lambda V0s \in (2^{ty_2Erealx_2Ereal}).(ap (c_2Ebool_2E$

Definition 37 We define $c_2Ereal_topology_2EClosed$ to be $\lambda V0s \in (2^{ty_2Erealx_2Ereal}).(ap c_2Ereal_topo$

Assume the following.

$$True \quad (28)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (29)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (30) \end{aligned}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (31)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p V0t)))))) \quad (32) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0s \in (2^{ty_2Erealx_2Ereal}).((p (ap c_2Ereal_topology_2Ecompact \\ & V0s)) \Leftrightarrow ((p (ap c_2Ereal_topology_2Ebounded_def V0s)) \wedge (p (ap \\ & c_2Ereal_topology_2EClosed V0s)))))) \quad (33) \end{aligned}$$

Assume the following.

$$\begin{aligned} & ((\forall V0a \in ty_2Erealx_2Ereal.(\forall V1b \in ty_2Erealx_2Ereal. \\ & (p (ap c_2Ereal_topology_2Ebounded_def (ap c_2Ereal_topology_2ECLOSED_interval \\ & (ap (ap (c_2Elist_2ECONS (ty_2Epair_2Eprod ty_2Erealx_2Ereal \\ & ty_2Erealx_2Ereal)) (ap (ap (c_2Epair_2E_2C ty_2Erealx_2Ereal \\ & ty_2Erealx_2Ereal) V0a) V1b)) (c_2Elist_2ENIL (ty_2Epair_2Eprod \\ & ty_2Erealx_2Ereal ty_2Erealx_2Ereal)))))) \wedge (\forall V2a \in \\ & ty_2Erealx_2Ereal.(\forall V3b \in ty_2Erealx_2Ereal.(p (ap \\ & c_2Ereal_topology_2Ebounded_def (ap c_2Ereal_topology_2EOPEN_interval \\ & (ap (ap (c_2Epair_2E_2C ty_2Erealx_2Ereal ty_2Erealx_2Ereal) \\ & V2a) V3b)))))) \quad (34) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0a \in ty_2Erealax_2Ereal. (\forall V1b \in ty_2Erealax_2Ereal. \\
& (p (ap c_2Ereal_topology_2EClosed (ap c_2Ereal_topology_2ECLOSED_interval \\
& (ap (ap (c_2Elist_2ECONS (ty_2Epair_2Eprod ty_2Erealax_2Ereal \\
& ty_2Erealax_2Ereal)) (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal \\
& ty_2Erealax_2Ereal) V0a) V1b)) (c_2Elist_2ENIL (ty_2Epair_2Eprod \\
& ty_2Erealax_2Ereal ty_2Erealax_2Ereal)))))) \wedge (\forall V2a \in \\
& ty_2Erealax_2Ereal. (\forall V3b \in ty_2Erealax_2Ereal. ((p (ap \\
& c_2Ereal_topology_2EClosed (ap c_2Ereal_topology_2EOPEN_interval \\
& (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\
& V2a) V3b)))) \Leftrightarrow ((ap c_2Ereal_topology_2EOPEN_interval (ap (\\
& ap (c_2Epair_2E_2C ty_2Erealax_2Ereal ty_2Erealax_2Ereal) V2a) \\
& V3b)) = (c_2Epred_set_2EEMPTY ty_2Erealax_2Ereal))))))
\end{aligned} \tag{35}$$

Theorem 1

$$\begin{aligned}
& ((\forall V0a \in ty_2Erealax_2Ereal. (\forall V1b \in ty_2Erealax_2Ereal. \\
& (p (ap c_2Ereal_topology_2Ecompact (ap c_2Ereal_topology_2ECLOSED_interval \\
& (ap (ap (c_2Elist_2ECONS (ty_2Epair_2Eprod ty_2Erealax_2Ereal \\
& ty_2Erealax_2Ereal)) (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal \\
& ty_2Erealax_2Ereal) V0a) V1b)) (c_2Elist_2ENIL (ty_2Epair_2Eprod \\
& ty_2Erealax_2Ereal ty_2Erealax_2Ereal)))))) \wedge (\forall V2a \in \\
& ty_2Erealax_2Ereal. (\forall V3b \in ty_2Erealax_2Ereal. ((p (ap \\
& c_2Ereal_topology_2Ecompact (ap c_2Ereal_topology_2EOPEN_interval \\
& (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\
& V2a) V3b)))) \Leftrightarrow ((ap c_2Ereal_topology_2EOPEN_interval (ap (\\
& ap (c_2Epair_2E_2C ty_2Erealax_2Ereal ty_2Erealax_2Ereal) V2a) \\
& V3b)) = (c_2Epred_set_2EEMPTY ty_2Erealax_2Ereal))))))
\end{aligned}$$