

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (2)$$

Definition 13 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2E$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \end{aligned} \quad (3)$$

Definition 14 We define $c_2Epred_set_2EINTER$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap\ (c_2E$

Definition 15 We define $c_2Epred_set_2EDISJOINT$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap\ (c_2E$

Definition 16 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2. (ap\ (c_2E$

Definition 17 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1s \in (2^{A_27a}). (ap\ (c_2E$

Definition 18 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_7E$

Definition 19 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap\ (c_2E$

Definition 20 We define $c_2Epred_set_2EDELETE$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1x \in A_27a. (ap\ (c_2E$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND \\ A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (4)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST \\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (5)$$

Definition 21 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0f \in ((A_27c)^{A_27a \times A_27b})$

Definition 22 We define $c_2Ereal_topology_2Epairwise$ to be $\lambda A_27a : \iota. \lambda V0r \in ((2^{A_27a})^{A_27a}). \lambda V1s \in (2^{A_27a})$

Definition 23 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 24 We define $c_2Epred_set_2EBIGUNION$ to be $\lambda A_27a : \iota. \lambda V0P \in (2^{(2^{A_27a})}). (ap\ (c_2Epred_set_2E$

Definition 25 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap\ (c_2E$

Definition 26 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap\ (c_2E$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \quad (6)$$

Let $c_2Ereal_topology_2EDist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2EDist \in (ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)}) \quad (7)$$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (8)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal}) \quad (9)$$

Definition 27 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E40\ t$

Let $c_2Erealax_2Etrealm_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (10)$$

Definition 28 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \quad (11)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (12)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \quad (13)$$

Definition 29 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \quad (14)$$

Definition 30 We define $c_2Ereal_topology_2EOpen$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}).(ap\ (c_2Ebool_2E2$

Definition 31 We define $c_2Ereal_topology_2Econnected$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}).(ap\ c_2Ebool_2E2$

Assume the following.

$$True \quad (15)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. ((p V0t1) \Rightarrow (p V1t2)) \Rightarrow ((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee \neg(p V0t))) \quad (18)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (19)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \wedge (p V1t2) \wedge (p V2t3)) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \wedge (p V2t3))))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2. (((p V0t) \Rightarrow False) \Rightarrow \neg(p V0t))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2. (\neg(p V0t) \Rightarrow ((p V0t) \Rightarrow False))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow \neg(p V0t)))) \quad (25)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (26)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \quad (27)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (28)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (29)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (30)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).((\neg(\forall V1x \in A_27a.(p (ap V0P V1x)))) \Leftrightarrow (\exists V2x \in A_27a.(\neg(p (ap V0P V2x))))) \quad (31)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).((\neg(\exists V1x \in A_27a.(p (ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A_27a.(\neg(p (ap V0P V2x))))) \quad (32)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1Q \in (2^{A_27a}).((\forall V2x \in A_27a.((p (ap V0P V2x)) \wedge (p (ap V1Q V2x)))) \Leftrightarrow ((\forall V3x \in A_27a.(p (ap V0P V3x))) \wedge (\forall V4x \in A_27a.(p (ap V1Q V4x))))) \quad (33)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A_27a}).(((p V0P) \wedge (\forall V2x \in A_27a.(p (ap V1Q V2x)))) \Leftrightarrow (\forall V3x \in A_27a.((p V0P) \wedge (p (ap V1Q V3x))))) \quad (34)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1Q \in (2^{A_27a}).((\exists V2x \in A_27a.((p (ap V0P V2x)) \vee (p (ap V1Q V2x)))) \Leftrightarrow ((\exists V3x \in A_27a.(p (ap V0P V3x))) \vee (\exists V4x \in A_27a.(p (ap V1Q V4x))))) \quad (35)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A-27a}). (\forall V1Q \in \\ & 2. ((\exists V2x \in A.27a. (p (ap V0P V2x))) \vee (p V1Q))) \Leftrightarrow (\exists V3x \in \\ & A.27a. ((p (ap V0P V3x)) \vee (p V1Q)))))) \end{aligned} \quad (36)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (\\ & 2^{A-27a}). ((p V0P) \vee (\exists V2x \in A.27a. (p (ap V1Q V2x)))) \Leftrightarrow (\exists V3x \in \\ & A.27a. ((p V0P) \vee (p (ap V1Q V3x)))))) \end{aligned} \quad (37)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A-27a}). (\forall V1Q \in \\ & 2. ((\exists V2x \in A.27a. ((p (ap V0P V2x)) \wedge (p V1Q))) \Leftrightarrow ((\exists V3x \in \\ & A.27a. (p (ap V0P V3x))) \wedge (p V1Q)))))) \end{aligned} \quad (38)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (\\ & 2^{A-27a}). ((\exists V2x \in A.27a. ((p V0P) \wedge (p (ap V1Q V2x)))) \Leftrightarrow ((p \\ & V0P) \wedge (\exists V3x \in A.27a. (p (ap V1Q V3x)))))) \end{aligned} \quad (39)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0Q \in 2. (\forall V1P \in (\\ & 2^{A-27a}). ((\forall V2x \in A.27a. ((p (ap V1P V2x)) \vee (p V0Q))) \Leftrightarrow ((\forall V3x \in \\ & A.27a. (p (ap V1P V3x))) \vee (p V0Q)))))) \end{aligned} \quad (40)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (\\ & 2^{A-27a}). ((\forall V2x \in A.27a. ((p V0P) \vee (p (ap V1Q V2x)))) \Leftrightarrow ((p \\ & V0P) \vee (\forall V3x \in A.27a. (p (ap V1Q V3x)))))) \end{aligned} \quad (41)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V0A) \vee (\\ & (p V1B) \vee (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))))) \end{aligned} \quad (42)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee \\ & (p V0A)))) \end{aligned} \quad (43)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(\\ & p V0A) \vee (\neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A) \wedge (\neg(p V1B)))))) \end{aligned} \quad (44)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee (p V1B) \wedge (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C)))))) \quad (45)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V1B) \wedge (p V2C)) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A)))))) \quad (46)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow (p V1t2) \Rightarrow (p V2t3)) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (47)$$

Assume the following.

$$2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))) \Rightarrow 2.(((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))) \quad (48)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow (\forall V0P \in (2^{A_{.27b}})^{A_{.27a}}.((\forall V1x \in A_{.27a}.(\exists V2y \in A_{.27b}.(p (ap (ap V0P V1x) V2y)))) \Leftrightarrow (\exists V3f \in (A_{.27b}^{A_{.27a}}).(\forall V4x \in A_{.27a}.(p (ap (ap V0P V4x) (ap V3f V4x))))))) \quad (49)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.((ap (c_{.2E}combin_{.2EI} A_{.27a}) V0x) = V0x)) \quad (50)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0s \in (2^{A_{.27a}}).(\forall V1t \in (2^{A_{.27a}}).((V0s = V1t) \Leftrightarrow (\forall V2x \in A_{.27a}.((p (ap (ap (c_{.2E}bool_{.2EIN} A_{.27a}) V2x) V0s)) \Leftrightarrow (p (ap (ap (c_{.2E}bool_{.2EIN} A_{.27a}) V2x) V1t))))))) \quad (51)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.(\neg (p (ap (ap (c_{.2E}bool_{.2EIN} A_{.27a}) V0x) (c_{.2E}pred_{.set_{.2E}EMPTY} A_{.27a})))))) \quad (52)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0s \in (2^{A_{.27a}}).(\forall V1t \in (2^{A_{.27a}}).(\forall V2x \in A_{.27a}.((p (ap (ap (c_{.2E}bool_{.2EIN} A_{.27a}) V2x) (ap (ap (c_{.2E}pred_{.set_{.2E}INTER} A_{.27a}) V0s) V1t))) \Leftrightarrow ((p (ap (ap (c_{.2E}bool_{.2EIN} A_{.27a}) V2x) V0s)) \wedge (p (ap (ap (c_{.2E}bool_{.2EIN} A_{.27a}) V2x) V1t))))))) \quad (53)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\ A_27a. (\forall V2s \in (2^{A_27a}). ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a) \\ V0x)\ (ap\ (ap\ (c_2Epred_set_2EINSERT\ A_27a)\ V1y)\ V2s)))) \Leftrightarrow ((V0x = \\ V1y) \vee (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V0x)\ V2s)))))) \end{aligned} \quad (54)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1x \in \\ A_27a. (\forall V2y \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V1x) \\ (ap\ (ap\ (c_2Epred_set_2EDELETE\ A_27a)\ V0s)\ V2y)))) \Leftrightarrow ((p\ (ap\ (ap \\ (c_2Ebool_2EIN\ A_27a)\ V1x)\ V0s)) \wedge (\neg(V1x = V2y)))))) \end{aligned} \quad (55)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1sos \in \\ (2^{(2^{A_27a})}). ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V0x)\ (ap\ (c_2Epred_set_2EBIGUNION \\ A_27a)\ V1sos)))) \Leftrightarrow (\exists V2s \in (2^{A_27a}). ((p\ (ap\ (ap\ (c_2Ebool_2EIN \\ A_27a)\ V0x)\ V2s)) \wedge (p\ (ap\ (ap\ (c_2Ebool_2EIN\ (2^{A_27a})\ V2s)\ V1sos)))))) \end{aligned} \quad (56)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1P \in \\ (2^{(2^{A_27a})}). ((ap\ (c_2Epred_set_2EBIGUNION\ A_27a)\ (ap\ (ap \\ (c_2Epred_set_2EINSERT\ (2^{A_27a})\ V0s)\ V1P)) = (ap\ (ap\ (c_2Epred_set_2EUNION \\ A_27a)\ V0s)\ (ap\ (c_2Epred_set_2EBIGUNION\ A_27a)\ V1P)))))) \end{aligned} \quad (57)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow \forall A_27e.nonempty \\
& A_27e \Rightarrow \forall A_27f.nonempty\ A_27f \Rightarrow \forall A_27g.nonempty\ A_27g \Rightarrow \\
& (\forall V0Q \in (2^{A_27b}).(\forall V1P \in (2^{A_27a}).(\forall V2f \in \\
& (A_27b^{A_27a}).(\forall V3z \in A_27b.((p\ (ap\ (ap\ (c_2Ebool_2EIN \\
& A_27b)\ V3z)\ (ap\ (c_2Epred_set_2EGSPEC\ A_27b\ A_27a)\ (\lambda V4x \in \\
& A_27a.(ap\ (ap\ (c_2Epair_2E_2C\ A_27b\ 2)\ (ap\ V2f\ V4x))\ (ap\ V1P\ V4x)))))) \Rightarrow \\
& (p\ (ap\ V0Q\ V3z)))) \Leftrightarrow (\forall V5x \in A_27a.((p\ (ap\ V1P\ V5x)) \Rightarrow (p\ (ap\ V0Q \\
& (ap\ V2f\ V5x)))))) \wedge ((\forall V6P \in ((2^{A_27d})^{A_27c}).(\forall V7f \in \\
& ((A_27b^{A_27d})^{A_27c}).(\forall V8z \in A_27b.((p\ (ap\ (ap\ (c_2Ebool_2EIN \\
& A_27b)\ V8z)\ (ap\ (c_2Epred_set_2EGSPEC\ A_27b\ (ty_2Epair_2Eprod \\
& A_27c\ A_27d))\ (ap\ (c_2Epair_2EUNCURRY\ A_27c\ A_27d\ (ty_2Epair_2Eprod \\
& A_27b\ 2))\ (\lambda V9x \in A_27c.(\lambda V10y \in A_27d.(ap\ (ap\ (c_2Epair_2E_2C \\
& A_27b\ 2)\ (ap\ (ap\ V7f\ V9x)\ V10y))\ (ap\ (ap\ V6P\ V9x)\ V10y)))))) \Rightarrow (p \\
& (ap\ V0Q\ V8z)))) \Leftrightarrow (\forall V11x \in A_27c.(\forall V12y \in A_27d.((p \\
& (ap\ (ap\ V6P\ V11x)\ V12y)) \Rightarrow (p\ (ap\ V0Q\ (ap\ (ap\ V7f\ V11x)\ V12y)))))) \wedge \\
& (\forall V13P \in (((2^{A_27g})^{A_27f})^{A_27e}).(\forall V14f \in (((A_27b^{A_27g})^{A_27f})^{A_27e}). \\
& (\forall V15z \in A_27b.((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27b)\ V15z)\ (\\
& ap\ (c_2Epred_set_2EGSPEC\ A_27b\ (ty_2Epair_2Eprod\ A_27e\ (ty_2Epair_2Eprod \\
& A_27f\ A_27g)))\ (ap\ (c_2Epair_2EUNCURRY\ A_27e\ (ty_2Epair_2Eprod \\
& A_27f\ A_27g)\ (ty_2Epair_2Eprod\ A_27b\ 2))\ (\lambda V16w \in A_27e.(ap \\
& (c_2Epair_2EUNCURRY\ A_27f\ A_27g\ (ty_2Epair_2Eprod\ A_27b\ 2)) \\
& (\lambda V17x \in A_27f.(\lambda V18y \in A_27g.(ap\ (ap\ (c_2Epair_2E_2C\ A_27b \\
& 2)\ (ap\ (ap\ (ap\ V14f\ V16w)\ V17x)\ V18y))\ (ap\ (ap\ (ap\ V13P\ V16w)\ V17x) \\
& V18y)))))) \Rightarrow (p\ (ap\ V0Q\ V15z)))) \Leftrightarrow (\forall V19w \in A_27e.(\forall V20x \in \\
& A_27f.(\forall V21y \in A_27g.((p\ (ap\ (ap\ (ap\ V13P\ V19w)\ V20x)\ V21y)) \Rightarrow \\
& (p\ (ap\ V0Q\ (ap\ (ap\ (ap\ V14f\ V19w)\ V20x)\ V21y)))))))))
\end{aligned} \tag{58}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{(2^{A_27a})}).((\\
& (ap\ (c_2Epred_set_2EBIGUNION\ A_27a)\ V0s) = (c_2Epred_set_2EEMPTY \\
& A_27a)) \Leftrightarrow (\forall V1t \in (2^{A_27a}).((p\ (ap\ (ap\ (c_2Ebool_2EIN\ (2^{A_27a}) \\
& V1t)\ V0s)) \Rightarrow (V1t = (c_2Epred_set_2EEMPTY\ A_27a))))))
\end{aligned} \tag{59}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad (\forall V0s \in (2^{(2^{A-27a})}).(\forall V1t \in (2^{A-27a}).((ap\ (ap \\
& \quad (c.2Epred_set_2EINTER\ A.27a)\ (ap\ (c.2Epred_set_2EBIGUNION \\
A.27a)\ V0s))\ V1t) = (ap\ (c.2Epred_set_2EBIGUNION\ A.27a)\ (ap\ (c.2Epred_set_2EGSPEC \\
& \quad (2^{A-27a})\ (2^{A-27a}))\ (\lambda V2x \in (2^{A-27a}).(ap\ (ap\ (c.2Epair_2E_2C \\
& \quad (2^{A-27a})\ 2)\ (ap\ (ap\ (c.2Epred_set_2EINTER\ A.27a)\ V2x)\ V1t)) \\
& \quad (ap\ (ap\ (c.2Ebool_2EIN\ (2^{A-27a})\ V2x)\ V0s)))))) \wedge (\forall V3s \in \\
& \quad (2^{(2^{A-27b})}).(\forall V4t \in (2^{A-27b}).((ap\ (ap\ (c.2Epred_set_2EINTER \\
A.27b)\ V4t)\ (ap\ (c.2Epred_set_2EBIGUNION\ A.27b)\ V3s)) = (ap\ (c.2Epred_set_2EBIGUNION \\
& \quad A.27b)\ (ap\ (c.2Epred_set_2EGSPEC\ (2^{A-27b})\ (2^{A-27b}))\ (\lambda V5x \in \\
& \quad (2^{A-27b}).(ap\ (ap\ (c.2Epair_2E_2C\ (2^{A-27b})\ 2)\ (ap\ (ap\ (c.2Epred_set_2EINTER \\
A.27b)\ V4t)\ V5x))\ (ap\ (ap\ (c.2Ebool_2EIN\ (2^{A-27b})\ V5x)\ V3s))))))))) \\
& \hspace{15em} (60)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (2^{(2^{ty-2Erealx-2Ereal})}).(\forall V1s \in (2^{ty-2Erealx-2Ereal}). \\
& \quad ((p\ (ap\ (ap\ (c.2Ebool_2EIN\ (2^{ty-2Erealx-2Ereal})\ V1s)\ V0f)) \Rightarrow \\
& \quad (p\ (ap\ c.2Ereal_topology_2EOpen\ V1s)))) \Rightarrow (p\ (ap\ c.2Ereal_topology_2EOpen \\
& \quad (ap\ (c.2Epred_set_2EBIGUNION\ ty-2Erealx-2Ereal)\ V0f)))) \\
& \hspace{15em} (61)
\end{aligned}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (62)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (63)$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \\
& \hspace{15em} (64)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \\
& \hspace{15em} (65)
\end{aligned}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (66)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (\\
& \quad (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\
& \quad p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\
& \quad ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \\
& \hspace{15em} (67)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \vee V0p) \Leftrightarrow (\\
& (p \vee V1q) \wedge (p \vee V2r))) \Leftrightarrow (((p \vee V0p) \vee (\neg(p \vee V1q)) \vee \neg(p \vee V2r))) \wedge (((p \vee V1q) \vee \\
& (\neg(p \vee V0p))) \wedge ((p \vee V2r) \vee \neg(p \vee V0p))))))))) \\
& \hspace{15em} (68)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \vee V0p) \Leftrightarrow (\\
& (p \vee V1q) \vee (p \vee V2r))) \Leftrightarrow (((p \vee V0p) \vee \neg(p \vee V1q)) \wedge ((p \vee V0p) \vee \neg(p \vee V2r))) \wedge \\
& ((p \vee V1q) \vee ((p \vee V2r) \vee \neg(p \vee V0p))))))))) \\
& \hspace{15em} (69)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \vee V0p) \Leftrightarrow (\\
& (p \vee V1q) \Rightarrow (p \vee V2r))) \Leftrightarrow (((p \vee V0p) \vee (p \vee V1q)) \wedge ((p \vee V0p) \vee \neg(p \vee V2r))) \wedge (\\
& \neg(p \vee V1q) \vee ((p \vee V2r) \vee \neg(p \vee V0p))))))))) \\
& \hspace{15em} (70)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \vee V0p) \Leftrightarrow \neg(p \vee V1q)) \Leftrightarrow (((p \vee V0p) \vee \\
& (p \vee V1q)) \wedge (\neg(p \vee V1q) \vee \neg(p \vee V0p)))))) \\
& \hspace{15em} (71)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \vee V0p) \Rightarrow (p \vee V1q))) \Rightarrow (p \vee V0p)))) \\
& \hspace{15em} (72)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \vee V0p) \Rightarrow (p \vee V1q))) \Rightarrow \neg(p \vee V1q)))) \\
& \hspace{15em} (73)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \vee V0p) \vee (p \vee V1q))) \Rightarrow \neg(p \vee V0p)))) \\
& \hspace{15em} (74)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \vee V0p) \vee (p \vee V1q))) \Rightarrow \neg(p \vee V1q)))) \\
& \hspace{15em} (75)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. ((\neg(\neg(p \vee V0p))) \Rightarrow (p \vee V0p))) \\
& \hspace{15em} (76)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& (\forall V0f \in (2^{(2^{ty_2Erealax_2Ereal})})) . (\forall V1f_27 \in (\\
& \quad 2^{(2^{ty_2Erealax_2Ereal})}) . (((p (ap (ap (c_2Ereal_topology_2Epairwise \\
& (2^{ty_2Erealax_2Ereal}) (c_2Epred_set_2EDISJOINT ty_2Erealax_2Ereal)) \\
& V0f)) \wedge ((p (ap (ap (c_2Ereal_topology_2Epairwise (2^{ty_2Erealax_2Ereal}) \\
& (c_2Epred_set_2EDISJOINT ty_2Erealax_2Ereal)) V1f_27)) \wedge (\\
& \quad (\forall V2s \in (2^{ty_2Erealax_2Ereal}) . ((p (ap (ap (c_2Ebool_2EIN \\
& (2^{ty_2Erealax_2Ereal}) V2s) V0f)) \Rightarrow ((p (ap c_2Ereal_topology_2EOpen \\
& V2s)) \wedge ((p (ap c_2Ereal_topology_2Econnected V2s)) \wedge \neg(V2s = \\
& (c_2Epred_set_2EEMPTY ty_2Erealax_2Ereal)))))) \wedge ((\forall V3s \in \\
& (2^{ty_2Erealax_2Ereal}) . ((p (ap (c_2Ebool_2EIN (2^{ty_2Erealax_2Ereal}) \\
& V3s) V1f_27)) \Rightarrow ((p (ap c_2Ereal_topology_2EOpen V3s)) \wedge ((p (ap \\
& c_2Ereal_topology_2Econnected V3s)) \wedge \neg(V3s = (c_2Epred_set_2EEMPTY \\
& ty_2Erealax_2Ereal)))))) \wedge ((ap (c_2Epred_set_2EBIGUNION \\
& ty_2Erealax_2Ereal) V0f) = (ap (c_2Epred_set_2EBIGUNION ty_2Erealax_2Ereal) \\
& V1f_27)))))) \Rightarrow (V0f = V1f_27)))
\end{aligned}$$