

# thm\_2Ereal\_\_topology\_2ECONNECTED\_\_IFF\_\_CONNECTED\_\_CO (TMXgPnK1NDzTf36fdruUgFeP1jufUuubGCb)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$   
of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$  then (the  $(\lambda x.x \in A \wedge p (ap P x))$ )  
of type  $\iota \Rightarrow \iota$ .

**Definition 4** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40 A\_27a P))))$

**Definition 5** We define  $c\_2Ecombin\_2E\_2EK$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0x \in A\_27a.(\lambda V1y \in A\_27b.V0x))$

**Definition 6** We define  $c\_2Ecombin\_2E\_2ES$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.(\lambda V0f \in ((A\_27c^{A\_27b})^{A\_27a}))$

**Definition 7** We define  $c\_2Ecombin\_2E\_2EI$  to be  $\lambda A\_27a : \iota.(ap (ap (c\_2Ecombin\_2E\_2ES A\_27a (A\_27a^{A\_27a})) A\_27a))$

Let  $ty\_2Erealx\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealx\_2Ereal \tag{1}$$

**Definition 8** We define  $c\_2Ebool\_2E\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$

**Definition 9** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$   
of type  $\iota$ .

**Definition 10** We define  $c\_2Ebool\_2E\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}) P))))$

**Definition 11** We define  $c\_2Ebool\_2E\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_2E\_21 2) (\lambda V2t \in 2.V2t))))$

**Definition 12** We define  $c\_2Epred\_set\_2E\_2ESUBSET$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap (c\_2Ebool\_2E\_2E\_2F\_5C (2^{A\_27a}) s t))$

**Definition 13** We define  $c\_2Ebool\_2E\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 14** We define  $c\_2Epred\_set\_2E\_2EEMPTY$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2E\_2E\_2F)$ .

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (2)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (3)$$

**Definition 15** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b)\ V0x\ V1y)$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \quad (4)$$

**Definition 16** We define  $c\_2Epred\_set\_2EINTER$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27a)\ V0s\ V1t)$

**Definition 17** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_7E)\ V0t)$

**Definition 18** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ \lambda V2t \in 2.(ap\ (c\_2Ebool\_2E\_7E)\ V2t)\ V1t2)\ V0t1))$

**Definition 19** We define  $c\_2Epred\_set\_2EUNION$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27a)\ V0s\ V1t)$

Let  $c\_2Ereal\_topology\_2EDist : \iota$  be given. Assume the following.

$$c\_2Ereal\_topology\_2EDist \in (ty\_2Erealax\_2Ereal^{(ty\_2Epair\_2Eprod\ ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal)}) \quad (5)$$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (6)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax\_2Ereal}) \quad (7)$$

**Definition 20** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap\ (c\_2Emin\_2E\_40)\ V0a)$

Let  $c\_2Erealax\_2Etrealm\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \quad (8)$$

**Definition 21** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal.(ap\ (c\_2Erealax\_2Etrealm\_lt)\ V0T1\ V1T2)$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{9}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{10}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{11}$$

**Definition 22** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \tag{12}$$

**Definition 23** We define  $c\_2Ereal\_topology\_2EOpen$  to be  $\lambda V0s \in (2^{ty\_2Erealax\_2Ereal}).(ap\ (c\_2Ebool\_2E2$

**Definition 24** We define  $c\_2Ereal\_topology\_2Econnected$  to be  $\lambda V0s \in (2^{ty\_2Erealax\_2Ereal}).(ap\ c\_2Ebool\_2E2$

**Definition 25** We define  $c\_2Ereal\_topology\_2Econnected\_component$  to be  $\lambda V0s \in (2^{ty\_2Erealax\_2Ereal}).\lambda V$

Assume the following.

$$True \tag{13}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \tag{14}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \tag{15}$$

Assume the following.

$$(\forall V0t \in 2.(((p\ V0t) \Rightarrow False) \Rightarrow (\neg(p\ V0t)))) \tag{16}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p\ V0t)) \Rightarrow ((p\ V0t) \Rightarrow False))) \tag{17}$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \tag{18}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (19)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (20)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (21)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (23)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((\neg(\forall V1x \in A.27a.(p(ap V0P V1x)))) \Leftrightarrow (\exists V2x \in A.27a.(\neg(p(ap V0P V2x)))))) \quad (24)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).(\forall V1Q \in (2^{A.27a}).((\exists V2x \in A.27a.((p(ap V0P V2x)) \vee (p(ap V1Q V2x)))) \Leftrightarrow ((\exists V3x \in A.27a.(p(ap V0P V3x))) \vee (\exists V4x \in A.27a.(p(ap V1Q V4x))))))) \quad (25)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A.27a}).((\exists V2x \in A.27a.((p V0P) \wedge (p(ap V1Q V2x)))) \Leftrightarrow ((p V0P) \wedge (\exists V3x \in A.27a.(p(ap V1Q V3x))))))) \quad (26)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A.27a}).((\forall V2x \in A.27a.((p V0P) \vee (p(ap V1Q V2x)))) \Leftrightarrow ((p V0P) \vee (\forall V3x \in A.27a.(p(ap V1Q V3x))))))) \quad (27)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee (p V1B) \vee (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))))) \quad (28)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))))) \quad (29)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A) \vee \neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A) \wedge \neg(p V1B)))))))) \quad (30)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((ap (c\_2Ecombin\_2EI A\_27a) V0x) = V0x)) \quad (31)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}).(\forall V1t \in (2^{A\_27a}).((V0s = V1t) \Leftrightarrow (\forall V2x \in A\_27a.((p (ap (ap (c\_2Ebool\_2EIN A\_27a) V2x) V0s)) \Leftrightarrow (p (ap (ap (c\_2Ebool\_2EIN A\_27a) V2x) V1t)))))))) \quad (32)$$

Assume the following.

$$(\forall V0s \in (2^{ty\_2Erealax\_2Ereal}).(\forall V1x \in ty\_2Erealax\_2Ereal.(\forall V2y \in ty\_2Erealax\_2Ereal.((p (ap (ap (ap c\_2Ereal\_topology\_2Econnected\_component V0s) V1x) V2y)) \Rightarrow ((p (ap (ap (c\_2Ebool\_2EIN ty\_2Erealax\_2Ereal) V1x) V0s)) \wedge (p (ap (ap (c\_2Ebool\_2EIN ty\_2Erealax\_2Ereal) V2y) V0s)))))))))) \quad (33)$$

Assume the following.

$$(\forall V0s \in (2^{ty\_2Erealax\_2Ereal}).((p (ap c\_2Ereal\_topology\_2Econnected V0s)) \Leftrightarrow (\forall V1x \in ty\_2Erealax\_2Ereal.((p (ap (ap (c\_2Ebool\_2EIN ty\_2Erealax\_2Ereal) V1x) V0s)) \Rightarrow ((p (ap c\_2Ereal\_topology\_2Econnected\_component V0s) V1x) = V0s)))))) \quad (34)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (35)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (36)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (37)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (38)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (39)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (40)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (41)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (42)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (43)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (44)$$

### Theorem 1

$$(\forall V0s \in (2^{ty\_2Erealax\_2Ereal}).((p (ap c\_2Ereal\_topology\_2Econnected V0s)) \Leftrightarrow (\forall V1x \in ty\_2Erealax\_2Ereal.(\forall V2y \in ty\_2Erealax\_2Ereal.(((p (ap (ap (c\_2Ebool\_2EIN ty\_2Erealax\_2Ereal) V1x) V0s)) \wedge (p (ap (ap (c\_2Ebool\_2EIN ty\_2Erealax\_2Ereal) V2y) V0s))) \Rightarrow (p (ap (ap (ap c\_2Ereal\_topology\_2Econnected\_component V0s) V1x) V2y)))))))))$$