

thm_2Ereal__topology_2ECONNECTED__OPEN__MONOTONE__F (TMEh7NXN7Xyk4WgLWvKTdfMU4YXaC5NY7Fd)

October 26, 2020

Definition 1 We define `c_2Emin_2E_40` to be $\lambda A.\lambda P \in 2^A.$ if $(\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p$
of type $\iota \Rightarrow \iota$).

Definition 2 We define `c_2Emin_2E_3D` to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$
of type $\iota \Rightarrow \iota$.

Definition 3 We define `c_2Ebool_2E_2T` to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (1)$$

Definition 4 We define `c_2Ebool_2E_3F` to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c_2Emin_2E_40 A$

Let `ty_2Erealax_2Ereal` : ι be given. Assume the following.

$$nonempty ty_2Erealax_2Ereal \quad (2)$$

Definition 5 We define `c_2Ebool_2E_21` to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})$

Definition 6 We define `c_2Ebool_2E_2F` to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 7 We define `c_2Epred__set_2EEMPTY` to be $\lambda A.27a : \iota.(\lambda V0x \in A.27a.c_2Ebool_2E_2F)$.

Definition 8 We define `c_2Ebool_2E_2IN` to be $\lambda A.27a : \iota.(\lambda V0x \in A.27a.(\lambda V1f \in (2^{A-27a}).(ap V1f V0x)))$

Definition 9 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$
of type ι .

Definition 10 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (3)$$

Definition 11 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota)$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \end{aligned} \quad (4)$$

Definition 12 We define $c_2Epred_set_2EINTER$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2Ebool_2E_7E$

Definition 13 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_21$

Definition 14 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2$

Definition 15 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2Ebool_2E_5C_2F$

Definition 16 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2Ebool_2E_5C_2F$

Let $c_2Ereal_topology_2EDist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2EDist \in (ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)}) \quad (5)$$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (6)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal}) \quad (7)$$

Definition 17 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E_40\ ty_2Erealax_2Ereal$

Let $c_2Erealax_2Etrealm : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (8)$$

Definition 18 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (9)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (10)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (11)$$

Definition 19 We define c_Enum_E0 to be $(ap\ c_Enum_EABS_num\ c_Enum_EZERO_REP)$.

Let $c_Ereal_Ereal_of_num : \iota$ be given. Assume the following.

$$c_Ereal_Ereal_of_num \in (ty_Erealax_Ereal^{ty_Enum_Enum}) \quad (12)$$

Definition 20 We define $c_Ereal_topology_EOpen$ to be $\lambda V0s \in (2^{ty_Erealax_Ereal}).(ap\ (c_Ebool_E2_E2))$

Definition 21 We define $c_Ereal_topology_Econnected$ to be $\lambda V0s \in (2^{ty_Erealax_Ereal}).(ap\ c_Ebool_E2_E2)$

Definition 22 We define $c_Ereal_topology_Econtinuous_on$ to be $\lambda V0f \in (ty_Erealax_Ereal^{ty_Erealax_Ereal})$

Definition 23 We define $c_Epred_set_EIMAGE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (A_27b^{A_27a})$

Let $ty_Etopology_Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_Etopology_Etopology\ A0) \quad (13)$$

Let $c_Etopology_Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_Etopology_Etopology\ A_27a \in ((ty_Etopology_Etopology\ A_27a)^{(2^{(2^{A_27a})})}) \quad (14)$$

Definition 24 We define $c_Ereal_topology_Eeuclidean$ to be $(ap\ (c_Etopology_Etopology\ ty_Erealax_Ereal))$

Let $c_Etopology_Eopen_in : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_Etopology_Eopen_in\ A_27a \in ((2^{(2^{A_27a})})(ty_Etopology_Etopology\ A_27a)) \quad (15)$$

Definition 25 We define $c_Ereal_topology_Esubtopology$ to be $\lambda A_27a : \iota.\lambda V0top \in (ty_Etopology_Etopology)$

Assume the following.

$$True \quad (16)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.((p\ V0t) \vee (\neg(p\ V0t)))) \quad (19)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t) \Leftrightarrow (p\ V0t)))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (23)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (24)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \quad (25)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (26)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (27)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (28)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A_27a}).(((p V0P) \wedge (\forall V2x \in A_27a.(p (ap V1Q V2x)))) \Leftrightarrow (\forall V3x \in A_27a.((p V0P) \wedge (p (ap V1Q V3x))))))) \quad (29)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0Q \in 2.(\forall V1P \in (2^{A_27a}).(((\forall V2x \in A_27a.((p (ap V1P V2x)) \vee (p V0Q))) \Leftrightarrow ((\forall V3x \in A_27a.(p (ap V1P V3x))) \vee (p V0Q)))))) \quad (30)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.((((p V1B) \wedge (p V2C)) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A))))))) \quad (31)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (32)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in 2.((((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27)))))) \quad (33)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1a \in A_27a.((\exists V2x \in A_27a.((V2x = V1a) \wedge (p (ap\ V0P\ V2x)))) \Leftrightarrow (p (ap\ V0P\ V1a)))))) \quad (34)$$

Assume the following.

$$(\forall V0r \in 2.(\forall V1p \in 2.(\forall V2q \in 2.((((p V1p) \wedge (p V2q)) \Rightarrow (p V0r)) \Leftrightarrow ((p V1p) \Rightarrow ((p V2q) \Rightarrow (p V0r)))))) \quad (35)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27b.(\forall V2a \in A_27a.(\forall V3b \in A_27b.(((ap (ap (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y) = (ap (ap (c_2Epair_2E_2C\ A_27a\ A_27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b))))))) \quad (36)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}).(\forall V1t \in (2^{A_27a}).((V0s = V1t) \Leftrightarrow (\forall V2x \in A_27a.((p (ap (ap (c_2Ebool_2EIN\ A_27a)\ V2x)\ V0s)) \Leftrightarrow (p (ap (ap (c_2Ebool_2EIN\ A_27a)\ V2x)\ V1t)))))) \quad (37)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0f \in ((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}).(\forall V1v \in A_27a.((p (ap (ap (c_2Ebool_2EIN\ A_27a)\ V1v) (ap (c_2Epred_set_2EGSPEC\ A_27a\ A_27b)\ V0f))) \Leftrightarrow (\exists V2x \in A_27b.((ap (ap (c_2Epair_2E_2C\ A_27a\ 2)\ V1v)\ c_2Ebool_2ET) = (ap\ V0f\ V2x)))))) \quad (38)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0y \in A_27b. (\forall V1s \in (2^{A_27a}). (\forall V2f \in (A_27b^{A_27a}). \\
& \quad ((p (ap (ap (c_2Ebool_2EIN\ A_27b)\ V0y) (ap (ap (c_2Epred_set_2EIMAGE \\
& \quad A_27a\ A_27b)\ V2f)\ V1s))) \Leftrightarrow (\exists V3x \in A_27a. ((V0y = (ap\ V2f\ V3x)) \wedge \\
& \quad (p (ap (ap (c_2Ebool_2EIN\ A_27a)\ V3x)\ V1s)))))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}). (\forall V1s \in \\
& \quad (2^{ty_2Erealax_2Ereal}). (\forall V2t \in (2^{ty_2Erealax_2Ereal}). \\
& \quad ((p (ap (ap\ c_2Ereal_topology_2Econtinuous_on\ V0f)\ V1s)) \wedge \\
& \quad (p (ap (ap (c_2Epred_set_2ESUBSET\ ty_2Erealax_2Ereal)\ V2t)\ V1s))) \Rightarrow \\
& \quad (p (ap (ap\ c_2Ereal_topology_2Econtinuous_on\ V0f)\ V2t))))))
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}). (\forall V1s \in \\
& \quad (2^{ty_2Erealax_2Ereal}). ((p (ap (ap\ c_2Ereal_topology_2Econtinuous_on \\
& \quad V0f)\ V1s)) \wedge (\forall V2t \in (2^{ty_2Erealax_2Ereal}). ((p (ap (ap (\\
& \quad c_2Etopology_2Eopen_in\ ty_2Erealax_2Ereal) (ap (ap (c_2Ereal_topology_2Esubtopology \\
& \quad ty_2Erealax_2Ereal)\ c_2Ereal_topology_2Euclidean)\ V1s)) \\
& \quad V2t)) \Rightarrow (p (ap (ap (c_2Etopology_2Eopen_in\ ty_2Erealax_2Ereal) \\
& \quad (ap (ap (c_2Ereal_topology_2Esubtopology\ ty_2Erealax_2Ereal) \\
& \quad c_2Ereal_topology_2Euclidean) (ap (ap (c_2Epred_set_2EIMAGE \\
& \quad ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)\ V0f)\ V1s))) (ap (ap (c_2Epred_set_2EIMAGE \\
& \quad ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)\ V0f)\ V2t)))))) \Rightarrow (\forall V3t \in \\
& \quad (2^{ty_2Erealax_2Ereal}). ((p (ap (ap (c_2Epred_set_2ESUBSET \\
& \quad ty_2Erealax_2Ereal)\ V3t) (ap (ap (c_2Epred_set_2EIMAGE\ ty_2Erealax_2Ereal \\
& \quad ty_2Erealax_2Ereal)\ V0f)\ V1s))) \Rightarrow ((p (ap (ap (c_2Etopology_2Eopen_in \\
& \quad ty_2Erealax_2Ereal) (ap (ap (c_2Ereal_topology_2Esubtopology \\
& \quad ty_2Erealax_2Ereal)\ c_2Ereal_topology_2Euclidean)\ V1s)) \\
& \quad (ap (c_2Epred_set_2EGSPEC\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal) \\
& \quad (\lambda V4x \in ty_2Erealax_2Ereal. (ap (ap (c_2Epair_2E_2C\ ty_2Erealax_2Ereal \\
& \quad 2)\ V4x) (ap (ap\ c_2Ebool_2E_2F_5C) (ap (ap (c_2Ebool_2EIN\ ty_2Erealax_2Ereal) \\
& \quad V4x)\ V1s)) (ap (ap (c_2Ebool_2EIN\ ty_2Erealax_2Ereal) (ap\ V0f\ V4x)) \\
& \quad V3t)))))) \Leftrightarrow (p (ap (ap (c_2Etopology_2Eopen_in\ ty_2Erealax_2Ereal) \\
& \quad (ap (ap (c_2Ereal_topology_2Esubtopology\ ty_2Erealax_2Ereal) \\
& \quad c_2Ereal_topology_2Euclidean) (ap (ap (c_2Epred_set_2EIMAGE \\
& \quad ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)\ V0f)\ V1s))) V3t))))))
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V1s \in \\
& \quad (2^{ty_2Erealax_2Ereal}).(\forall V2t \in (2^{ty_2Erealax_2Ereal}). \\
& \quad ((p (ap (ap c_2Ereal_topology_2Econtinuous_on V0f) V1s)) \wedge \\
& \quad ((ap (ap (c_2Epred_set_2EIMAGE ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\
& \quad \quad V0f) V1s) = V2t) \wedge ((\forall V3u \in (2^{ty_2Erealax_2Ereal}).((p (ap \\
& \quad (ap (c_2Epred_set_2ESUBSET ty_2Erealax_2Ereal) V3u) V2t)) \Rightarrow \\
& \quad ((p (ap (ap (c_2Etopology_2Eopen_in ty_2Erealax_2Ereal) (ap \\
& \quad (ap (c_2Ereal_topology_2Esubtopology ty_2Erealax_2Ereal) \\
& \quad c_2Ereal_topology_2Eeuclidean) V1s)) (ap (c_2Epred_set_2EGSPEC \\
& \quad ty_2Erealax_2Ereal ty_2Erealax_2Ereal) (\lambda V4x \in ty_2Erealax_2Ereal. \\
& \quad (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal 2) V4x) (ap (ap c_2Ebool_2E_2F_5C \\
& \quad (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) V4x) V1s)) (ap (ap (\\
& \quad c_2Ebool_2EIN ty_2Erealax_2Ereal) (ap V0f V4x)) V3u)))))) \Leftrightarrow (\\
& \quad p (ap (ap (c_2Etopology_2Eopen_in ty_2Erealax_2Ereal) (ap (ap \\
& \quad (c_2Ereal_topology_2Esubtopology ty_2Erealax_2Ereal) c_2Ereal_topology_2Eeuclidean) \\
& \quad V2t)) V3u)))) \wedge ((\forall V5y \in ty_2Erealax_2Ereal.((p (ap (ap \\
& \quad (c_2Ebool_2EIN ty_2Erealax_2Ereal) V5y) V2t)) \Rightarrow (p (ap c_2Ereal_topology_2Econnected \\
& \quad (ap (c_2Epred_set_2EGSPEC ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\
& \quad (\lambda V6x \in ty_2Erealax_2Ereal.(ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal \\
& \quad 2) V6x) (ap (ap c_2Ebool_2E_2F_5C (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) \\
& \quad V6x) V1s)) (ap (ap (c_2Emin_2E_3D ty_2Erealax_2Ereal) (ap V0f V6x)) \\
& \quad V5y))))))))) \wedge (p (ap c_2Ereal_topology_2Econnected V2t)))))) \Rightarrow \\
& \quad (p (ap c_2Ereal_topology_2Econnected V1s))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V1s \in \\
& \quad (2^{ty_2Erealax_2Ereal}).(\forall V2t \in (2^{ty_2Erealax_2Ereal}). \\
& \quad (\forall V3t_27 \in (2^{ty_2Erealax_2Ereal}).((\forall V4u \in (2^{ty_2Erealax_2Ereal}). \\
& \quad ((p (ap (ap (c_2Etopology_2Eopen_in ty_2Erealax_2Ereal) (ap \\
& \quad (ap (c_2Ereal_topology_2Esubtopology ty_2Erealax_2Ereal) \\
& \quad c_2Ereal_topology_2Eeuclidean) V1s)) V4u)) \Rightarrow (p (ap (ap (c_2Etopology_2Eopen_in \\
& \quad ty_2Erealax_2Ereal) (ap (ap (c_2Ereal_topology_2Esubtopology \\
& \quad ty_2Erealax_2Ereal) c_2Ereal_topology_2Eeuclidean) V2t)) \\
& \quad (ap (ap (c_2Epred_set_2EIMAGE ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\
& \quad V0f) V4u)))))) \wedge (p (ap (ap (c_2Epred_set_2ESUBSET ty_2Erealax_2Ereal \\
& \quad V3t_27) V2t))) \Rightarrow (\forall V5u \in (2^{ty_2Erealax_2Ereal}).((p (ap \\
& \quad (ap (c_2Etopology_2Eopen_in ty_2Erealax_2Ereal) (ap (ap (c_2Ereal_topology_2Esubtopology \\
& \quad ty_2Erealax_2Ereal) c_2Ereal_topology_2Eeuclidean) (ap (c_2Epred_set_2EGSPEC \\
& \quad ty_2Erealax_2Ereal ty_2Erealax_2Ereal) (\lambda V6x \in ty_2Erealax_2Ereal. \\
& \quad (ap (ap (c_2Epair_2E2C ty_2Erealax_2Ereal 2) V6x) (ap (ap c_2Ebool_2E2F_5C \\
& \quad (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) V6x) V1s)) (ap (ap (\\
& \quad c_2Ebool_2EIN ty_2Erealax_2Ereal) (ap V0f V6x)) V3t_27))))))))) \\
& \quad V5u)) \Rightarrow (p (ap (ap (c_2Etopology_2Eopen_in ty_2Erealax_2Ereal) \\
& \quad (ap (ap (c_2Ereal_topology_2Esubtopology ty_2Erealax_2Ereal) \\
& \quad c_2Ereal_topology_2Eeuclidean) V3t_27)) (ap (ap (c_2Epred_set_2EIMAGE \\
& \quad ty_2Erealax_2Ereal ty_2Erealax_2Ereal) V0f) V5u))))))))) \\
& \hspace{15em} (43)
\end{aligned}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (44)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (45)$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (46)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (47)
\end{aligned}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (48)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\
& \quad (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg \\
& \quad p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& \quad ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (49)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \vee 0p) \Leftrightarrow (\\
& (p \vee 1q) \wedge (p \vee 2r))) \Leftrightarrow (((p \vee 0p) \vee (\neg(p \vee 1q)) \vee (\neg(p \vee 2r)))) \wedge (((p \vee 1q) \vee \\
& (\neg(p \vee 0p))) \wedge ((p \vee 2r) \vee (\neg(p \vee 0p))))))))))
\end{aligned} \tag{50}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \vee 0p) \Leftrightarrow (\\
& (p \vee 1q) \vee (p \vee 2r))) \Leftrightarrow (((p \vee 0p) \vee (\neg(p \vee 1q))) \wedge ((p \vee 0p) \vee (\neg(p \vee 2r)))) \wedge \\
& ((p \vee 1q) \vee ((p \vee 2r) \vee (\neg(p \vee 0p))))))))))
\end{aligned} \tag{51}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \vee 0p) \Leftrightarrow (\\
& (p \vee 1q) \Rightarrow (p \vee 2r))) \Leftrightarrow (((p \vee 0p) \vee (p \vee 1q)) \wedge (((p \vee 0p) \vee (\neg(p \vee 2r))) \wedge (\\
& \neg(p \vee 1q)) \vee ((p \vee 2r) \vee (\neg(p \vee 0p))))))))))
\end{aligned} \tag{52}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \vee 0p) \Leftrightarrow (\neg(p \vee 1q))) \Leftrightarrow (((p \vee 0p) \vee \\
& (p \vee 1q)) \wedge ((\neg(p \vee 1q)) \vee (\neg(p \vee 0p))))))
\end{aligned} \tag{53}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \vee 0p) \Rightarrow (p \vee 1q))) \Rightarrow (p \vee 0p))) \tag{54}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \vee 0p) \Rightarrow (p \vee 1q))) \Rightarrow (\neg(p \vee 1q)))) \tag{55}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \vee 0p) \vee (p \vee 1q))) \Rightarrow (\neg(p \vee 0p)))) \tag{56}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \vee 0p) \vee (p \vee 1q))) \Rightarrow (\neg(p \vee 1q)))) \tag{57}$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p \vee 0p))) \Rightarrow (p \vee 0p))) \tag{58}$$

Theorem 1

$$\begin{aligned}
& (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V1s \in \\
& \quad (2^{ty_2Erealax_2Ereal}).(\forall V2t \in (2^{ty_2Erealax_2Ereal}). \\
& \quad ((p (ap (ap (ap c_2Ereal_topology_2Econtinuous_on V0f) V1s))) \wedge \\
& \quad (((ap (ap (c_2Epred_set_2EIMAGE ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\
& \quad \quad V0f) V1s) = V2t) \wedge ((\forall V3c \in (2^{ty_2Erealax_2Ereal}).((p (ap \\
& (ap (c_2Etopology_2Eopen_in ty_2Erealax_2Ereal) (ap (ap (c_2Ereal_topology_2Esubtopology \\
& \quad ty_2Erealax_2Ereal) c_2Ereal_topology_2Eeuclidean) V1s)) \\
& \quad V3c)) \Rightarrow (p (ap (ap (c_2Etopology_2Eopen_in ty_2Erealax_2Ereal) \\
& \quad (ap (ap (c_2Ereal_topology_2Esubtopology ty_2Erealax_2Ereal) \\
& \quad c_2Ereal_topology_2Eeuclidean) V2t)) (ap (ap (c_2Epred_set_2EIMAGE \\
& \quad ty_2Erealax_2Ereal ty_2Erealax_2Ereal) V0f) V3c)))))) \wedge (\forall V4y \in \\
& \quad ty_2Erealax_2Ereal.((p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) \\
& V4y) V2t)) \Rightarrow (p (ap c_2Ereal_topology_2Econnected (ap (c_2Epred_set_2EGSPEC \\
& \quad ty_2Erealax_2Ereal ty_2Erealax_2Ereal) (\lambda V5x \in ty_2Erealax_2Ereal. \\
& \quad (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal 2) V5x) (ap (ap c_2Ebool_2E_2F_5C \\
& \quad (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) V5x) V1s)) (ap (ap (\\
& \quad c_2Emin_2E_3D ty_2Erealax_2Ereal) (ap V0f V5x)) V4y)))))))))) \Rightarrow \\
& \quad (\forall V6c \in (2^{ty_2Erealax_2Ereal}).(((p (ap c_2Ereal_topology_2Econnected \\
& \quad V6c)) \wedge (p (ap (ap (c_2Epred_set_2ESUBSET ty_2Erealax_2Ereal) \\
& V6c) V2t))) \Rightarrow (p (ap c_2Ereal_topology_2Econnected (ap (c_2Epred_set_2EGSPEC \\
& \quad ty_2Erealax_2Ereal ty_2Erealax_2Ereal) (\lambda V7x \in ty_2Erealax_2Ereal. \\
& \quad (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal 2) V7x) (ap (ap c_2Ebool_2E_2F_5C \\
& \quad (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) V7x) V1s)) (ap (ap (\\
& \quad c_2Ebool_2EIN ty_2Erealax_2Ereal) (ap V0f V7x)) V6c)))))))))))))
\end{aligned}$$