

# thm\_2Ereal\_\_topology\_2ECONTINUOUS\_\_AT\_\_BALL (TMLh13tBbJ3HtBTjMhwn6gaqHn1a5Gykv2o)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$

**Definition 4** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 5** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 6** We define  $c\_2Epred\_set\_2ESUBSET$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap (c$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \quad (1)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (2)$$

**Definition 8** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2E$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC A\_27a A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod A\_27a 2)^{A\_27b}}) \quad (3)$$

**Definition 9** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (A\_27b^{A-27a}). \lambda V1s \in ($   
 Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \quad (4)$$

Let  $c\_2Ereal\_topology\_2Eball : \iota$  be given. Assume the following.

$$c\_2Ereal\_topology\_2Eball \in ((2^{ty\_2Erealax\_2Ereal})^{(ty\_2Epair\_2Eprod\ ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal)}) \quad (5)$$

Let  $c\_2Ereal\_topology\_2EDist : \iota$  be given. Assume the following.

$$c\_2Ereal\_topology\_2EDist \in (ty\_2Erealax\_2Ereal^{(ty\_2Epair\_2Eprod\ ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal)}) \quad (6)$$

**Definition 10** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A. \lambda P \in 2^A. \mathbf{if} (\exists x \in A. p (ap\ P\ x)) \mathbf{then} (the (\lambda x. x \in A \wedge p\ x))$   
 of type  $\iota \Rightarrow \iota$ .

**Definition 11** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A-27a}). (ap\ V0P (ap (c\_2Emin\_2E\_40$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (7)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (8)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (9)$$

**Definition 12** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (10)$$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (11)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax\_2Ereal}) \quad (12)$$

**Definition 13** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal. (ap (c\_2Emin\_2E\_40 (the$

Let  $c\_2Erealax\_2Etrealt\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealt\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \quad (13)$$

**Definition 14** We define  $c\_Erealax\_Ereal\_lt$  to be  $\lambda V0T1 \in ty\_Erealax\_Ereal.\lambda V1T2 \in ty\_Erealax\_Ereal.$

**Definition 15** We define  $c\_Ebool\_EF$  to be  $(ap (c\_Ebool\_E\_21\ 2) (\lambda V0t \in 2.V0t))$ .

**Definition 16** We define  $c\_Ebool\_E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_Emin\_E\_3D\_3D\_3E V0t) c\_Ebool\_E\_21\ 2))$

**Definition 17** We define  $c\_Ereal\_Ereal\_lte$  to be  $\lambda V0x \in ty\_Erealax\_Ereal.\lambda V1y \in ty\_Erealax\_Ereal.$

Let  $ty\_Ereal\_topology\_Eenet : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_Ereal\_topology\_Eenet\ A0) \quad (14)$$

Let  $c\_Ereal\_topology\_Emk\_net : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow c\_Ereal\_topology\_Emk\_net \\ A.27a \in ((ty\_Ereal\_topology\_Eenet\ A.27a)^{(2^{A.27a})^{A.27a}}) \end{aligned} \quad (15)$$

**Definition 18** We define  $c\_Ereal\_topology\_Eat$  to be  $\lambda V0a \in ty\_Erealax\_Ereal.(ap (c\_Ereal\_topology\_Eat\ V0a))$

Let  $c\_Ereal\_topology\_Eenetord : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c\_Ereal\_topology\_Eenetord\ A.27a \in ((2^{A.27a})^{A.27a})^{(ty\_Ereal\_topology\_Eenet\ A.27a)} \quad (16)$$

**Definition 19** We define  $c\_Ereal\_topology\_Eenetlimit$  to be  $\lambda A.27a : \iota.\lambda V0net \in (ty\_Ereal\_topology\_Eenet\ A.27a)$

**Definition 20** We define  $c\_Ebool\_E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_Ebool\_E\_21\ 2) (\lambda V2t \in 2.V2t))))$

**Definition 21** We define  $c\_Ereal\_topology\_Etrivial\_limit$  to be  $\lambda A.27a : \iota.\lambda V0net \in (ty\_Ereal\_topology\_Eenet\ A.27a)$

**Definition 22** We define  $c\_Ereal\_topology\_Eeventually$  to be  $\lambda A.27a : \iota.\lambda V0p \in (2^{A.27a}).\lambda V1net \in (ty\_Ereal\_topology\_Eenet\ A.27a)$

**Definition 23** We define  $c\_Ereal\_topology\_E\_2D\_2D\_3E$  to be  $\lambda A.27a : \iota.\lambda V0f \in (ty\_Erealax\_Ereal^A)$

**Definition 24** We define  $c\_Ereal\_topology\_Econtinuous$  to be  $\lambda A.27a : \iota.\lambda V0f \in (ty\_Erealax\_Ereal^A)$

Assume the following.

$$True \quad (17)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.((p\ V0t) \vee \neg(p\ V0t))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2.(((p \ V0t) \Rightarrow False) \Rightarrow (\neg(p \ V0t)))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p \ V0t)) \Rightarrow ((p \ V0t) \Rightarrow False))) \quad (22)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow \\ & (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \vee (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee False) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee \\ & (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (( \\ & (p \ V0t) \Rightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True)))) \end{aligned} \quad (26)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (27)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (28)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\ & p \ V0t)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).((\neg(\forall V1x \in A\_27a.(p \ (ap \ V0P \ V1x)))) \Leftrightarrow (\exists V2x \in A\_27a.(\neg(p \ (ap \ V0P \ V2x)))))) \quad (30)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((\neg(\exists V1x \in A.27a.(p (ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A.27a.(\neg(p (ap V0P V2x)))))) \quad (31)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A.27a}).((p V0P) \wedge (\forall V2x \in A.27a.(p (ap V1Q V2x)))) \Leftrightarrow (\forall V3x \in A.27a.((p V0P) \wedge (p (ap V1Q V3x)))))) \quad (32)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).(\forall V1Q \in (2^{A.27a}).((\exists V2x \in A.27a.((p (ap V0P V2x)) \vee (p (ap V1Q V2x)))) \Leftrightarrow ((\exists V3x \in A.27a.(p (ap V0P V3x))) \vee (\exists V4x \in A.27a.(p (ap V1Q V4x)))))) \quad (33)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A.27a}).((p V0P) \vee (\exists V2x \in A.27a.(p (ap V1Q V2x)))) \Leftrightarrow (\exists V3x \in A.27a.((p V0P) \vee (p (ap V1Q V3x)))))) \quad (34)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).(\forall V1Q \in 2.((\exists V2x \in A.27a.((p (ap V0P V2x)) \wedge (p V1Q))) \Leftrightarrow ((\exists V3x \in A.27a.(p (ap V0P V3x))) \wedge (p V1Q)))) \quad (35)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A.27a}).((\exists V2x \in A.27a.((p V0P) \wedge (p (ap V1Q V2x)))) \Leftrightarrow ((p V0P) \wedge (\exists V3x \in A.27a.(p (ap V1Q V3x)))))) \quad (36)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A.27a}).((\forall V2x \in A.27a.((p V0P) \vee (p (ap V1Q V2x)))) \Leftrightarrow ((p V0P) \vee (\forall V3x \in A.27a.(p (ap V1Q V3x)))))) \quad (37)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee (p V1B) \vee (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))))) \quad (38)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))) \quad (39)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A) \vee \neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A) \wedge \neg(p V1B)))))))) \quad (40)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (41)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_{.27} \in 2. (\forall V2y \in 2. (\forall V3y_{.27} \in 2. (((((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (42)$$

Assume the following.

$$\forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow \forall A_{.27b}. \text{nonempty } A_{.27b} \Rightarrow (\forall V0P \in (2^{A_{.27b}^{A_{.27a}}}). ((\forall V1x \in A_{.27a}. (\exists V2y \in A_{.27b}. (p (ap (ap V0P V1x) V2y)))) \Leftrightarrow (\exists V3f \in (A_{.27b}^{A_{.27a}}). (\forall V4x \in A_{.27a}. (p (ap (ap V0P V4x) (ap V3f V4x))))))) \quad (43)$$

Assume the following.

$$\forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow \forall A_{.27b}. \text{nonempty } A_{.27b} \Rightarrow (\forall V0P \in (2^{A_{.27a}}). (\forall V1f \in (A_{.27a}^{A_{.27b}}). (\forall V2s \in (2^{A_{.27b}}). ((\forall V3y \in A_{.27a}. ((p (ap (ap (c_{.2Ebool}_{.2EIN} A_{.27a}) V3y) (ap (ap (c_{.2Epred}_{.2EIMAGE} A_{.27b} A_{.27a}) V1f) V2s)))) \Rightarrow (p (ap V0P V3y)))) \Leftrightarrow (\forall V4x \in A_{.27b}. ((p (ap (ap (c_{.2Ebool}_{.2EIN} A_{.27b}) V4x) V2s)) \Rightarrow (p (ap V0P (ap V1f V4x)))))))))) \quad (44)$$

Assume the following.

$$(\forall V0x \in \text{ty}_{.2Erealx_{.2Ereal}}. (\forall V1y \in \text{ty}_{.2Erealx_{.2Ereal}}. ((ap \text{c}_{.2Ereal\_topology_{.2EDist}} (ap (ap (c_{.2Epair}_{.2E_{.2C}} \text{ty}_{.2Erealx_{.2Ereal}} \text{ty}_{.2Erealx_{.2Ereal}}) V0x) V1y)) = (ap \text{c}_{.2Ereal\_topology_{.2EDist}} (ap (ap (c_{.2Epair}_{.2E_{.2C}} \text{ty}_{.2Erealx_{.2Ereal}} \text{ty}_{.2Erealx_{.2Ereal}}) V1y) V0x)))))) \quad (45)$$

Assume the following.

$$(\forall V0x \in \text{ty}_{.2Erealx_{.2Ereal}}. (\forall V1y \in \text{ty}_{.2Erealx_{.2Ereal}}. (\forall V2e \in \text{ty}_{.2Erealx_{.2Ereal}}. ((p (ap (ap (c_{.2Ebool}_{.2EIN} \text{ty}_{.2Erealx_{.2Ereal}}) V1y) (ap \text{c}_{.2Ereal\_topology_{.2Eball}} (ap (ap (c_{.2Epair}_{.2E_{.2C}} \text{ty}_{.2Erealx_{.2Ereal}} \text{ty}_{.2Erealx_{.2Ereal}}) V0x) V2e)))) \Leftrightarrow (p (ap (ap \text{c}_{.2Erealx_{.2Ereal\_lt}} (ap \text{c}_{.2Ereal\_topology_{.2EDist}} (ap (ap (c_{.2Epair}_{.2E_{.2C}} \text{ty}_{.2Erealx_{.2Ereal}} \text{ty}_{.2Erealx_{.2Ereal}}) V0x) V1y)) V2e)))))) \quad (46)$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}).(\forall V1x \in \\
& ty\_2Erealax\_2Ereal.((p (ap (ap (c\_2Ereal\_topology\_2Econtinuous \\
& ty\_2Erealax\_2Ereal) V0f) (ap c\_2Ereal\_topology\_2Eat V1x))) \Leftrightarrow \\
& (\forall V2e \in ty\_2Erealax\_2Ereal.((p (ap (ap c\_2Erealax\_2Ereal\_lt \\
& (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) V2e)) \Rightarrow (\exists V3d \in \\
& ty\_2Erealax\_2Ereal.((p (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num \\
& c\_2Enum\_2E0)) V3d)) \wedge (\forall V4x\_27 \in ty\_2Erealax\_2Ereal.(( \\
& p (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_topology\_2EDist \\
& (ap (ap (c\_2Epair\_2E\_2C ty\_2Erealax\_2Ereal ty\_2Erealax\_2Ereal) \\
& V4x\_27) V1x))) V3d)) \Rightarrow (p (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_topology\_2EDist \\
& (ap (ap (c\_2Epair\_2E\_2C ty\_2Erealax\_2Ereal ty\_2Erealax\_2Ereal) \\
& (ap V0f V4x\_27)) (ap V0f V1x)))))) V2e)))))))))
\end{aligned} \tag{47}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{48}$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{49}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{50}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{51}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \tag{52}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg \\
& p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{53}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{54}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{55}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ( \\
& \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{56}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))
\end{aligned} \tag{57}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \tag{58}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{59}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \tag{60}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{61}$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \tag{62}$$

**Theorem 1**

$$\begin{aligned}
& (\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}). (\forall V1x \in \\
& ty\_2Erealax\_2Ereal. ((p (ap (ap (c\_2Ereal\_topology\_2Econtinuous \\
& ty\_2Erealax\_2Ereal) V0f) (ap c\_2Ereal\_topology\_2Eat V1x))) \Leftrightarrow \\
& (\forall V2e \in ty\_2Erealax\_2Ereal. ((p (ap (ap c\_2Erealax\_2Ereal\_lt \\
& (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) V2e)) \Rightarrow (\exists V3d \in \\
& ty\_2Erealax\_2Ereal. ((p (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num \\
& c\_2Enum\_2E0)) V3d)) \wedge (p (ap (ap (c\_2Epred\_set\_2ESUBSET ty\_2Erealax\_2Ereal) \\
& (ap (ap (c\_2Epred\_set\_2EIMAGE ty\_2Erealax\_2Ereal ty\_2Erealax\_2Ereal) \\
& V0f) (ap c\_2Ereal\_topology\_2Eball (ap (ap (c\_2Epair\_2E\_2C ty\_2Erealax\_2Ereal \\
& ty\_2Erealax\_2Ereal) V1x) V3d)))) (ap c\_2Ereal\_topology\_2Eball \\
& (ap (ap (c\_2Epair\_2E\_2C ty\_2Erealax\_2Ereal ty\_2Erealax\_2Ereal) \\
& (ap V0f V1x)) V2e))))))))))
\end{aligned}$$