

# thm\_2Ereal\_\_topology\_2ECONTINUOUS\_\_AT\_\_COMPOSE (TMK6oxgHg74D2c6PEKLf59DXyrNUMPpkDPk)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ecombin\_2E\_2EK$  to be  $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.(\lambda V0x \in A.\lambda V1y \in A.\lambda V0x \in A.\lambda V1y \in A.V0x)$

**Definition 4** We define  $c\_2Ecombin\_2E\_2ES$  to be  $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.\lambda A.\lambda c : \iota.(\lambda V0f \in ((A.\lambda c.\lambda a.\lambda b)^{A.\lambda a}))$

**Definition 5** We define  $c\_2Ecombin\_2E\_2EI$  to be  $\lambda A.\lambda a : \iota.(ap (ap (c\_2Ecombin\_2E\_2ES A.\lambda a (A.\lambda a)^{A.\lambda a})) A.\lambda a)$

**Definition 6** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$  then (the  $(\lambda x.x \in A \wedge p (ap P x))$ ) of type  $\iota \Rightarrow \iota$ .

**Definition 7** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A.\lambda a}).(ap V0P (ap (c\_2Emin\_2E\_40 A.\lambda a))))$

**Definition 8** We define  $c\_2Ebool\_2E\_2EIN$  to be  $\lambda A.\lambda a : \iota.(\lambda V0x \in A.\lambda V1f \in (2^{A.\lambda a}).(ap V1f V0x))$

**Definition 9** We define  $c\_2Epred\_set\_2EUNIV$  to be  $\lambda A.\lambda a : \iota.(\lambda V0x \in A.\lambda a.c\_2Ebool\_2E\_2ET)$ .

Let  $ty\_2Ereal\_topology\_2E\_2enet : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Ereal\_topology\_2E\_2enet A0) \quad (1)$$

**Definition 10** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 11** We define  $c\_2Ebool\_2E\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A.\lambda a}).(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))))$

**Definition 12** We define  $c\_2Epred\_set\_2E\_2ESUBSET$  to be  $\lambda A.\lambda a : \iota.\lambda V0s \in (2^{A.\lambda a}).\lambda V1t \in (2^{A.\lambda a}).(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))))$

**Definition 13** We define  $c\_2Ecombin\_2E\_2Eo$  to be  $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.\lambda A.\lambda c : \iota.\lambda V0f \in (A.\lambda b.\lambda a.\lambda c)^{A.\lambda a}.\lambda V1g \in (A.\lambda b.\lambda a.\lambda c)^{A.\lambda a}$

**Definition 14** We define  $c\_2Ebool\_2E\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_2E\_21 2) (\lambda V2t \in 2.V2t))))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (2)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (3)$$

**Definition 15** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b)\ x\ y)$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \quad (4)$$

**Definition 16** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in A\_27b.(ap\ (c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b)\ f\ s)$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \quad (5)$$

Let  $c\_2Ereal\_topology\_2EDist : \iota$  be given. Assume the following.

$$c\_2Ereal\_topology\_2EDist \in (ty\_2Erealax\_2Ereal^{(ty\_2Epair\_2Eprod\ ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal)}) \quad (6)$$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (7)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax\_2Ereal}) \quad (8)$$

**Definition 17** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap\ (c\_2Emin\_2E\_40\ ty\_2Erealax\_2Ereal)\ a)$

Let  $c\_2Erealax\_2Etreallt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreallt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \quad (9)$$

**Definition 18** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal.(ap\ (c\_2Emin\_2E\_40\ ty\_2Erealax\_2Ereal)\ T1\ T2)$

**Definition 19** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 20** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_21)\ t))$

**Definition 21** We define  $c\_Ereal\_Ereal\_lte$  to be  $\lambda V0x \in ty\_Erealax\_Ereal.\lambda V1y \in ty\_Erealax\_Ereal$ .  
Let  $c\_Enum\_EZERO\_REP : \iota$  be given. Assume the following.

$$c\_Enum\_EZERO\_REP \in \omega \tag{10}$$

Let  $ty\_Enum\_Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_Enum\_Enum \tag{11}$$

Let  $c\_Enum\_EABS\_num : \iota$  be given. Assume the following.

$$c\_Enum\_EABS\_num \in (ty\_Enum\_Enum^{\omega}) \tag{12}$$

**Definition 22** We define  $c\_Enum\_E0$  to be  $(ap\ c\_Enum\_EABS\_num\ c\_Enum\_EZERO\_REP)$ .

Let  $c\_Ereal\_Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_Ereal\_Ereal\_of\_num \in (ty\_Erealax\_Ereal^{ty\_Enum\_Enum}) \tag{13}$$

Let  $c\_Ereal\_topology\_Emk\_net : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow c\_Ereal\_topology\_Emk\_net \\ A.27a \in ((ty\_Ereal\_topology\_Enet\ A.27a)^{(2^{A.27a})^{A.27a}}) \end{aligned} \tag{14}$$

**Definition 23** We define  $c\_Ereal\_topology\_Eat$  to be  $\lambda V0a \in ty\_Erealax\_Ereal.(ap\ (c\_Ereal\_topology\_Eat\ a))$ .

Let  $c\_Ereal\_topology\_Enetord : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c\_Ereal\_topology\_Enetord\ A.27a \in (((2^{A.27a})^{A.27a})^{(ty\_Ereal\_topology\_Enet\ A.27a)}) \tag{15}$$

**Definition 24** We define  $c\_Ereal\_topology\_Ewithin$  to be  $\lambda A.27a : \iota.\lambda V0net \in (ty\_Ereal\_topology\_Enet\ A.27a)$ .

**Definition 25** We define  $c\_Ereal\_topology\_Enetlimit$  to be  $\lambda A.27a : \iota.\lambda V0net \in (ty\_Ereal\_topology\_Enet\ A.27a)$ .

**Definition 26** We define  $c\_Ebool\_E5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_Ebool\_E21\ 2)\ t1\ t2)))$ .

**Definition 27** We define  $c\_Ereal\_topology\_Etrivial\_limit$  to be  $\lambda A.27a : \iota.\lambda V0net \in (ty\_Ereal\_topology\_Enet\ A.27a)$ .

**Definition 28** We define  $c\_Ereal\_topology\_Eeventually$  to be  $\lambda A.27a : \iota.\lambda V0p \in (2^{A.27a}).\lambda V1net \in (ty\_Ereal\_topology\_Enet\ A.27a)$ .

**Definition 29** We define  $c\_Ereal\_topology\_E2D\_2D\_3E$  to be  $\lambda A.27a : \iota.\lambda V0f \in (ty\_Erealax\_Ereal^{A.27a})$ .

**Definition 30** We define  $c\_Ereal\_topology\_Econtinuous$  to be  $\lambda A.27a : \iota.\lambda V0f \in (ty\_Erealax\_Ereal^{A.27a})$ .

Assume the following.

$$True \tag{16}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \tag{17}$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A.27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(((p V0t) \Rightarrow False) \Rightarrow (\neg(p V0t)))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (20)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (21) \end{aligned}$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \quad (22) \end{aligned}$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (23)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (24)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\ & p V0t)))))) \quad (25) \end{aligned}$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((\neg(\forall V1x \in A.27a.(p (ap V0P V1x)))) \Leftrightarrow (\exists V2x \in A.27a.(\neg(p (ap V0P V2x)))))) \quad (26)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((\neg(\exists V1x \in A.27a.(p (ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A.27a.(\neg(p (ap V0P V2x)))))) \quad (27)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}). (\forall V1Q \in 2. ((\forall V2x \in A\_27a. (p\ (ap\ V0P\ V2x))) \wedge (p\ V1Q))) \Leftrightarrow (\forall V3x \in A\_27a. ((p\ (ap\ V0P\ V3x)) \wedge (p\ V1Q)))))) \quad (28)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A\_27a}). ((\exists V2x \in A\_27a. (p\ (ap\ V1Q\ V2x))) \Leftrightarrow (\exists V3x \in A\_27a. ((p\ V0P) \vee (p\ (ap\ V1Q\ V3x))))))) \quad (29)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A\_27a}). ((\exists V2x \in A\_27a. ((p\ V0P) \wedge (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow ((p\ V0P) \wedge (\exists V3x \in A\_27a. (p\ (ap\ V1Q\ V3x)))))) \quad (30)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A\_27a}). ((\forall V2x \in A\_27a. ((p\ V0P) \vee (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow ((p\ V0P) \vee (\forall V3x \in A\_27a. (p\ (ap\ V1Q\ V3x)))))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee (p\ V1B) \vee (p\ V2C)) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \vee (p\ V2C)))))) \quad (32)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p\ V0A) \vee (p\ V1B)) \Leftrightarrow ((p\ V1B) \vee (p\ V0A)))) \quad (33)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \wedge (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \vee (\neg(p\ V1B)))) \wedge ((\neg((p\ V0A) \vee (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A)) \wedge (\neg(p\ V1B))))))) \quad (34)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow (\forall V0P \in ((2^{A\_27b})^{A\_27a}). ((\forall V1x \in A\_27a. (\exists V2y \in A\_27b. (p\ (ap\ (ap\ V0P\ V1x)\ V2y)))) \Leftrightarrow (\exists V3f \in (A\_27b^{A\_27a}). (\forall V4x \in A\_27a. (p\ (ap\ (ap\ V0P\ V4x)\ (ap\ V3f\ V4x))))))) \quad (35)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((ap\ (c.2Ecombin.2EI\ A\_27a)\ V0x) = V0x)) \quad (36)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a. (p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a)\ V0x)\ (c.2Epred\_set.2EUNIV\ A.27a)))) \quad (37)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A.27a}). (p\ (ap\ (ap\ (c.2Epred\_set.2ESUBSET\ A.27a)\ V0s)\ (c.2Epred\_set.2EUNIV\ A.27a)))) \quad (38)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ & \forall V0y \in A.27b. (\forall V1s \in (2^{A.27a}). (\forall V2f \in (A.27b^{A.27a}). \\ & ((p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27b)\ V0y)\ (ap\ (ap\ (c.2Epred\_set.2EIMAGE\ A.27a\ A.27b)\ V2f)\ V1s))) \Leftrightarrow (\exists V3x \in A.27a. ((V0y = (ap\ V2f\ V3x)) \wedge \\ & (p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a)\ V3x)\ V1s)))))) \end{aligned} \quad (39)$$

Assume the following.

$$(\forall V0x \in ty.2Erealax.2Ereal. ((ap\ (ap\ (c.2Ereal\_topology.2Ewithin\ ty.2Erealax.2Ereal)\ (ap\ c.2Ereal\_topology.2Eat\ V0x))\ (c.2Epred\_set.2EUNIV\ ty.2Erealax.2Ereal)) = (ap\ c.2Ereal\_topology.2Eat\ V0x))) \quad (40)$$

Assume the following.

$$\begin{aligned} & (\forall V0f \in (ty.2Erealax.2Ereal^{ty.2Erealax.2Ereal}). (\forall V1s \in \\ & (2^{ty.2Erealax.2Ereal}). (\forall V2t \in (2^{ty.2Erealax.2Ereal}). \\ & (\forall V3x \in ty.2Erealax.2Ereal. (((p\ (ap\ (ap\ (c.2Ereal\_topology.2Econtinuous\ ty.2Erealax.2Ereal)\ V0f)\ (ap\ (ap\ (c.2Ereal\_topology.2Ewithin\ ty.2Erealax.2Ereal)\ (ap\ c.2Ereal\_topology.2Eat\ V3x))\ V1s)))) \wedge \\ & (p\ (ap\ (ap\ (c.2Epred\_set.2ESUBSET\ ty.2Erealax.2Ereal)\ V2t)\ V1s)))) \Rightarrow \\ & (p\ (ap\ (ap\ (c.2Ereal\_topology.2Econtinuous\ ty.2Erealax.2Ereal)\ V0f)\ (ap\ (ap\ (c.2Ereal\_topology.2Ewithin\ ty.2Erealax.2Ereal)\ (ap\ c.2Ereal\_topology.2Eat\ V3x))\ V2t)))))) \end{aligned} \quad (41)$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}).(\forall V1g \in \\
& (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}).(\forall V2x \in ty\_2Erealax\_2Ereal. \\
& (\forall V3s \in (2^{ty\_2Erealax\_2Ereal}).(((p (ap (ap (c\_2Ereal\_topology\_2Econtinuous \\
& ty\_2Erealax\_2Ereal) V0f) (ap (ap (c\_2Ereal\_topology\_2Ewithin \\
& ty\_2Erealax\_2Ereal) (ap c\_2Ereal\_topology\_2Eat V2x)) V3s)))) \wedge \\
& (p (ap (ap (c\_2Ereal\_topology\_2Econtinuous ty\_2Erealax\_2Ereal) \\
& V1g) (ap (ap (c\_2Ereal\_topology\_2Ewithin ty\_2Erealax\_2Ereal) \\
& (ap c\_2Ereal\_topology\_2Eat (ap V0f V2x))) (ap (ap (c\_2Epred\_set\_2EIMAGE \\
& ty\_2Erealax\_2Ereal ty\_2Erealax\_2Ereal) V0f) V3s)))))) \Rightarrow (p (ap \\
& (ap (c\_2Ereal\_topology\_2Econtinuous ty\_2Erealax\_2Ereal) ( \\
& ap (ap (c\_2Ecombin\_2Eo ty\_2Erealax\_2Ereal ty\_2Erealax\_2Ereal \\
& ty\_2Erealax\_2Ereal) V1g) V0f)) (ap (ap (c\_2Ereal\_topology\_2Ewithin \\
& ty\_2Erealax\_2Ereal) (ap c\_2Ereal\_topology\_2Eat V2x)) V3s)))))))))
\end{aligned} \tag{42}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{43}$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{44}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{45}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{46}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \tag{47}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg \\
& p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee \neg(p V1q)) \wedge (((p V0p) \vee \neg(p V2r))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee \neg(p V0p))))))))))
\end{aligned} \tag{50}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee \neg(p V2r))) \wedge ( \\
& \neg(p V1q) \vee ((p V2r) \vee \neg(p V0p))))))))))
\end{aligned} \tag{51}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow \neg(p V1q)) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge (\neg(p V1q) \vee \neg(p V0p))))))
\end{aligned} \tag{52}$$

**Theorem 1**

$$\begin{aligned}
& (\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}). (\forall V1g \in \\
& (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}). (\forall V2x \in ty\_2Erealax\_2Ereal. \\
& (((p (ap (ap (c\_2Ereal\_topology\_2Econtinuous ty\_2Erealax\_2Ereal) \\
V0f) (ap c\_2Ereal\_topology\_2Eat V2x))) \wedge (p (ap (ap (c\_2Ereal\_topology\_2Econtinuous \\
ty\_2Erealax\_2Ereal) V1g) (ap c\_2Ereal\_topology\_2Eat (ap V0f \\
V2x)))))) \Rightarrow (p (ap (ap (c\_2Ereal\_topology\_2Econtinuous ty\_2Erealax\_2Ereal) \\
(ap (ap (c\_2Ecombin\_2Eo ty\_2Erealax\_2Ereal ty\_2Erealax\_2Ereal \\
ty\_2Erealax\_2Ereal) V1g) V0f)) (ap c\_2Ereal\_topology\_2Eat V2x))))))
\end{aligned}$$