

thm\_2Ereal\_\_topology\_2ECONTINUOUS\_\_CLOSED\_\_IN\_\_PREIMA  
 (TM-  
 Snzn3Wwx5AhJMAQSLsxAVTRnq9WDJ1HKT)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p))$  of type  $\iota \Rightarrow \iota$ .

**Definition 4** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c\_2Emin\_2E\_40 A))))$

**Definition 5** We define  $c\_2Ebool\_2E\_IN$  to be  $\lambda A.27a : \iota.(\lambda V0x \in A.27a.(\lambda V1f \in (2^{A-27a}).(ap V1f V0x)))$

**Definition 6** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 7** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))))$

**Definition 8** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2)))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \quad (1)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c\_2Epair\_2EABS\_prod A.27a A.27b \in ((ty\_2Epair\_2Eprod A.27a A.27b)^{(2^{A-27b})^{A-27a}}) \quad (2)$$

**Definition 9** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0x \in A.27a.\lambda V1y \in A.27b.(ap (c\_2Emin\_2E\_3D (2^{A-27a})))$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}})$$
(3)

**Definition 10** We define  $c\_2Epred\_set\_2EINTER$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal\ V0s)\ V1t)$ .  
Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal$$
(4)

**Definition 11** We define  $c\_2Epred\_set\_2EUNIV$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2ET)$ .

**Definition 12** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 13** We define  $c\_2Ebool\_2E7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E7E))$ .

**Definition 14** We define  $c\_2Epred\_set\_2EDIFF$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal\ V0s)\ V1t)$ .

Let  $c\_2Ereal\_topology\_2EDist : \iota$  be given. Assume the following.

$$c\_2Ereal\_topology\_2EDist \in (ty\_2Erealax\_2Ereal^{(ty\_2Epair\_2Eprod\ ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal)})$$
(5)

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal$$
(6)

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax\_2Ereal})$$
(7)

**Definition 15** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap\ (c\_2Emin\_2E40\ ty\_2Erealax\_2Ereal\ V0a)\ V0a)$ .

Let  $c\_2Erealax\_2Etreallt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreallt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)})$$
(8)

**Definition 16** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal.(ap\ (c\_2Emin\_2E40\ ty\_2Erealax\_2Ereal\ V0T1)\ V1T2)$ .

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega$$
(9)

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum$$
(10)

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega})$$
(11)

**Definition 17** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (12)$$

**Definition 18** We define  $c\_2Ereal\_topology\_2EOpen$  to be  $\lambda V0s \in (2^{ty\_2Erealax\_2Ereal}).(ap\ (c\_2Ebool\_2E2$

**Definition 19** We define  $c\_2Ereal\_topology\_2EClosed$  to be  $\lambda V0s \in (2^{ty\_2Erealax\_2Ereal}).(ap\ c\_2Ereal\_topo$

**Definition 20** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in$

Let  $ty\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Etopology\_2Etopology\ A0) \quad (13)$$

Let  $c\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Etopology\_2Etopology\ A\_27a \in ((ty\_2Etopology\_2Etopology\ A\_27a)^{(2^{(2^{A\_27a})})}) \quad (14)$$

**Definition 21** We define  $c\_2Ereal\_topology\_2Eeuclidean$  to be  $(ap\ (c\_2Etopology\_2Etopology\ ty\_2Erealax$

Let  $c\_2Etopology\_2Eopen\_in : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Etopology\_2Eopen\_in\ A\_27a \in ((2^{(2^{A\_27a})})(ty\_2Etopology\_2Etopology\ A\_27a)) \quad (15)$$

**Definition 22** We define  $c\_2Ereal\_topology\_2Esubtopology$  to be  $\lambda A\_27a : \iota.\lambda V0top \in (ty\_2Etopology\_2Etopology$

**Definition 23** We define  $c\_2Epred\_set\_2EBIGUNION$  to be  $\lambda A\_27a : \iota.\lambda V0P \in (2^{(2^{A\_27a})}).(ap\ (c\_2Epred\_s$

**Definition 24** We define  $c\_2Etopology\_2Etopspace$  to be  $\lambda A\_27a : \iota.\lambda V0top \in (ty\_2Etopology\_2Etopology$

**Definition 25** We define  $c\_2Epred\_set\_2ESUBSET$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ ($

**Definition 26** We define  $c\_2Etopology\_2Eclosed\_in$  to be  $\lambda A\_27a : \iota.\lambda V0top \in (ty\_2Etopology\_2Etopology$

**Definition 27** We define  $c\_2Ereal\_topology\_2Econtinuous\_on$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Ereal$

**Definition 28** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

Assume the following.

$$True \quad (16)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (19)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (21)$$

Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. (V0x = V0x)) \quad (22)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\ & p V0t)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}). (\forall V1t \in \\ & (2^{A\_27a}). (\forall V2x \in A\_27a. ((p (ap (ap (c\_2Ebool\_2EIN A\_27a) \\ & V2x) (ap (ap (c\_2Epred\_set\_2EINTER A\_27a) V0s) V1t))) \Leftrightarrow ((p (ap \\ & (ap (c\_2Ebool\_2EIN A\_27a) V2x) V0s)) \wedge (p (ap (ap (c\_2Ebool\_2EIN \\ & A\_27a) V2x) V1t)))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}). (\forall V1t \in \\ & (2^{A\_27a}). ((ap (ap (c\_2Epred\_set\_2EINTER A\_27a) V0s) V1t) = ( \\ & ap (ap (c\_2Epred\_set\_2EINTER A\_27a) V1t) V0s)))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow ( \\ & \forall V0y \in A\_27b. (\forall V1s \in (2^{A\_27a}). (\forall V2f \in (A\_27b^{A\_27a}). \\ & ((p (ap (ap (c\_2Ebool\_2EIN A\_27b) V0y) (ap (ap (c\_2Epred\_set\_2EIMAGE \\ & A\_27a A\_27b) V2f) V1s))) \Leftrightarrow (\exists V3x \in A\_27a. ((V0y = (ap V2f V3x)) \wedge \\ & (p (ap (ap (c\_2Ebool\_2EIN A\_27a) V3x) V1s)))))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned}
& (\forall V0u \in (2^{ty\_2Erealax\_2Ereal}).(\forall V1s \in (2^{ty\_2Erealax\_2Ereal}). \\
& ((p (ap c\_2Ereal\_topology\_2EClosed V1s)) \Rightarrow (p (ap (ap (c\_2Etopology\_2EClosed\_in \\
& \quad ty\_2Erealax\_2Ereal) (ap (ap (c\_2Ereal\_topology\_2Esubtopology \\
& \quad \quad ty\_2Erealax\_2Ereal) c\_2Ereal\_topology\_2Euclidean) V0u))) \\
& (ap (ap (c\_2Epred\_set\_2EINTER ty\_2Erealax\_2Ereal) V0u) V1s))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}).(\forall V1s \in \\
& (2^{ty\_2Erealax\_2Ereal}).((p (ap (ap c\_2Ereal\_topology\_2Econtinuous\_on \\
& \quad V0f) V1s)) \Leftrightarrow (\forall V2t \in (2^{ty\_2Erealax\_2Ereal}).((p (ap (ap ( \\
& c\_2Etopology\_2EClosed\_in ty\_2Erealax\_2Ereal) (ap (ap (c\_2Ereal\_topology\_2Esubtopology \\
& \quad ty\_2Erealax\_2Ereal) c\_2Ereal\_topology\_2Euclidean) (ap (ap \\
& \quad (c\_2Epred\_set\_2EIMAGE ty\_2Erealax\_2Ereal ty\_2Erealax\_2Ereal) \\
& \quad V0f) V1s))) V2t)) \Rightarrow (p (ap (ap (c\_2Etopology\_2EClosed\_in ty\_2Erealax\_2Ereal) \\
& \quad (ap (ap (c\_2Ereal\_topology\_2Esubtopology ty\_2Erealax\_2Ereal) \\
& \quad \quad c\_2Ereal\_topology\_2Euclidean) V1s)) (ap (c\_2Epred\_set\_2EGSPEC \\
& \quad \quad ty\_2Erealax\_2Ereal ty\_2Erealax\_2Ereal) (\lambda V3x \in ty\_2Erealax\_2Ereal. \\
& \quad (ap (ap (c\_2Epair\_2E\_2C ty\_2Erealax\_2Ereal 2) V3x) (ap (ap c\_2Ebool\_2E\_2F\_5C \\
& \quad \quad (ap (ap (c\_2Ebool\_2EIN ty\_2Erealax\_2Ereal) V3x) V1s)) (ap (ap ( \\
& \quad \quad \quad c\_2Ebool\_2EIN ty\_2Erealax\_2Ereal) (ap V0f V3x)) V2t))))))))))
\end{aligned} \tag{28}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{29}$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{30}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))
\end{aligned} \tag{32}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \tag{33}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg \\
& p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{34}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \wedge (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (\neg(p \ V1q)) \vee (\neg(p \ V2r)))) \wedge (((p \ V1q) \vee \\
& (\neg(p \ V0p))) \wedge ((p \ V2r) \vee (\neg(p \ V0p))))))))))
\end{aligned} \tag{35}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \vee (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (\neg(p \ V1q))) \wedge ((p \ V0p) \vee (\neg(p \ V2r)))) \wedge \\
& ((p \ V1q) \vee ((p \ V2r) \vee (\neg(p \ V0p))))))))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \ V0p) \Leftrightarrow (\neg(p \ V1q))) \Leftrightarrow (((p \ V0p) \vee \\
& (p \ V1q)) \wedge ((\neg(p \ V1q)) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{37}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (p \ V0p))) \tag{38}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (\neg(p \ V1q)))) \tag{39}$$

**Theorem 1**

$$\begin{aligned}
& (\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}). (\forall V1s \in \\
& (2^{ty\_2Erealax\_2Ereal}). (\forall V2t \in (2^{ty\_2Erealax\_2Ereal}). \\
& (((p \ (ap \ (ap \ c\_2Ereal\_topology\_2Econtinuous\_on \ V0f) \ V1s)) \wedge \\
& (p \ (ap \ c\_2Ereal\_topology\_2EClosed \ V2t))) \Rightarrow (p \ (ap \ (ap \ (c\_2Etopology\_2EClosed\_in \\
& ty\_2Erealax\_2Ereal) \ (ap \ (ap \ (c\_2Ereal\_topology\_2Esubtopology \\
& ty\_2Erealax\_2Ereal) \ c\_2Ereal\_topology\_2Euclidean) \ V1s)) \\
& (ap \ (c\_2Epred\_set\_2EGSPEC \ ty\_2Erealax\_2Ereal \ ty\_2Erealax\_2Ereal) \\
& (\lambda V3x \in ty\_2Erealax\_2Ereal. (ap \ (ap \ (c\_2Epair\_2E\_2C \ ty\_2Erealax\_2Ereal \\
& 2) \ V3x) \ (ap \ (ap \ c\_2Ebool\_2E\_2F\_5C \ (ap \ (ap \ (c\_2Ebool\_2EIN \ ty\_2Erealax\_2Ereal) \\
& V3x) \ V1s)) \ (ap \ (ap \ (c\_2Ebool\_2EIN \ ty\_2Erealax\_2Ereal) \ (ap \ V0f \ V3x) \\
& V2t))))))))))
\end{aligned}$$