

thm_2Ereal_topology_2ECONTINUOUS_INV
(TMdYfKmhLgqDLiwd29ZZstgqK5kNWmkfBek)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_ET$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})))$

Definition 4 We define $c_2Ebool_2E_EF$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Let $ty_2Ereal_topology_2E_enet : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Ereal_topology_2E_enet A0) \quad (1)$$

Let $c_2Ereal_topology_2E_enetord : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ereal_topology_2E_enetord A_27a \in (((2^{A_27a})^{A_27a})^{(ty_2Ereal_topology_2E_enet A_27a)}) \quad (2)$$

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_EF$

Definition 7 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$.

Definition 8 We define $c_2Ereal_topology_2E_enetlimit$ to be $\lambda A_27a : \iota.\lambda V0net \in (ty_2Ereal_topology_2E_enet$

Let $ty_2Erealax_2E_ereal : \iota$ be given. Assume the following.

$$nonempty ty_2Erealax_2E_ereal \quad (3)$$

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (4)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (5)$$

Definition 10 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2EABS_prod\ A_27a\ A_27b)\ x\ y)$

Let $c_2Ereal_topology_2EDist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2EDist \in (ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)}) \quad (6)$$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (7)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal}) \quad (8)$$

Definition 11 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E_40\ a)\ a)$

Let $c_2Erealax_2Etreallt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreallt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (9)$$

Definition 12 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.(c_2Emin_2E_40\ T1\ T2)$

Definition 13 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40\ P)\ P)))$

Definition 14 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ t1)\ t2))\ (\lambda V2t \in 2.(ap\ (c_2Ebool_2E_21\ t2)\ t)))$

Definition 15 We define $c_2Ereal_topology_2Etrivial_limit$ to be $\lambda A_27a : \iota.\lambda V0net \in (ty_2Ereal_topology_2Etrivial_limit\ A_27a)$

Definition 16 We define $c_2Ereal_topology_2Eeventually$ to be $\lambda A_27a : \iota.\lambda V0p \in (2^{A_27a}).\lambda V1net \in (ty_2Ereal_topology_2Eeventually\ A_27a\ p)$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \quad (10)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (11)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \quad (12)$$

Definition 17 We define c_Enum_E0 to be $(ap\ c_Enum_EABS_num\ c_Enum_EZERO_REP)$.

Let $c_Ereal_Ereal_of_num : \iota$ be given. Assume the following.

$$c_Ereal_Ereal_of_num \in (ty_Erealax_Ereal^{ty_Eenum_Eenum}) \quad (13)$$

Definition 18 We define $c_Ereal_topology_E2D_2D_3E$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_Erealax_Ereal^A$

Definition 19 We define $c_Ereal_topology_Econtinuous$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_Erealax_Ereal^A$

Let $c_Erealax_Etrealm_inv : \iota$ be given. Assume the following.

$$c_Erealax_Etrealm_inv \in ((ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)}) \quad (14)$$

Let $c_Erealax_Etrealm_eq : \iota$ be given. Assume the following.

$$c_Erealax_Etrealm_eq \in ((2^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)})^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal)}) \quad (15)$$

Let $c_Erealax_Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_Erealax_Ereal_ABS_CLASS \in (ty_Erealax_Ereal^{(2^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)})}) \quad (16)$$

Definition 20 We define $c_Erealax_Ereal_ABS$ to be $\lambda V0r \in (ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)$

Definition 21 We define $c_Erealax_Einv$ to be $\lambda V0T1 \in ty_Erealax_Ereal.(ap\ c_Erealax_Ereal_ABS$

Definition 22 We define $c_Ecombin_Eo$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A_27c}).\lambda V1$

Assume the following.

$$True \quad (17)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (19)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (22)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge (\neg False) \Leftrightarrow True)) \quad (23)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (25)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (26)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in 2. (((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27)))))) \quad (27)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow \forall A_27c.nonempty A_27c \Rightarrow (\forall V0f \in (A_27b^{A_27a}). (\forall V1g \in (A_27c^{A_27a}). (\forall V2x \in A_27c. ((ap (ap (ap (c_2Ecombin_2Eo A_27c A_27b A_27a) V0f) V1g) V2x) = (ap V0f (ap V1g V2x)))))) \quad (28)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0net \in (ty_2Ereal_topology_2Enet A_27a). (\forall V1f \in (ty_2Erealax_2Ereal^{A_27a}). (\forall V2l \in ty_2Erealax_2Ereal. (((p (ap (ap (ap (c_2Ereal_topology_2E_2D_2D_3E A_27a) V1f) V2l) V0net)) \wedge (\neg(V2l = (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)))) \Rightarrow (p (ap (ap (ap (c_2Ereal_topology_2E_2D_2D_3E A_27a) (ap (ap (c_2Ecombin_2Eo A_27a ty_2Erealax_2Ereal ty_2Erealax_2Ereal) c_2Erealax_2Einv) V1f)) (ap c_2Erealax_2Einv V2l)) V0net)))))) \quad (29)$$

Theorem 1

$$\begin{aligned} \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0net \in (ty_2Ereal_topology_2Enet \\ A_{.27a}).(\forall V1f \in (ty_2Erealax_2Ereal^{A_{.27a}}).(((p\ (ap\ (ap \\ (c_2Ereal_topology_2Econtinuous\ A_{.27a})\ V1f)\ V0net)) \wedge (\neg((ap \\ V1f\ (ap\ (c_2Ereal_topology_2Enetlimit\ A_{.27a})\ V0net)) = (ap\ c_2Ereal_2Ereal_of_num \\ c_2Enum_2E0)))))) \Rightarrow (p\ (ap\ (ap\ (c_2Ereal_topology_2Econtinuous \\ A_{.27a})\ (ap\ (ap\ (c_2Ecombin_2Eo\ A_{.27a}\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal) \\ c_2Erealax_2Einv)\ V1f))\ V0net)))))) \end{aligned}$$