

thm_2Ereal__topology_2ECONTINUOUS__LEVELSET__OPEN
(TMU59N8mrsAdGmDdstqJq4XnY3SH2wpTeXH)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_ET$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})))$

Definition 4 We define $c_2Ebool_2E_EF$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_EF$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (1)$$

Definition 7 We define $c_2Ebool_2E_EIN$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 8 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (2)$$

Definition 9 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2E$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}})$$
(3)

Definition 10 We define $c_2Epred_set_2EINTER$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2Epred_set_2EINTER\ V0s\ V1t))$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal$$
(4)

Let $c_2Ereal_topology_2EDist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2EDist \in (ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)})$$
(5)

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal$$
(6)

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal})$$
(7)

Definition 11 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x)) \text{ then } (the\ (\lambda x.x \in A \wedge P\ x)) \text{ of type } \iota \Rightarrow \iota.$

Definition 12 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E_40\ V0a))$

Let $c_2Erealax_2Etreallt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreallt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)})$$
(8)

Definition 13 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E_40\ V0T1\ V1T2))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega$$
(9)

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum$$
(10)

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega})$$
(11)

Definition 14 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_Ereal_Ereal_of_num : \iota$ be given. Assume the following.

$$c_Ereal_Ereal_of_num \in (ty_Erealax_Ereal^{ty_Eenum_Eenum}) \quad (12)$$

Definition 15 We define $c_Ebool_E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap V0P (ap (c_Emin_E_40$

Definition 16 We define $c_Ereal_topology_EOpen$ to be $\lambda V0s \in (2^{ty_Erealax_Ereal}). (ap (c_Ebool_E_2$

Let $ty_Etopology_Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty_Etopology_Etopology A0) \quad (13)$$

Let $c_Etopology_Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_Etopology_Etopology A_27a \in ((ty_Etopology_Etopology A_27a)^{(2^{(2^{A_27a})})}) \quad (14)$$

Definition 17 We define $c_Ereal_topology_Eeuclidean$ to be $(ap (c_Etopology_Etopology ty_Erealax$

Let $c_Etopology_Eopen_in : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_Etopology_Eopen_in A_27a \in ((2^{(2^{A_27a})})^{(ty_Etopology_Etopology A_27a)}) \quad (15)$$

Definition 18 We define $c_Ereal_topology_Esubtopology$ to be $\lambda A_27a : \iota. \lambda V0top \in (ty_Etopology_Etopology$

Definition 19 We define $c_Ereal_topology_Econtinuous_on$ to be $\lambda V0f \in (ty_Erealax_Ereal^{ty_Ereal$

Definition 20 We define $c_Epred_set_EEMPTY$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_Ebool_E_2EF).$

Definition 21 We define $c_Ebool_E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_Ebool_E_21 2) (\lambda V2t \in$

Definition 22 We define $c_Epred_set_EUNION$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap (c$

Definition 23 We define $c_Epred_set_ESUBSET$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap ($

Definition 24 We define $c_Ereal_topology_Econnected$ to be $\lambda V0s \in (2^{ty_Erealax_Ereal}). (ap c_Ebool_E_2$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg (p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (18)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge \\
& (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t))))))
\end{aligned} \tag{19}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\
& A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x))))
\end{aligned} \tag{20}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow \neg(p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\
& p \ V0t))))))
\end{aligned} \tag{21}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1a \in \\
& A_27a. ((\exists V2x \in A_27a. ((V2x = V1a) \wedge (p \ (ap \ V0P \ V2x)))) \Leftrightarrow (p \ (\\
& ap \ V0P \ V1a))))))
\end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow \forall A_27b.nonempty \ A_27b \Rightarrow (\\
& \forall V0x \in A_27a. (\forall V1y \in A_27b. (\forall V2a \in A_27a. (\forall V3b \in \\
& A_27b. (((ap \ (ap \ (c_2Epair_2E_2C \ A_27a \ A_27b) \ V0x) \ V1y) = (ap \ (ap \\
& (c_2Epair_2E_2C \ A_27a \ A_27b) \ V2a) \ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b))))))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\
& (2^{A_27a}). ((V0s = V1t) \Leftrightarrow (\forall V2x \in A_27a. ((p \ (ap \ (ap \ (c_2Ebool_2EIN \\
& A_27a) \ V2x) \ V0s)) \Leftrightarrow (p \ (ap \ (ap \ (c_2Ebool_2EIN \ A_27a) \ V2x) \ V1t))))))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow \forall A_27b.nonempty \ A_27b \Rightarrow (\\
& \forall V0f \in ((ty_2Epair_2Eprod \ A_27a \ 2)^{A_27b}). (\forall V1v \in \\
& A_27a. ((p \ (ap \ (ap \ (c_2Ebool_2EIN \ A_27a) \ V1v) \ (ap \ (c_2Epred_set_2EGSPEC \\
& A_27a \ A_27b) \ V0f))) \Leftrightarrow (\exists V2x \in A_27b. ((ap \ (ap \ (c_2Epair_2E_2C \\
& A_27a \ 2) \ V1v) \ c_2Ebool_2ET) = (ap \ V0f \ V2x))))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\
& (2^{A_27a}). (\forall V2x \in A_27a. ((p \ (ap \ (ap \ (c_2Ebool_2EIN \ A_27a) \\
& V2x) \ (ap \ (ap \ (c_2Epred_set_2EINTER \ A_27a) \ V0s) \ V1t))) \Leftrightarrow ((p \ (ap \\
& (ap \ (c_2Ebool_2EIN \ A_27a) \ V2x) \ V0s)) \wedge (p \ (ap \ (ap \ (c_2Ebool_2EIN \\
& A_27a) \ V2x) \ V1t))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealax_2Ereal}).(\forall V1u \in (2^{ty_2Erealax_2Ereal}). \\
& ((p (ap (ap (c_2Etopology_2Eopen_in ty_2Erealax_2Ereal) (ap \\
& (ap (c_2Ereal_topology_2Esubtopology ty_2Erealax_2Ereal) \\
& c_2Ereal_topology_2Eeuclidean) V1u)) V0s)) \Leftrightarrow (\exists V2t \in (\\
& 2^{ty_2Erealax_2Ereal}).((p (ap c_2Ereal_topology_2Eopen V2t)) \wedge \\
& (V0s = (ap (ap (c_2Epred_set_2EINTER ty_2Erealax_2Ereal) V1u) \\
& V2t))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V1s \in \\
& (2^{ty_2Erealax_2Ereal}).(\forall V2a \in ty_2Erealax_2Ereal.(\\
& ((p (ap c_2Ereal_topology_2Econnected V1s)) \wedge ((p (ap (ap c_2Ereal_topology_2Econtinuous_on \\
& V0f) V1s)) \wedge ((p (ap (ap (c_2Etopology_2Eopen_in ty_2Erealax_2Ereal) \\
& (ap (ap (c_2Ereal_topology_2Esubtopology ty_2Erealax_2Ereal) \\
& c_2Ereal_topology_2Eeuclidean) V1s)) (ap (c_2Epred_set_2EGSPEC \\
& ty_2Erealax_2Ereal ty_2Erealax_2Ereal) (\lambda V3x \in ty_2Erealax_2Ereal. \\
& (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal 2) V3x) (ap (ap c_2Ebool_2E_2F_5C \\
& (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) V3x) V1s)) (ap (ap (\\
& c_2Emin_2E_3D ty_2Erealax_2Ereal) (ap V0f V3x)) V2a)))))) \wedge (\\
& \exists V4x \in ty_2Erealax_2Ereal.((p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) \\
& V4x) V1s)) \wedge ((ap V0f V4x) = V2a)))))) \Rightarrow (\forall V5x \in ty_2Erealax_2Ereal. \\
& ((p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) V5x) V1s)) \Rightarrow ((ap \\
& V0f V5x) = V2a))))))
\end{aligned} \tag{28}$$

Theorem 1

$$\begin{aligned}
& (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V1s \in \\
& (2^{ty_2Erealax_2Ereal}).(\forall V2a \in ty_2Erealax_2Ereal.(\\
& ((p (ap c_2Ereal_topology_2Econnected V1s)) \wedge ((p (ap (ap c_2Ereal_topology_2Econtinuous_on \\
& V0f) V1s)) \wedge ((p (ap c_2Ereal_topology_2Eopen (ap (c_2Epred_set_2EGSPEC \\
& ty_2Erealax_2Ereal ty_2Erealax_2Ereal) (\lambda V3x \in ty_2Erealax_2Ereal. \\
& (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal 2) V3x) (ap (ap c_2Ebool_2E_2F_5C \\
& (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) V3x) V1s)) (ap (ap (\\
& c_2Emin_2E_3D ty_2Erealax_2Ereal) (ap V0f V3x)) V2a)))))) \wedge (\\
& \exists V4x \in ty_2Erealax_2Ereal.((p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) \\
& V4x) V1s)) \wedge ((ap V0f V4x) = V2a)))))) \Rightarrow (\forall V5x \in ty_2Erealax_2Ereal. \\
& ((p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) V5x) V1s)) \Rightarrow ((ap \\
& V0f V5x) = V2a))))))
\end{aligned}$$