

thm_2Ereal__topology_2ECONTINUOUS__LEVELSET__OPEN__IN (TMb1sW42M9qBSETawUDBqSuDpK11pCGMioz)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2E_2T` to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define `c_2Emin_2E_40` to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p (ap P x)))$ of type $\iota \Rightarrow \iota$.

Definition 4 We define `c_2Ebool_2E_3F` to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c_2Emin_2E_40 A 27a))))$

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (1)$$

Definition 5 We define `c_2Ebool_2E_21` to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})) V0P) V0P))$

Definition 6 We define `c_2Ebool_2E_2F` to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 7 We define `c_2Epred__set_2EEMPTY` to be $\lambda A.27a : \iota.(\lambda V0x \in A.27a.c_2Ebool_2E_2F)$.

Let `ty_2Etopology_2Etopology` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Etopology_2Etopology A0) \quad (2)$$

Let `c_2Etopology_2Eopen__in` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow c_2Etopology_2Eopen__in A.27a \in ((2^{(2^{A-27a})})(ty_2Etopology_2Etopology A.27a)) \quad (3)$$

Let `ty_2Erealax_2Ereal` : ι be given. Assume the following.

$$nonempty ty_2Erealax_2Ereal \quad (4)$$

Definition 8 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A-27a}). (ap\ V1f\ V0x)))$

Definition 9 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 10 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ V2t))))$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A-27b})^{A-27a}}) \quad (5)$$

Definition 11 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2Epair_2E_2C\ V0x\ V1y))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A-27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A-27b}}) \quad (6)$$

Definition 12 We define $c_2Epred_set_2EINTER$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A-27a}). \lambda V1t \in (2^{A-27a}). (ap\ (c_2Epred_set_2EINTER\ V0s\ V1t))$

Definition 13 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_7E))$

Definition 14 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ V2t))))$

Definition 15 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A-27a}). \lambda V1t \in (2^{A-27a}). (ap\ (c_2Epred_set_2EUNION\ V0s\ V1t))$

Definition 16 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A-27a}). \lambda V1t \in (2^{A-27a}). (ap\ (c_2Epred_set_2ESUBSET\ V0s\ V1t))$

Let $c_2Ereal_topology_2EDist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2EDist \in (ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)}) \quad (7)$$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (8)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal}) \quad (9)$$

Definition 17 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal. (ap\ (c_2Emin_2E_40\ V0a))$

Let $c_2Erealax_2Etrealt_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealt_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (10)$$

Definition 18 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$.
Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \quad (11)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (12)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \quad (13)$$

Definition 19 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \quad (14)$$

Definition 20 We define $c_2Ereal_topology_2EOpen$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}).(ap\ (c_2Ebool_2E2$

Definition 21 We define $c_2Ereal_topology_2Econnected$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}).(ap\ c_2Ebool_2E2$

Let $c_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Etopology_2Etopology\ A_27a \in ((ty_2Etopology_2Etopology\ A_27a)^{(2^{(2^A_27a)}})) \quad (15)$$

Definition 22 We define $c_2Ereal_topology_2Eeuclidean$ to be $(ap\ (c_2Etopology_2Etopology\ ty_2Erealax_2Ereal$

Definition 23 We define $c_2Ereal_topology_2Esubtopology$ to be $\lambda A_27a : \iota.\lambda V0top \in (ty_2Etopology_2Etopology$

Definition 24 We define $c_2Epred_set_2EBIGUNION$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(2^A_27a)}).(ap\ (c_2Epred_set$

Definition 25 We define $c_2Etopology_2Etopspace$ to be $\lambda A_27a : \iota.\lambda V0top \in (ty_2Etopology_2Etopology$

Definition 26 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^A_27a).\lambda V1t \in (2^A_27a).(ap\ (c_2E$

Definition 27 We define $c_2Etopology_2Eclosed_in$ to be $\lambda A_27a : \iota.\lambda V0top \in (ty_2Etopology_2Etopology$

Definition 28 We define $c_2Ereal_topology_2Econtinuous_on$ to be $\lambda V0f \in (ty_2Erealax_2Ereal^{ty_2Ereal$

Assume the following.

$$True \quad (16)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (19)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (22)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (V0x = V0x)) \quad (23)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\ & A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\ & p V0t)))))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(\\ & p V0A) \vee (\neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A) \wedge (\neg(p V1B))))))))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V1B) \wedge \\ & (p V2C) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A)))))) \end{aligned} \quad (27)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (28)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (29)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0P \in (2^{A_{.27a}}).(\forall V1a \in A_{.27a}.((\exists V2x \in A_{.27a}.((V2x = V1a) \wedge (p (ap V0P V2x)))) \Leftrightarrow (p (ap V0P V1a)))))) \quad (30)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow (\forall V0x \in A_{.27a}.(\forall V1y \in A_{.27b}.(\forall V2a \in A_{.27a}.(\forall V3b \in A_{.27b}.(((ap (ap (c_{.2Epair}_{.2E}_{.2C} A_{.27a} A_{.27b}) V0x) V1y) = (ap (ap (c_{.2Epair}_{.2E}_{.2C} A_{.27a} A_{.27b}) V2a) V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b))))))) \quad (31)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0s \in (2^{A_{.27a}}).(\forall V1t \in (2^{A_{.27a}}).((V0s = V1t) \Leftrightarrow (\forall V2x \in A_{.27a}.((p (ap (ap (c_{.2Ebool}_{.2EIN} A_{.27a}) V2x) V0s)) \Leftrightarrow (p (ap (ap (c_{.2Ebool}_{.2EIN} A_{.27a}) V2x) V1t))))))) \quad (32)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow (\forall V0f \in ((ty_{.2Epair}_{.2Eprod} A_{.27a} 2)^{A_{.27b}}).(\forall V1v \in A_{.27a}.((p (ap (ap (c_{.2Ebool}_{.2EIN} A_{.27a}) V1v) (ap (c_{.2Epred}_{.set}_{.2EGSPEC} A_{.27a} A_{.27b}) V0f))) \Leftrightarrow (\exists V2x \in A_{.27b}.((ap (ap (c_{.2Epair}_{.2E}_{.2C} A_{.27a} 2) V1v) c_{.2Ebool}_{.2ET}) = (ap V0f V2x))))))) \quad (33)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.(\neg (p (ap (ap (c_{.2Ebool}_{.2EIN} A_{.27a}) V0x) (c_{.2Epred}_{.set}_{.2EEMPTY} A_{.27a})))))) \quad (34)$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealax_2Ereal}).((p (ap c_2Ereal_topology_2Econnected \\
& V0s)) \Leftrightarrow (\forall V1t \in (2^{ty_2Erealax_2Ereal}).(((p (ap (ap (c_2Etopology_2Eopen_in \\
& ty_2Erealax_2Ereal) (ap (ap (c_2Ereal_topology_2Esubtopology \\
& ty_2Erealax_2Ereal) c_2Ereal_topology_2Eeuclidean) V0s)) \\
& V1t)) \wedge (p (ap (ap (c_2Etopology_2Eclosed_in ty_2Erealax_2Ereal) \\
& (ap (ap (c_2Ereal_topology_2Esubtopology ty_2Erealax_2Ereal) \\
& c_2Ereal_topology_2Eeuclidean) V0s)) V1t))) \Rightarrow ((V1t = (c_2Epred_set_2EEMPTY \\
& ty_2Erealax_2Ereal)) \vee (V1t = V0s))))))
\end{aligned} \tag{35}$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V1s \in \\
& (2^{ty_2Erealax_2Ereal}).(\forall V2a \in ty_2Erealax_2Ereal.(\\
& (p (ap (ap c_2Ereal_topology_2Econtinuous_on V0f) V1s)) \Rightarrow (p \\
& (ap (ap (c_2Etopology_2Eclosed_in ty_2Erealax_2Ereal) (ap (\\
& ap (c_2Ereal_topology_2Esubtopology ty_2Erealax_2Ereal) c_2Ereal_topology_2Eeuclidean) \\
& V1s)) (ap (c_2Epred_set_2EGSPEC ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\
& (\lambda V3x \in ty_2Erealax_2Ereal.(ap (ap (c_2Epair_2E2C ty_2Erealax_2Ereal \\
& 2) V3x) (ap (ap c_2Ebool_2E2F_5C (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) \\
& V3x) V1s)) (ap (ap (c_2Emin_2E3D ty_2Erealax_2Ereal) (ap V0f V3x) \\
& V2a))))))))))
\end{aligned} \tag{36}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{37}$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{38}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{40}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \tag{41}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg \\
& p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \vee V0p) \Leftrightarrow (\\
& (p \vee V1q) \wedge (p \vee V2r))) \Leftrightarrow (((p \vee V0p) \vee (\neg(p \vee V1q)) \vee \neg(p \vee V2r)))) \wedge (((p \vee V1q) \vee \\
& (\neg(p \vee V0p))) \wedge ((p \vee V2r) \vee \neg(p \vee V0p))))))
\end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \vee V0p) \Leftrightarrow (\\
& (p \vee V1q) \vee (p \vee V2r))) \Leftrightarrow (((p \vee V0p) \vee \neg(p \vee V1q)) \wedge ((p \vee V0p) \vee \neg(p \vee V2r))) \wedge \\
& ((p \vee V1q) \vee ((p \vee V2r) \vee \neg(p \vee V0p))))))
\end{aligned} \tag{44}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \vee V0p) \Leftrightarrow (\\
& (p \vee V1q) \Rightarrow (p \vee V2r))) \Leftrightarrow (((p \vee V0p) \vee (p \vee V1q)) \wedge (((p \vee V0p) \vee \neg(p \vee V2r))) \wedge (\\
& \neg(p \vee V1q) \vee ((p \vee V2r) \vee \neg(p \vee V0p))))))
\end{aligned} \tag{45}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \vee V0p) \Leftrightarrow \neg(p \vee V1q)) \Leftrightarrow (((p \vee V0p) \vee \\
& (p \vee V1q)) \wedge (\neg(p \vee V1q) \vee \neg(p \vee V0p))))))
\end{aligned} \tag{46}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \vee V0p) \Rightarrow (p \vee V1q))) \Rightarrow (p \vee V0p))) \tag{47}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \vee V0p) \Rightarrow (p \vee V1q))) \Rightarrow \neg(p \vee V1q))) \tag{48}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \vee V0p) \vee (p \vee V1q))) \Rightarrow \neg(p \vee V0p))) \tag{49}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \vee V0p) \vee (p \vee V1q))) \Rightarrow \neg(p \vee V1q))) \tag{50}$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p \vee V0p))) \Rightarrow (p \vee V0p))) \tag{51}$$

Theorem 1

$$\begin{aligned} & (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V1s \in \\ & \quad (2^{ty_2Erealax_2Ereal}).(\forall V2a \in ty_2Erealax_2Ereal.(\\ & ((p (ap c_2Ereal_topology_2Econnected V1s)) \wedge ((p (ap (ap c_2Ereal_topology_2Econtinuous_on \\ & \quad V0f) V1s)) \wedge (p (ap (ap (c_2Etopology_2Eopen_in ty_2Erealax_2Ereal) \\ & \quad (ap (ap (c_2Ereal_topology_2Esubtopology ty_2Erealax_2Ereal) \\ & \quad c_2Ereal_topology_2Euclidean) V1s)) (ap (c_2Epred_set_2EGSPEC \\ & \quad ty_2Erealax_2Ereal ty_2Erealax_2Ereal) (\lambda V3x \in ty_2Erealax_2Ereal. \\ & (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal 2) V3x) (ap (ap c_2Ebool_2E_2F_5C \\ & \quad (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) V3x) V1s)) (ap (ap (\\ & \quad c_2Emin_2E_3D ty_2Erealax_2Ereal) (ap V0f V3x)) V2a))))))))) \Rightarrow \\ & \quad ((\forall V4x \in ty_2Erealax_2Ereal.((p (ap (ap (c_2Ebool_2EIN \\ & \quad ty_2Erealax_2Ereal) V4x) V1s)) \Rightarrow (\neg((ap V0f V4x) = V2a)))) \vee (\forall V5x \in \\ & \quad ty_2Erealax_2Ereal.((p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) \\ & \quad V5x) V1s)) \Rightarrow ((ap V0f V5x) = V2a))))))))) \end{aligned}$$