

# thm\_2Ereal\_\_topology\_2ECONTINUOUS\_\_ON\_\_CASES\_\_OPEN (TMdrYT7v7vwPMfGzt7VqaU8QbRagPHpE82xP)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_2E21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_2EF$  to be  $(ap (c\_2Ebool\_2E\_2E21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Ebool\_2E\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A-27a}).(ap V1f V0x)))$

**Definition 6** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 7** We define  $c\_2Epred\_set\_2ESUBSET$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap (c$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \tag{1}$$

**Definition 8** We define  $c\_2Ebool\_2E\_2E2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_2E21 2) (\lambda V2t \in 2.V2t)))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{2}$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A-27b})^{A-27a}}) \tag{3}$$

**Definition 9** We define  $c\_2Epair\_2E\_2E2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2E$

Let  $c\_2Ereal\_topology\_2EDist : \iota$  be given. Assume the following.

$$c\_2Ereal\_topology\_2EDist \in (ty\_2Erealax\_2Ereal^{(ty\_2Epair\_2Eprod\ ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal)}) \quad (4)$$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (5)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax}) \quad (6)$$

**Definition 10** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A$ . **if**  $(\exists x \in A.p (ap\ P\ x))$  **then**  $(the\ (\lambda x.x \in A \wedge p\ x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 11** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap\ (c\_2Emin\_2E\_40\ (ap\ V0a)))$

Let  $c\_2Erealax\_2Etrealt\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealt\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \quad (7)$$

**Definition 12** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal.(ap\ (c\_2Etrealt\_lt\ (ap\ V0T1\ V1T2)))$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (8)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (9)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (10)$$

**Definition 13** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (11)$$

**Definition 14** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40\ (ap\ V0P))))$

**Definition 15** We define  $c\_2Ereal\_topology\_2EOpen$  to be  $\lambda V0s \in (2^{ty\_2Erealax\_2Ereal}).(ap\ (c\_2Ebool\_2E\_3F\ (ap\ V0s)))$

**Definition 16** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A.\lambda 27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.27a.(\lambda V2t2 \in A.27a.(ap\ (c\_2Emin\_2E\_40\ (ap\ V0t\ V1t1\ V2t2))))))$

**Definition 17** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_3F))$

**Definition 18** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (ap\ V0t1\ V1t2))))$

**Definition 19** We define  $c\_Ereal\_topology\_Econtinuous\_on$  to be  $\lambda V0f \in (ty\_Erealax\_Ereal^{ty\_Ereal})$

Let  $c\_Epred\_set\_EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_Epred\_set\_EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_Epair\_Eprod\ A\_27a\ 2)^{A\_27b}}) \quad (12)$$

**Definition 20** We define  $c\_Epred\_set\_EUNION$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_Erealax\_Ereal^{ty\_Ereal})\ s\ t)$

Let  $ty\_Etopology\_Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_Etopology\_Etopology\ A0) \quad (13)$$

Let  $c\_Etopology\_Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_Etopology\_Etopology\ A\_27a \in ((ty\_Etopology\_Etopology\ A\_27a)^{(2^{(2^{A\_27a})})}) \quad (14)$$

**Definition 21** We define  $c\_Ereal\_topology\_Eeuclidean$  to be  $(ap\ (c\_Etopology\_Etopology\ ty\_Erealax\_Ereal^{ty\_Ereal})\ s\ t)$

Let  $c\_Etopology\_Eopen\_in : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_Etopology\_Eopen\_in\ A\_27a \in ((2^{(2^{A\_27a})})^{(ty\_Etopology\_Etopology\ A\_27a)}) \quad (15)$$

**Definition 22** We define  $c\_Epred\_set\_EINTER$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_Erealax\_Ereal^{ty\_Ereal})\ s\ t)$

**Definition 23** We define  $c\_Ereal\_topology\_Esubtopology$  to be  $\lambda A\_27a : \iota.\lambda V0top \in (ty\_Etopology\_Etopology)$

Assume the following.

$$True \quad (16)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p\ V0t) \Leftrightarrow (p\ V0t)))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (19)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\
& (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t))))))))) \quad (20)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in \\
& A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (21)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\
& p V0t))))))))) \quad (22)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow \\
& ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (23)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in \\
& 2. (((p V0x) \Leftrightarrow (p V1x\_27)) \wedge ((p V1x\_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y\_27)))))) \Rightarrow \\
& (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x\_27) \Rightarrow (p V3y\_27)))))) \quad (24)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}). (\forall V1t \in \\
& (2^{A\_27a}). (\forall V2x \in A\_27a. ((p (ap (ap (c\_2Ebool\_2EIN A\_27a) \\
& V2x) (ap (ap (c\_2Epred\_set\_2EUNION A\_27a) V0s) V1t))) \Leftrightarrow ((p (ap \\
& (ap (c\_2Ebool\_2EIN A\_27a) V2x) V0s)) \vee (p (ap (ap (c\_2Ebool\_2EIN \\
& A\_27a) V2x) V1t)))))) \quad (25)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (2^{ty\_2Erealax\_2Ereal}). (\forall V1t \in (2^{ty\_2Erealax\_2Ereal}). \\
& (((p (ap c\_2Ereal\_topology\_2EOpen V0s)) \wedge (p (ap c\_2Ereal\_topology\_2EOpen \\
& V1t))) \Rightarrow (p (ap c\_2Ereal\_topology\_2EOpen (ap (ap (c\_2Epred\_set\_2EUNION \\
& ty\_2Erealax\_2Ereal) V0s) V1t)))))) \quad (26)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (2^{ty\_2Erealax\_2Ereal}). (\forall V1t \in (2^{ty\_2Erealax\_2Ereal}). \\
& (((p (ap c\_2Ereal\_topology\_2EOpen V0s)) \wedge (p (ap c\_2Ereal\_topology\_2EOpen \\
& V1t)) \wedge (p (ap (ap (c\_2Epred\_set\_2ESUBSET ty\_2Erealax\_2Ereal) \\
& V1t) V0s)))) \Rightarrow (p (ap (ap (c\_2Etopology\_2Eopen\_in ty\_2Erealax\_2Ereal) \\
& (ap (ap (c\_2Ereal\_topology\_2Esubtopology ty\_2Erealax\_2Ereal) \\
& c\_2Ereal\_topology\_2Euclidean) V0s)) V1t)))) \quad (27)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0P \in (2^{ty\_2Erealax\_2Ereal}).(\forall V1f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}). \\
& \quad (\forall V2g \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}).(\forall V3s \in \\
& \quad \quad (2^{ty\_2Erealax\_2Ereal}).(\forall V4t \in (2^{ty\_2Erealax\_2Ereal}). \\
& \quad ((p (ap (ap (c\_2Etopology\_2Eopen\_in ty\_2Erealax\_2Ereal) (ap \\
& \quad \quad (ap (c\_2Ereal\_topology\_2Esubtopology ty\_2Erealax\_2Ereal) \\
& \quad \quad c\_2Ereal\_topology\_2Euclidean) (ap (ap (c\_2Epred\_set\_2EUNION \\
& ty\_2Erealax\_2Ereal) V3s) V4t))) V3s)) \wedge ((p (ap (ap (c\_2Etopology\_2Eopen\_in \\
& ty\_2Erealax\_2Ereal) (ap (ap (c\_2Ereal\_topology\_2Esubtopology \\
& ty\_2Erealax\_2Ereal) c\_2Ereal\_topology\_2Euclidean) (ap (ap \\
& (c\_2Epred\_set\_2EUNION ty\_2Erealax\_2Ereal) V3s) V4t))) V4t)) \wedge \\
& \quad ((p (ap (ap c\_2Ereal\_topology\_2Econtinuous\_on V1f) V3s)) \wedge ( \\
& \quad (p (ap (ap c\_2Ereal\_topology\_2Econtinuous\_on V2g) V4t)) \wedge (\forall V5x \in \\
& ty\_2Erealax\_2Ereal.(((p (ap (ap (c\_2Ebool\_2EIN ty\_2Erealax\_2Ereal) \\
& V5x) V3s)) \wedge (\neg(p (ap V0P V5x)))) \vee ((p (ap (ap (c\_2Ebool\_2EIN ty\_2Erealax\_2Ereal) \\
& V5x) V4t)) \wedge (p (ap V0P V5x)))))) \Rightarrow ((ap V1f V5x) = (ap V2g V5x)))))) \Rightarrow \\
& \quad (p (ap (ap c\_2Ereal\_topology\_2Econtinuous\_on (\lambda V6x \in ty\_2Erealax\_2Ereal. \\
& \quad \quad (ap (ap (ap (c\_2Ebool\_2ECOND ty\_2Erealax\_2Ereal) (ap V0P V6x)) \\
& (ap V1f V6x)) (ap V2g V6x)))) (ap (ap (c\_2Epred\_set\_2EUNION ty\_2Erealax\_2Ereal) \\
& \quad \quad V3s) V4t)))))))))
\end{aligned} \tag{28}$$

**Theorem 1**

$$\begin{aligned}
& (\forall V0P \in (2^{ty\_2Erealax\_2Ereal}).(\forall V1f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}). \\
& \quad (\forall V2g \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}).(\forall V3s \in \\
& \quad \quad (2^{ty\_2Erealax\_2Ereal}).(\forall V4t \in (2^{ty\_2Erealax\_2Ereal}). \\
& \quad (((p (ap c\_2Ereal\_topology\_2EOpen V3s)) \wedge ((p (ap c\_2Ereal\_topology\_2EOpen \\
& \quad V4t)) \wedge ((p (ap (ap c\_2Ereal\_topology\_2Econtinuous\_on V1f) V3s)) \wedge \\
& \quad \quad ((p (ap (ap c\_2Ereal\_topology\_2Econtinuous\_on V2g) V4t)) \wedge ( \\
& \quad \quad \quad \forall V5x \in ty\_2Erealax\_2Ereal.(((p (ap (ap (c\_2Ebool\_2EIN \\
& ty\_2Erealax\_2Ereal) V5x) V3s)) \wedge (\neg(p (ap V0P V5x)))) \vee ((p (ap (ap \\
& (c\_2Ebool\_2EIN ty\_2Erealax\_2Ereal) V5x) V4t)) \wedge (p (ap V0P V5x)))))) \Rightarrow \\
& ((ap V1f V5x) = (ap V2g V5x)))))) \Rightarrow (p (ap (ap c\_2Ereal\_topology\_2Econtinuous\_on \\
& (\lambda V6x \in ty\_2Erealax\_2Ereal.(ap (ap (ap (c\_2Ebool\_2ECOND ty\_2Erealax\_2Ereal) \\
& (ap V0P V6x)) (ap V1f V6x)) (ap V2g V6x)))) (ap (ap (c\_2Epred\_set\_2EUNION \\
& \quad ty\_2Erealax\_2Ereal) V3s) V4t)))))))))
\end{aligned}$$