

thm_2Ereal__topology_2ECONTINUOUS__ON__SETDIST (TMZhqNpKc1i69TdDkH7X8qXvSMTjPXJQpYk)

October 26, 2020

Definition 1 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A$.if $(\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p$
of type $\iota \Rightarrow \iota$).

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$
of type $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A$

Definition 4 We define $c_2Ebool_2E_2ET$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x$

Definition 5 We define $c_2Ecombin_2E_2EC$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a})$

Definition 6 We define $c_2Ebool_2E_2E21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})$

Definition 7 We define $c_2Ecombin_2E_2Eo$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A_27c}).\lambda V1g$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{1}$$

Definition 8 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$
of type ι .

Definition 9 We define $c_2Ebool_2E_2E2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_2E21 2) (\lambda V2t \in 2$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \tag{3}$$

Definition 10 We define $c_2Epair_2E_2C$ to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0x \in A.27a.\lambda V1y \in A.27b.(ap (c_2Ereal_topology_2EDist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2EDist \in (ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)}) \quad (4)$$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (5)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax}) \quad (6)$$

Definition 11 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E.40 (t$

Let $c_2Erealax_2Etrealt_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealt_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal)}) \quad (7)$$

Definition 12 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax$

Definition 13 We define c_2Ebool_2EIN to be $\lambda A.27a : \iota.(\lambda V0x \in A.27a.(\lambda V1f \in (2^{A-27a}).(ap\ V1f\ V0x))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \quad (8)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (9)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \quad (10)$$

Definition 14 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \quad (11)$$

Definition 15 We define $c_2Ereal_topology_2Econtinuous_on$ to be $\lambda V0f \in (ty_2Erealax_2Ereal^{ty_2Ereal})$

Definition 16 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E.21\ 2) (\lambda V0t \in 2.V0t))$.

Definition 17 We define $c_2Ebool_2E.7E$ to be $(\lambda V0t \in 2.(ap (ap\ c_2Emin_2E.3D_3D_3E\ V0t)\ c_2Ebool_2E$

Definition 18 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Let $ty_2Ereal_topology_2Enet : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ereal_topology_2Enet\ A0) \quad (12)$$

Let $c_2Ereal_topology_2Emk_net : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow c_2Ereal_topology_2Emk_net \\ A.27a \in ((ty_2Ereal_topology_2Enet\ A.27a)^{(2^{A-27a})^{A-27a}}) \end{aligned} \quad (13)$$

Definition 19 We define $c_2Ereal_topology_2Eat$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Ereal_topology_2Eat\ a))$

Definition 20 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A.27a : \iota.(\lambda V0x \in A.27a.c_2Ebool_2EF)$.

Definition 21 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ t1)\ t2))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c_2Epred_set_2EGSPEC \\ A.27a\ A.27b \in ((2^{A-27a})^{(ty_2Epair_2Eprod\ A.27a\ 2)^{A-27b}}) \end{aligned} \quad (14)$$

Definition 22 We define $c_2Epred_set_2EINSERT$ to be $\lambda A.27a : \iota. \lambda V0x \in A.27a. \lambda V1s \in (2^{A-27a}).(ap\ (c_2Epred_set_2EINSERT\ x)\ s)$

Let $c_2Ereal_topology_2Esetdist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2Esetdist \in (ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ (2^{ty_2Erealax_2Ereal})\ (2^{ty_2Erealax_2Ereal}))}) \quad (15)$$

Let $c_2Ereal_topology_2Enetord : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Ereal_topology_2Enetord\ A.27a \in ((2^{A-27a})^{A-27a})^{(ty_2Ereal_topology_2Enet\ A.27a)} \quad (16)$$

Definition 23 We define $c_2Ereal_topology_2Enetlimit$ to be $\lambda A.27a : \iota. \lambda V0net \in (ty_2Ereal_topology_2Enet\ A.27a)$

Definition 24 We define $c_2Ereal_topology_2Etrivial_limit$ to be $\lambda A.27a : \iota. \lambda V0net \in (ty_2Ereal_topology_2Enet\ A.27a)$

Definition 25 We define $c_2Ereal_topology_2Eeventually$ to be $\lambda A.27a : \iota. \lambda V0p \in (2^{A-27a}). \lambda V1net \in (ty_2Ereal_topology_2Enet\ A.27a)$

Definition 26 We define $c_2Ereal_topology_2E_2D_2D_3E$ to be $\lambda A.27a : \iota. \lambda V0f \in (ty_2Erealax_2Ereal^A\ A.27a)$

Definition 27 We define $c_2Ereal_topology_2Econtinuous$ to be $\lambda A.27a : \iota. \lambda V0f \in (ty_2Erealax_2Ereal^A\ A.27a)$

Assume the following.

$$True \quad (17)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p \\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a.(p\ V0t) \Leftrightarrow (p\ V0t))) \quad (19)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ & (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (22)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\ & p\ V0t)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee (\\ & (p\ V1B) \wedge (p\ V2C))) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \wedge ((p\ V0A) \vee (p\ V2C)))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}). (\forall V1s \in \\ & (2^{ty_2Erealax_2Ereal}). ((\forall V2x \in ty_2Erealax_2Ereal. \\ & ((p\ (ap\ (ap\ (c_2Ereal_topology_2Econtinuous\ ty_2Erealax_2Ereal)\ V2x)\ V1s)) \Rightarrow (p\ (\\ & ap\ (ap\ (c_2Ereal_topology_2Econtinuous\ ty_2Erealax_2Ereal) \\ & V0f)\ (ap\ c_2Ereal_topology_2Eat\ V2x)))))) \Rightarrow (p\ (ap\ (ap\ c_2Ereal_topology_2Econtinuous_on \\ & V0f)\ V1s)))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} & (\forall V0s \in (2^{ty_2Erealax_2Ereal}). (\forall V1x \in ty_2Erealax_2Ereal. \\ & (p\ (ap\ (ap\ (c_2Ereal_topology_2Econtinuous\ ty_2Erealax_2Ereal) \\ & (\lambda V2y \in ty_2Erealax_2Ereal. (ap\ c_2Ereal_topology_2Esetdist \\ & (ap\ (ap\ (c_2Epair_2E_2C\ (2^{ty_2Erealax_2Ereal})\ (2^{ty_2Erealax_2Ereal})) \\ & (ap\ (ap\ (c_2Epred_set_2EINSERT\ ty_2Erealax_2Ereal)\ V2y)\ (c_2Epred_set_2EEMPTY \\ & ty_2Erealax_2Ereal))))\ V0s))))\ (ap\ c_2Ereal_topology_2Eat\ V1x)))) \end{aligned} \quad (26)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (27)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow \text{False}))) \quad (28)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p V0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \quad (29)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \quad (30)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow \text{False}) \Rightarrow (((p V0A) \Rightarrow \text{False}) \Rightarrow \text{False}))) \quad (31)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (32)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (33)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (34)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (35)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (36)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (37)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (38)$$

Theorem 1

$$(\forall V0s \in (2^{ty_2Erealax_2Ereal}). (\forall V1t \in (2^{ty_2Erealax_2Ereal}). (p (ap (ap c_2Ereal_topology_2Econtinuous_on (\lambda V2y \in ty_2Erealax_2Ereal. (ap c_2Ereal_topology_2Esetdist (ap (ap (c_2Epair_2E_2C (2^{ty_2Erealax_2Ereal}) (2^{ty_2Erealax_2Ereal})) (ap (ap (c_2Epred_set_2EINSERT ty_2Erealax_2Ereal V2y) (c_2Epred_set_2EEMPTY ty_2Erealax_2Ereal))) V0s)))) V1t))))$$