

thm_2Ereal__topology_2EENDS__IN__UNIT__INTERVAL (TMZxJ3kf17degNv3NsLsDMPfPzPhqhwQQSg)

October 26, 2020

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 3 We define $c_2Earithmic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 4 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c_2Emin_2E_3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V1x \in 2.V1x))$

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ (c_2Earithmic_2EZERO\ c_2Enum_2E0\ c_2Enum_2EREP_num\ c_2Enum_2ESUC_REP))$

Let $c_2Earithmic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})ty_2Enum_2Enum) \quad (6)$$

Definition 7 We define $c_2Earithmic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmic_2E_2B))$

Definition 8 We define $c_2Earithmic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 9 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 10 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2)) (\lambda V0t \in 2.V0t)$.

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \quad (7)$$

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \quad (8)$$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (9)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (10)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})ty_2Erealax_2Ereal) \quad (11)$$

Definition 11 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge P x)$) of type $\iota \Rightarrow \iota$.

Definition 12 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E_40 (ty_2Erealax_2Ereal_REP_CLASS)))$

Let $c_2Erealax_2Etreallt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreallt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal) \quad (12)$$

Definition 13 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 14 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_21))$

Definition 15 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Let $c_2Ereal_topology_2EOPEN_interval : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2EOPEN_interval \in ((2^{ty_2Erealax_2Ereal})^{(ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Ereal)}) \quad (13)$$

Definition 16 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2EF)$.

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (14)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (15)$$

Definition 17 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2. (c_2Ebool_2E_21\ 2)\ t))))$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b} A_27a)}) \quad (16)$$

Definition 18 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2Ebool_2E_21\ 2)\ t))))$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (17)$$

Let $c_2Elist_2EHD : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2EHD\ A_27a \in (A_27a)^{(ty_2Elist_2Elist\ A_27a)} \quad (18)$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Epair_2ESND\ A_27a\ A_27b \in (A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \quad (19)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Epair_2EFST\ A_27a\ A_27b \in (A_27a)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \quad (20)$$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \quad (21)$$

Definition 19 We define $c_2Ereal_topology_2ECLOSED_interval$ to be $\lambda V0l \in (ty_2Elist_2Elist (ty_2Epa$

Definition 20 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x))$

Assume the following.

$$True \quad (22)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (24)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\ & p V0t)))))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty_2Enum_2Enum.(p (ap (ap c_2Ereal_2Ereal_lte \\ & (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) (ap c_2Ereal_2Ereal_of_num \\ & V0n)))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} & (\forall V0a \in ty_2Erealax_2Ereal.(\forall V1b \in ty_2Erealax_2Ereal. \\ & (((\neg((ap c_2Ereal_topology_2ECLOSED_interval (ap (ap (c_2Elist_2ECONS \\ & (ty_2Epair_2Eprod ty_2Erealax_2Ereal ty_2Erealax_2Ereal)) \\ & (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\ & V0a) V1b)) (c_2Elist_2ENIL (ty_2Epair_2Eprod ty_2Erealax_2Ereal \\ & ty_2Erealax_2Ereal)))) = (c_2Epred_set_2EEMPTY ty_2Erealax_2Ereal))) \Leftrightarrow \\ & (p (ap (ap c_2Ereal_2Ereal_lte V0a) V1b))) \wedge (((\neg((ap c_2Ereal_topology_2EOPEN_interval \\ & (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\ & V0a) V1b)) = (c_2Epred_set_2EEMPTY ty_2Erealax_2Ereal))) \Leftrightarrow (\\ & p (ap (ap c_2Erealax_2Ereal_lt V0a) V1b)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned}
& ((\forall V0a \in ty_2Erealax_2Ereal. (\forall V1b \in ty_2Erealax_2Ereal. \\
& ((p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) V0a) (ap c_2Ereal_topology_2ECLOSED_interval \\
& (ap (ap (c_2Elist_2ECONS (ty_2Epair_2Eprod ty_2Erealax_2Ereal \\
& ty_2Erealax_2Ereal)) (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal \\
& ty_2Erealax_2Ereal) V0a) V1b)) (c_2Elist_2ENIL (ty_2Epair_2Eprod \\
& ty_2Erealax_2Ereal ty_2Erealax_2Ereal)))))) \Leftrightarrow (\neg((ap c_2Ereal_topology_2ECLOSED_interval \\
& (ap (ap (c_2Elist_2ECONS (ty_2Epair_2Eprod ty_2Erealax_2Ereal \\
& ty_2Erealax_2Ereal)) (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal \\
& ty_2Erealax_2Ereal) V0a) V1b)) (c_2Elist_2ENIL (ty_2Epair_2Eprod \\
& ty_2Erealax_2Ereal ty_2Erealax_2Ereal)))) = (c_2Epred_set_2EEMPTY \\
& ty_2Erealax_2Ereal)))))) \wedge ((\forall V2a \in ty_2Erealax_2Ereal. \\
& (\forall V3b \in ty_2Erealax_2Ereal. ((p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) \\
& V3b) (ap c_2Ereal_topology_2ECLOSED_interval (ap (ap (c_2Elist_2ECONS \\
& (ty_2Epair_2Eprod ty_2Erealax_2Ereal ty_2Erealax_2Ereal)) \\
& (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\
& V2a) V3b)) (c_2Elist_2ENIL (ty_2Epair_2Eprod ty_2Erealax_2Ereal \\
& ty_2Erealax_2Ereal)))))) \Leftrightarrow (\neg((ap c_2Ereal_topology_2ECLOSED_interval \\
& (ap (ap (c_2Elist_2ECONS (ty_2Epair_2Eprod ty_2Erealax_2Ereal \\
& ty_2Erealax_2Ereal)) (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal \\
& ty_2Erealax_2Ereal) V2a) V3b)) (c_2Elist_2ENIL (ty_2Epair_2Eprod \\
& ty_2Erealax_2Ereal ty_2Erealax_2Ereal)))) = (c_2Epred_set_2EEMPTY \\
& ty_2Erealax_2Ereal)))))) \wedge ((\forall V4a \in ty_2Erealax_2Ereal. \\
& (\forall V5b \in ty_2Erealax_2Ereal. (\neg(p (ap (ap (c_2Ebool_2EIN \\
& ty_2Erealax_2Ereal) V4a) (ap c_2Ereal_topology_2EOPEN_interval \\
& (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\
& V4a) V5b)))))) \wedge ((\forall V6a \in ty_2Erealax_2Ereal. (\forall V7b \in \\
& ty_2Erealax_2Ereal. (\neg(p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) \\
& V7b) (ap c_2Ereal_topology_2EOPEN_interval (ap (ap (c_2Epair_2E_2C \\
& ty_2Erealax_2Ereal ty_2Erealax_2Ereal) V6a) V7b))))))))))
\end{aligned}
\tag{30}$$

Theorem 1

$$\begin{aligned}
& ((p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) (ap c_2Ereal_2Ereal_of_num \\
& \quad c_2Enum_2E0)) (ap c_2Ereal_topology_2ECLOSED_interval (ap \\
& (ap (c_2Elist_2ECONS (ty_2Epair_2Eprod ty_2Erealax_2Ereal ty_2Erealax_2Ereal)) \\
& \quad (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\
& \quad (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) (ap c_2Ereal_2Ereal_of_num \\
& (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) \\
& (c_2Elist_2ENIL (ty_2Epair_2Eprod ty_2Erealax_2Ereal ty_2Erealax_2Ereal)))))) \wedge \\
& ((p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) (ap c_2Ereal_2Ereal_of_num \\
& (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))) \\
& \quad (ap c_2Ereal_topology_2ECLOSED_interval (ap (ap (c_2Elist_2ECONS \\
& \quad (ty_2Epair_2Eprod ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\
& \quad (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\
& \quad (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) (ap c_2Ereal_2Ereal_of_num \\
& (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) \\
& (c_2Elist_2ENIL (ty_2Epair_2Eprod ty_2Erealax_2Ereal ty_2Erealax_2Ereal)))))) \wedge \\
& ((\neg(p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) (ap c_2Ereal_2Ereal_of_num \\
& \quad c_2Enum_2E0)) (ap c_2Ereal_topology_2EOPEN_interval (ap (\\
& \quad ap (c_2Epair_2E_2C ty_2Erealax_2Ereal ty_2Erealax_2Ereal) (\\
& \quad ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) (ap c_2Ereal_2Ereal_of_num \\
& (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) \wedge \\
& (\neg(p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) (ap c_2Ereal_2Ereal_of_num \\
& (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))) \\
& \quad (ap c_2Ereal_topology_2EOPEN_interval (ap (ap (c_2Epair_2E_2C \\
& \quad ty_2Erealax_2Ereal ty_2Erealax_2Ereal) (ap c_2Ereal_2Ereal_of_num \\
& \quad c_2Enum_2E0)) (ap c_2Ereal_2Ereal_of_num (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))))))))))
\end{aligned}$$