

thm_2Ereal__topology_2EEXISTS__IN__GSPEC (TMLyBP3KveE65VhzJXtQ5gKGqrrZVgUPP9d)

October 26, 2020

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. nonempty\ A \Rightarrow \forall A1. nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A\ A1) \tag{1}$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a. nonempty\ A.27a \Rightarrow \forall A.27b. nonempty\ A.27b \Rightarrow c_2Epair_2ESND\ A.27a\ A.27b \in (A.27b)^{(ty_2Epair_2Eprod\ A.27a\ A.27b)} \tag{2}$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a. nonempty\ A.27a \Rightarrow \forall A.27b. nonempty\ A.27b \Rightarrow c_2Epair_2EFST\ A.27a\ A.27b \in (A.27a)^{(ty_2Epair_2Eprod\ A.27a\ A.27b)} \tag{3}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2)))\ (\lambda V0x \in 2. V0x))\ (\lambda V1x \in 2. V1x)$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.27a : \iota. (\lambda V0P \in (2^{A.27a}). (ap\ (ap\ (c_2Emin_2E_3D\ (2^{A.27a})))\ P))$

Definition 4 We define $c_2Epair_2EUNCURRY$ to be $\lambda A.27a : \iota. \lambda A.27b : \iota. \lambda A.27c : \iota. \lambda V0f \in ((A.27c)^{A.27b})$

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o\ (p \Rightarrow q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2))\ (\lambda V2t \in 2. V2t)))$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a. nonempty\ A.27a \Rightarrow \forall A.27b. nonempty\ A.27b \Rightarrow c_2Epair_2EABS_prod\ A.27a\ A.27b \in ((ty_2Epair_2Eprod\ A.27a\ A.27b)^{((2^{A.27b})^{A.27a})}) \tag{4}$$

Definition 7 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2E$

Definition 8 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p$
of type $\iota \Rightarrow \iota$).

Definition 9 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a A_27b \in ((2^{A_27a})^{((ty_2Epair_2Eprod A_27a 2)^{A_27b})}) \end{aligned} \quad (5)$$

Definition 10 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x))$

Definition 11 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 12 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t$

Definition 13 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Assume the following.

$$True \quad (6)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\ V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \end{aligned} \quad (7)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True) \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ True) \wedge (((False) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \end{aligned} \quad (8)$$

Assume the following.

$$\begin{aligned} ((\forall V0t \in 2.((\neg (\neg (p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (9)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \quad (10)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in \\ A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \end{aligned} \quad (11)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (12)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0Q \in 2. (\forall V1P \in (2^{A.27a}). ((\forall V2x \in A.27a. ((p (ap V1P V2x)) \vee (p V0Q))) \Leftrightarrow ((\forall V3x \in A.27a. (p (ap V1P V3x))) \vee (p V0Q)))))) \quad (13)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow (\forall V0x \in A.27a. (\forall V1y \in A.27b. (\forall V2a \in A.27a. (\forall V3b \in A.27b. (((ap (ap (c.2Epair_2E_2C A.27a A.27b) V0x) V1y) = (ap (ap (c.2Epair_2E_2C A.27a A.27b) V2a) V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \quad (14)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow (\forall V0x \in (ty_2Epair_2Eprod A.27a A.27b). ((ap (ap (c.2Epair_2E_2C A.27a A.27b) (ap (c.2Epair_2EFST A.27a A.27b) V0x)) (ap (c.2Epair_2ESND A.27a A.27b) V0x)) = V0x)) \quad (15)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow \forall A.27c.nonempty A.27c \Rightarrow (\forall V0f \in ((A.27c^{A.27b})^{A.27a}). (\forall V1x \in A.27a. (\forall V2y \in A.27b. ((ap (ap (c.2Epair_2EUNCURRY A.27a A.27b A.27c) V0f) (ap (ap (c.2Epair_2E_2C A.27a A.27b) V1x) V2y)) = (ap (ap V0f V1x) V2y)))))) \quad (16)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow (\forall V0f \in ((ty_2Epair_2Eprod A.27a 2)^{A.27b}). (\forall V1v \in A.27a. ((p (ap (ap (c.2Ebool_2EIN A.27a) V1v) (ap (c.2Epred_set_2EGSPEC A.27a A.27b) V0f))) \Leftrightarrow (\exists V2x \in A.27b. ((ap (ap (c.2Epair_2E_2C A.27a 2) V1v) c.2Ebool_2ET) = (ap V0f V2x)))))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (18)$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (19)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (20)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (21)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \quad (22)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (23)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (24)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (25)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (26)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (27)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (28)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (29)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))))) \quad (30)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (31)$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (32)$$

Theorem 1

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow \forall A.27b.nonempty \ A.27b \Rightarrow \forall A.27c. \\ & nonempty \ A.27c \Rightarrow \forall A.27d.nonempty \ A.27d \Rightarrow \forall A.27e.nonempty \\ & A.27e \Rightarrow \forall A.27f.nonempty \ A.27f \Rightarrow \forall A.27g.nonempty \ A.27g \Rightarrow \\ & (\forall V0Q \in (2^{A.27b}).((\forall V1P \in (2^{A.27a}).(\forall V2f \in \\ & (A.27b^{A.27a}).((\exists V3z \in A.27b.((p \ (ap \ (ap \ (c.2Ebool.2EIN \\ & A.27b) \ V3z) \ (ap \ (c.2Epred_set.2EGSPEC \ A.27b \ A.27a) \ (\lambda V4x \in \\ & A.27a.(ap \ (ap \ (c.2Epair.2E.2C \ A.27b \ 2) \ (ap \ V2f \ V4x)) \ (ap \ V1P \ V4x)))))) \wedge \\ & (p \ (ap \ V0Q \ V3z)))) \Leftrightarrow (\exists V5x \in A.27a.((p \ (ap \ V1P \ V5x)) \wedge (p \ (ap \ V0Q \\ & (ap \ V2f \ V5x)))))) \wedge ((\forall V6P \in ((2^{A.27d})^{A.27c}).(\forall V7f \in \\ & ((A.27b^{A.27d})^{A.27c}).((\exists V8z \in A.27b.((p \ (ap \ (ap \ (c.2Ebool.2EIN \\ & A.27b) \ V8z) \ (ap \ (c.2Epred_set.2EGSPEC \ A.27b \ (ty.2Epair.2Eprod \\ & A.27c \ A.27d)) \ (ap \ (c.2Epair.2EUNCURRY \ A.27c \ A.27d \ (ty.2Epair.2Eprod \\ & A.27b \ 2)) \ (\lambda V9x \in A.27c.(\lambda V10y \in A.27d.(ap \ (ap \ (c.2Epair.2E.2C \\ & A.27b \ 2) \ (ap \ (ap \ V7f \ V9x) \ V10y)) \ (ap \ (ap \ V6P \ V9x) \ V10y)))))) \wedge (p \\ & (ap \ V0Q \ V8z)))) \Leftrightarrow (\exists V11x \in A.27c.(\exists V12y \in A.27d.((p \\ & (ap \ (ap \ V6P \ V11x) \ V12y)) \wedge (p \ (ap \ V0Q \ (ap \ (ap \ V7f \ V11x) \ V12y)))))) \wedge \\ & (\forall V13P \in (((2^{A.27g})^{A.27f})^{A.27e}).(\forall V14f \in (((A.27b^{A.27g})^{A.27f})^{A.27e}). \\ & ((\exists V15z \in A.27b.((p \ (ap \ (ap \ (c.2Ebool.2EIN \ A.27b) \ V15z) \ (\\ & ap \ (c.2Epred_set.2EGSPEC \ A.27b \ (ty.2Epair.2Eprod \ A.27e \ (ty.2Epair.2Eprod \\ & A.27f \ A.27g))) \ (ap \ (c.2Epair.2EUNCURRY \ A.27e \ (ty.2Epair.2Eprod \\ & A.27f \ A.27g) \ (ty.2Epair.2Eprod \ A.27b \ 2)) \ (\lambda V16w \in A.27e.(ap \\ & (c.2Epair.2EUNCURRY \ A.27f \ A.27g \ (ty.2Epair.2Eprod \ A.27b \ 2)) \\ & (\lambda V17x \in A.27f.(\lambda V18y \in A.27g.(ap \ (ap \ (c.2Epair.2E.2C \ A.27b \\ & 2) \ (ap \ (ap \ (ap \ V14f \ V16w) \ V17x) \ V18y)) \ (ap \ (ap \ (ap \ V13P \ V16w) \ V17x) \\ & V18y)))))) \wedge (p \ (ap \ V0Q \ V15z)))) \Leftrightarrow (\exists V19w \in A.27e.(\exists V20x \in \\ & A.27f.(\exists V21y \in A.27g.((p \ (ap \ (ap \ (ap \ V13P \ V19w) \ V20x) \ V21y)) \wedge \\ & (p \ (ap \ V0Q \ (ap \ (ap \ (ap \ V14f \ V19w) \ V20x) \ V21y))))))))) \end{aligned}$$