

thm_2Ereal__topology_2EFRONTIER__INTER__SUBSET__INTER (TMLtJX1PxjddH2ytzW9toD3FG4SmH5BKc7k)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define c_2Ebool_2EIN to be $\lambda A.27a : \iota.(\lambda V0x \in A.27a.(\lambda V1f \in (2^{A-27a}).(ap V1f V0x)))$

Definition 4 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})) (\lambda V1t \in 2.V1t)) (\lambda V2t \in 2.V2t)))$

Definition 6 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (1)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c_2Epair_2EABS_prod A.27a A.27b \in ((ty_2Epair_2Eprod A.27a A.27b)^{(2^{A-27b})^{A-27a}}) \quad (2)$$

Definition 8 We define $c_2Epair_2E_2C$ to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0x \in A.27a.\lambda V1y \in A.27b.(ap (c_2Epair_2EABS_prod A.27a A.27b))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c_2Epred_set_2EGSPEC A.27a A.27b \in ((2^{A-27a})^{(ty_2Epair_2Eprod A.27a 2)^{A-27b}}) \quad (3)$$

Definition 9 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap (c_2E$

Definition 10 We define $c_2Epred_set_2EINTER$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap (c_2E$

Definition 11 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap (c_2E$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \quad (4)$$

Let $c_2Ereal_topology_2EDist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2EDist \in (ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)}) \quad (5)$$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (6)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal}) \quad (7)$$

Definition 12 We define c_2Emin_2E40 to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap\ P\ x)) \text{ then } (the\ (\lambda x. x \in A \wedge p\ x))$ of type $\iota \Rightarrow \iota$.

Definition 13 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal. (ap (c_2Emin_2E40 (t$

Let $c_2Erealax_2Etreall_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreall_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (8)$$

Definition 14 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal. \lambda V1T2 \in ty_2Erealax_2Ereal.$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (9)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (10)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (11)$$

Definition 15 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \quad (12)$$

Definition 16 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 17 We define $c_2Ereal_topology_2EOpen$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}). (ap\ (c_2Ebool_2E_2$

Definition 18 We define $c_2Ereal_topology_2Einterior$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}). (ap\ (c_2Epred_2E_2$

Definition 19 We define $c_2Ebool_2E_EF$ to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 20 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_2$

Definition 21 We define $c_2Ereal_topology_2Elimit_point_of$ to be $\lambda V0x \in ty_2Erealax_2Ereal. \lambda V1s \in ($

Definition 22 We define $c_2Ereal_topology_2Eclosure$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}). (ap\ (ap\ (c_2Epred$

Definition 23 We define $c_2Epred_set_2E_DIFF$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap\ (c_2$

Definition 24 We define $c_2Ereal_topology_2Efrontier$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}). (ap\ (ap\ (c_2Epred$

Assume the following.

$$True \tag{13}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \tag{14}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ & (p\ V0t) \Rightarrow False) \Leftrightarrow \neg (p\ V0t)))))) \end{aligned} \tag{15}$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \tag{16}$$

Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\ & A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \end{aligned} \tag{17}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p\ V0t)))))) \end{aligned} \tag{18}$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))))) \wedge (((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B)))))) \quad (19)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (20)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_{27} \in 2. (\forall V2y \in 2. (\forall V3y_{27} \in 2. (((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27})))))) \quad (21)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0s \in (2^{A_{27a}}). (\forall V1t \in (2^{A_{27a}}). (\forall V2x \in A_{27a}. ((p (ap (ap (c_{2Ebool_2EIN } A_{27a}) V2x) (ap (ap (c_{2Epred_set_2EUNION } A_{27a}) V0s) V1t))) \Leftrightarrow ((p (ap (ap (c_{2Ebool_2EIN } A_{27a}) V2x) V0s)) \vee (p (ap (ap (c_{2Ebool_2EIN } A_{27a}) V2x) V1t))))))))) \quad (22)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0s \in (2^{A_{27a}}). (\forall V1t \in (2^{A_{27a}}). (\forall V2x \in A_{27a}. ((p (ap (ap (c_{2Ebool_2EIN } A_{27a}) V2x) (ap (ap (c_{2Epred_set_2EINTER } A_{27a}) V0s) V1t))) \Leftrightarrow ((p (ap (ap (c_{2Ebool_2EIN } A_{27a}) V2x) V0s)) \wedge (p (ap (ap (c_{2Ebool_2EIN } A_{27a}) V2x) V1t))))))))) \quad (23)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0s \in (2^{A_{27a}}). (\forall V1t \in (2^{A_{27a}}). (\forall V2x \in A_{27a}. ((p (ap (ap (c_{2Ebool_2EIN } A_{27a}) V2x) (ap (ap (c_{2Epred_set_2EDIFF } A_{27a}) V0s) V1t))) \Leftrightarrow ((p (ap (ap (c_{2Ebool_2EIN } A_{27a}) V2x) V0s)) \wedge (\neg(p (ap (ap (c_{2Ebool_2EIN } A_{27a}) V2x) V1t))))))))) \quad (24)$$

Assume the following.

$$(\forall V0s \in (2^{ty_2Erealax_2Ereal}). (\forall V1t \in (2^{ty_2Erealax_2Ereal}). ((ap c_{2Ereal_topology_2Einterior} (ap (ap (c_{2Epred_set_2EINTER } ty_2Erealax_2Ereal) V0s) V1t)) = (ap (ap (c_{2Epred_set_2EINTER } ty_2Erealax_2Ereal) (ap c_{2Ereal_topology_2Einterior} V0s)) (ap c_{2Ereal_topology_2Einterior} V1t)))))) \quad (25)$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealax_2Ereal}).(\forall V1t \in (2^{ty_2Erealax_2Ereal}). \\
& (p (ap (ap (c_2Epred_set_2ESUBSET ty_2Erealax_2Ereal) (ap c_2Ereal_topology_2Eclosure \\
& (ap (ap (c_2Epred_set_2EINTER ty_2Erealax_2Ereal) V0s) V1t))) \\
& (ap (ap (c_2Epred_set_2EINTER ty_2Erealax_2Ereal) (ap c_2Ereal_topology_2Eclosure \\
& V0s)) (ap c_2Ereal_topology_2Eclosure V1t))))))
\end{aligned} \tag{26}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{27}$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{28}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A) \vee (p V1B)))) \Rightarrow False) \Leftrightarrow \\
& (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A) \vee (p V1B)))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))))
\end{aligned} \tag{30}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \tag{31}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg \\
& p V2r) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{34}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))) \quad (35)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (36)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (37)$$

Theorem 1

$$\begin{aligned} & (\forall V0s \in (2^{ty_2Erealax_2Ereal}). (\forall V1t \in (2^{ty_2Erealax_2Ereal}). \\ & (p (ap (ap (c_2Epred_set_2ESUBSET ty_2Erealax_2Ereal) (ap c_2Ereal_topology_2Efrontier \\ & (ap (ap (c_2Epred_set_2EINTER ty_2Erealax_2Ereal) V0s) V1t)))) \\ & (ap (ap (c_2Epred_set_2EUNION ty_2Erealax_2Ereal) (ap (ap (c_2Epred_set_2EINTER \\ & ty_2Erealax_2Ereal) (ap c_2Ereal_topology_2Eclosure V0s)) \\ & (ap c_2Ereal_topology_2Efrontier V1t)))) (ap (ap (c_2Epred_set_2EINTER \\ & ty_2Erealax_2Ereal) (ap c_2Ereal_topology_2Efrontier V0s)) \\ & (ap c_2Ereal_topology_2Eclosure V1t)))))) \end{aligned}$$