

thm_2Ereal__topology_2EHAUSDIST__REFL (TMaKYcSD2TRYHBYasYaXRk9x7B5KcS6LCZV)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow P \Rightarrow Q)$ of type ι .

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 5 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Definition 6 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (1)$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2ESND A_27a A_27b \in (A_27b^{(ty_2Epair_2Eprod A_27a A_27b)}) \quad (2)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EFST A_27a A_27b \in (A_27a^{(ty_2Epair_2Eprod A_27a A_27b)}) \quad (3)$$

Definition 7 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A_27b})$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty ty_2Ehreal_2Ehreal \quad (4)$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \quad (5)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal}) \quad (6)$$

Definition 8 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.$ **if** $(\exists x \in A.p\ (ap\ P\ x))$ **then** $(the\ (\lambda x.x \in A \wedge p\ of\ type\ \iota \Rightarrow \iota).$

Definition 9 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E_40\ (ty_2Erealax_2Ereal\ a)))$

Let $c_2Erealax_2Ereal_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (7)$$

Definition 10 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.$

Definition 11 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.(ap\ (c_2Emin_2E_40\ ty_2Erealax_2Ereal\ t2))\ t1)))$

Definition 12 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40\ ty_2Erealax_2Ereal\ P))))$

Definition 13 We define c_2Ereal_2Esup to be $\lambda V0P \in (2^{ty_2Erealax_2Ereal}).(ap\ (c_2Emin_2E_40\ ty_2Erealax_2Ereal\ P))$

Definition 14 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap\ V1f\ V0x)))$

Definition 15 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2E_2F).$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (8)$$

Definition 16 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Emin_2E_40\ ty_2Erealax_2Ereal\ (c_2Epair_2EABS_prod\ x\ y)))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \quad (9)$$

Definition 17 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap\ (c_2Emin_2E_40\ ty_2Erealax_2Ereal\ (c_2Epair_2EABS_prod\ x\ s)))$

Let $c_2Ereal_topology_2Esetdist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2Esetdist \in (ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ (2^{ty_2Erealax_2Ereal})\ (2^{ty_2Erealax_2Ereal})^{ty_2Erealax_2Ereal})}) \quad (10)$$

Definition 18 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap (c_2E$

Definition 19 We define c_2Ebool_2E7E to be $(\lambda V0t \in 2. (ap (ap c_2Emin_2E3D_3D_3E V0t) c_2Ebool_2E$

Definition 20 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Let $c_2Ereal_topology_2Ehausdist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2Ehausdist \in (ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod (2^{ty_2Erealax_2Ereal}) (2^{ty_2Erealax_2Ereal})} (11)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega (12)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum (13)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) (14)$$

Definition 21 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) (15)$$

Definition 22 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal. \lambda V1y \in ty_2Erealax_2Ereal$

Assume the following.

$$True (16)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) (17)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) (18)$$

Assume the following.

$$(\forall V0t \in 2. ((p\ V0t) \vee (\neg (p\ V0t)))) (19)$$

Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p\ V0t) \Leftrightarrow (p\ V1x)))) (20)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow False) \Leftrightarrow (\neg (p \ V0t)))))) \quad (22)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (23)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg (p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg (p \ V0t)))))) \quad (25)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0t1 \in A_27a.(\forall V1t2 \in A_27a.(((ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ A_27a) \ c_2Ebool_2ET) \ V0t1) \ V1t2) = V0t1) \wedge ((ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ A_27a) \ c_2Ebool_2EF) \ V0t1) \ V1t2) = V1t2)))))) \quad (26)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p \ V0t1) \Rightarrow ((p \ V1t2) \Rightarrow (p \ V2t3))) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \Rightarrow (p \ V2t3)))))) \quad (27)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in 2.(((p \ V0x) \Leftrightarrow (p \ V1x_27)) \wedge ((p \ V1x_27) \Rightarrow ((p \ V2y) \Leftrightarrow (p \ V3y_27)))) \Rightarrow (((p \ V0x) \Rightarrow (p \ V2y)) \Leftrightarrow ((p \ V1x_27) \Rightarrow (p \ V3y_27)))))) \quad (28)$$

Assume the following.

$$(\forall V0s \in (2^{ty_2Erealax_2Ereal}).(\forall V1b \in ty_2Erealax_2Ereal.(((\neg(V0s = (c_2Epred_set_2EEMPTY \ ty_2Erealax_2Ereal)))) \wedge (\forall V2x \in ty_2Erealax_2Ereal.((p \ (ap \ (ap \ (c_2Ebool_2EIN \ ty_2Erealax_2Ereal) \ V2x) \ V0s)) \Rightarrow (p \ (ap \ (ap \ c_2Ereal_2Ereal_lte \ V2x) \ V1b)))) \Rightarrow (p \ (ap \ (ap \ c_2Ereal_2Ereal_lte \ (ap \ c_2Ereal_2Esup \ V0s)) \ V1b)))))) \quad (29)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1s \in \\
& (2^{A_27a}). (\forall V2t \in (2^{A_27a}). ((\forall V3x \in A_27a. ((p\ (\\
& ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V3x)\ (ap\ (ap\ (c_2Epred_set_2EUNION \\
& A_27a)\ V1s)\ V2t))) \Rightarrow (p\ (ap\ V0P\ V3x)))) \Leftrightarrow ((\forall V4x \in A_27a. ((p \\
& (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V4x)\ V1s)) \Rightarrow (p\ (ap\ V0P\ V4x)))) \wedge (\forall V5x \in \\
& A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V5x)\ V2t)) \Rightarrow (p\ (ap\ V0P\ V5x))))))))))
\end{aligned} \tag{30}$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. (p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ V0x)\ V0x))) \tag{31}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (((p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ V0x)\ V1y)) \wedge (p\ (ap\ (ap\ c_2Ereal_2Ereal_lte\ V1y)\ V0x))) \Leftrightarrow (V0x = V1y))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow \forall A_27c. \\
& \text{nonempty } A_27c \Rightarrow \forall A_27d.\text{nonempty } A_27d \Rightarrow \forall A_27e.\text{nonempty } \\
& A_27e \Rightarrow \forall A_27f.\text{nonempty } A_27f \Rightarrow \forall A_27g.\text{nonempty } A_27g \Rightarrow \\
& (\forall V0Q \in (2^{A_27b}).((\forall V1P \in (2^{A_27a}).(\forall V2f \in \\
& (A_27b^{A_27a}).((\forall V3z \in A_27b.((p (ap (ap (c_2Ebool_2EIN \\
& A_27b) V3z) (ap (c_2Epred_set_2EGSPEC A_27b A_27a) (\lambda V4x \in \\
& A_27a.(ap (ap (c_2Epair_2E_2C A_27b 2) (ap V2f V4x)) (ap V1P V4x)))))) \Rightarrow \\
& (p (ap V0Q V3z)))) \Leftrightarrow (\forall V5x \in A_27a.((p (ap V1P V5x)) \Rightarrow (p (ap V0Q \\
& (ap V2f V5x)))))) \wedge ((\forall V6P \in ((2^{A_27d})^{A_27c}).(\forall V7f \in \\
& ((A_27b^{A_27d})^{A_27c}).((\forall V8z \in A_27b.((p (ap (ap (c_2Ebool_2EIN \\
& A_27b) V8z) (ap (c_2Epred_set_2EGSPEC A_27b (ty_2Epair_2Eprod \\
& A_27c A_27d)) (ap (c_2Epair_2EUNCURRY A_27c A_27d (ty_2Epair_2Eprod \\
& A_27b 2)) (\lambda V9x \in A_27c.(\lambda V10y \in A_27d.(ap (ap (c_2Epair_2E_2C \\
& A_27b 2) (ap (ap V7f V9x) V10y)) (ap (ap V6P V9x) V10y)))))) \Rightarrow (p \\
& (ap V0Q V8z)))) \Leftrightarrow (\forall V11x \in A_27c.(\forall V12y \in A_27d.((p \\
& (ap (ap V6P V11x) V12y)) \Rightarrow (p (ap V0Q (ap (ap V7f V11x) V12y)))))) \wedge \\
& (\forall V13P \in (((2^{A_27g})^{A_27f})^{A_27e}).(\forall V14f \in (((A_27b^{A_27g})^{A_27f})^{A_27e}). \\
& ((\forall V15z \in A_27b.((p (ap (ap (c_2Ebool_2EIN A_27b) V15z) (\\
& ap (c_2Epred_set_2EGSPEC A_27b (ty_2Epair_2Eprod A_27e (ty_2Epair_2Eprod \\
& A_27f A_27g))) (ap (c_2Epair_2EUNCURRY A_27e (ty_2Epair_2Eprod \\
& A_27f A_27g) (ty_2Epair_2Eprod A_27b 2)) (\lambda V16w \in A_27e.(ap \\
& (c_2Epair_2EUNCURRY A_27f A_27g (ty_2Epair_2Eprod A_27b 2)) \\
& (\lambda V17x \in A_27f.(\lambda V18y \in A_27g.(ap (ap (c_2Epair_2E_2C A_27b \\
& 2) (ap (ap (ap V14f V16w) V17x) V18y)) (ap (ap (ap V13P V16w) V17x) \\
& V18y)))))) \Rightarrow (p (ap V0Q V15z)))) \Leftrightarrow (\forall V19w \in A_27e.(\forall V20x \in \\
& A_27f.(\forall V21y \in A_27g.((p (ap (ap (ap V13P V19w) V20x) V21y)) \Rightarrow \\
& (p (ap V0Q (ap (ap (ap V14f V19w) V20x) V21y)))))))))) \\
& \hspace{15em} (33)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealx_2Ereal.(\forall V1s \in (2^{ty_2Erealx_2Ereal}). \\
& ((p (ap (ap (c_2Ebool_2EIN ty_2Erealx_2Ereal) V0x) V1s)) \Rightarrow ((ap \\
& c_2Ereal_topology_2Esetdist (ap (ap (c_2Epair_2E_2C (2^{ty_2Erealx_2Ereal}) \\
& (2^{ty_2Erealx_2Ereal})) (ap (ap (c_2Epred_set_2EINSERT ty_2Erealx_2Ereal \\
& V0x) (c_2Epred_set_2EEMPTY ty_2Erealx_2Ereal))) V1s)) = (ap \\
& c_2Ereal_2Ereal_of_num c_2Enum_2E0)))))) \\
& \hspace{15em} (34)
\end{aligned}$$

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealx_2Ereal}).(\forall V1t \in (2^{ty_2Erealx_2Ereal}). \\
& ((ap\ c_2Ereal_topology_2Ehausdist\ (ap\ (ap\ (c_2Epair_2E_2C\ (\\
& \quad 2^{ty_2Erealx_2Ereal})\ (2^{ty_2Erealx_2Ereal})))\ V0s\ V1t))) = (\\
& ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ ty_2Erealx_2Ereal)\ (ap\ (ap\ c_2Ebool_2E_2F_5C \\
& \quad (ap\ c_2Ebool_2E_7E\ (ap\ (ap\ (c_2Emin_2E_3D\ (2^{ty_2Erealx_2Ereal}))) \\
& (ap\ (ap\ (c_2Epred_set_2EUNION\ ty_2Erealx_2Ereal)\ (ap\ (c_2Epred_set_2EGSPEC \\
& \quad ty_2Erealx_2Ereal\ ty_2Erealx_2Ereal)\ (\lambda V2x \in ty_2Erealx_2Ereal. \\
& \quad (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Erealx_2Ereal\ 2)\ (ap\ c_2Ereal_topology_2Esetdist \\
& \quad \quad (ap\ (ap\ (c_2Epair_2E_2C\ (2^{ty_2Erealx_2Ereal})\ (2^{ty_2Erealx_2Ereal}))) \\
& (ap\ (ap\ (c_2Epred_set_2EINSERT\ ty_2Erealx_2Ereal)\ V2x)\ (c_2Epred_set_2EEMPTY \\
& \quad ty_2Erealx_2Ereal))))\ V1t))))\ (ap\ (ap\ (c_2Ebool_2EIN\ ty_2Erealx_2Ereal) \\
& \quad V2x)\ V0s))))\ (ap\ (c_2Epred_set_2EGSPEC\ ty_2Erealx_2Ereal \\
& \quad ty_2Erealx_2Ereal)\ (\lambda V3y \in ty_2Erealx_2Ereal.(ap\ (ap\ (c_2Epair_2E_2C \\
& \quad \quad ty_2Erealx_2Ereal\ 2)\ (ap\ c_2Ereal_topology_2Esetdist\ (ap \\
& \quad \quad \quad (ap\ (c_2Epair_2E_2C\ (2^{ty_2Erealx_2Ereal})\ (2^{ty_2Erealx_2Ereal}))) \\
& (ap\ (ap\ (c_2Epred_set_2EINSERT\ ty_2Erealx_2Ereal)\ V3y)\ (c_2Epred_set_2EEMPTY \\
& \quad ty_2Erealx_2Ereal))))\ V0s))))\ (ap\ (ap\ (c_2Ebool_2EIN\ ty_2Erealx_2Ereal) \\
& \quad V3y)\ V1t))))\ (c_2Epred_set_2EEMPTY\ ty_2Erealx_2Ereal)))) \\
& \quad (ap\ (c_2Ebool_2E_3F\ ty_2Erealx_2Ereal)\ (\lambda V4b \in ty_2Erealx_2Ereal. \\
& \quad (ap\ (c_2Ebool_2E_21\ ty_2Erealx_2Ereal)\ (\lambda V5d \in ty_2Erealx_2Ereal. \\
& \quad (ap\ (ap\ c_2Emin_2E_3D_3D_3E\ (ap\ (ap\ (c_2Ebool_2EIN\ ty_2Erealx_2Ereal) \\
& \quad \quad V5d)\ (ap\ (ap\ (c_2Epred_set_2EUNION\ ty_2Erealx_2Ereal)\ (ap\ (\\
& \quad \quad \quad c_2Epred_set_2EGSPEC\ ty_2Erealx_2Ereal\ ty_2Erealx_2Ereal) \\
& \quad \quad (\lambda V6x \in ty_2Erealx_2Ereal.(ap\ (ap\ (c_2Epair_2E_2C\ ty_2Erealx_2Ereal \\
& \quad \quad \quad 2)\ (ap\ c_2Ereal_topology_2Esetdist\ (ap\ (ap\ (c_2Epair_2E_2C \\
& \quad \quad \quad \quad (2^{ty_2Erealx_2Ereal})\ (2^{ty_2Erealx_2Ereal})))\ (ap\ (ap\ (c_2Epred_set_2EINSERT \\
& \quad \quad \quad ty_2Erealx_2Ereal)\ V6x)\ (c_2Epred_set_2EEMPTY\ ty_2Erealx_2Ereal)))) \\
& \quad \quad V1t))))\ (ap\ (ap\ (c_2Ebool_2EIN\ ty_2Erealx_2Ereal)\ V6x)\ V0s)))) \\
& \quad (ap\ (c_2Epred_set_2EGSPEC\ ty_2Erealx_2Ereal\ ty_2Erealx_2Ereal) \\
& \quad (\lambda V7y \in ty_2Erealx_2Ereal.(ap\ (ap\ (c_2Epair_2E_2C\ ty_2Erealx_2Ereal \\
& \quad \quad 2)\ (ap\ c_2Ereal_topology_2Esetdist\ (ap\ (ap\ (c_2Epair_2E_2C \\
& \quad \quad \quad (2^{ty_2Erealx_2Ereal})\ (2^{ty_2Erealx_2Ereal})))\ (ap\ (ap\ (c_2Epred_set_2EINSERT \\
& \quad \quad \quad ty_2Erealx_2Ereal)\ V7y)\ (c_2Epred_set_2EEMPTY\ ty_2Erealx_2Ereal)))) \\
& \quad \quad V0s))))\ (ap\ (ap\ (c_2Ebool_2EIN\ ty_2Erealx_2Ereal)\ V7y)\ V1t))))\ (\\
& \quad \quad (ap\ (ap\ c_2Ereal_2Ereal_lte\ V5d)\ V4b))))\ (ap\ c_2Ereal_2Esup \\
& (ap\ (ap\ (c_2Epred_set_2EUNION\ ty_2Erealx_2Ereal)\ (ap\ (c_2Epred_set_2EGSPEC \\
& \quad ty_2Erealx_2Ereal\ ty_2Erealx_2Ereal)\ (\lambda V8x \in ty_2Erealx_2Ereal. \\
& \quad (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Erealx_2Ereal\ 2)\ (ap\ c_2Ereal_topology_2Esetdist \\
& \quad \quad (ap\ (ap\ (c_2Epair_2E_2C\ (2^{ty_2Erealx_2Ereal})\ (2^{ty_2Erealx_2Ereal}))) \\
& (ap\ (ap\ (c_2Epred_set_2EINSERT\ ty_2Erealx_2Ereal)\ V8x)\ (c_2Epred_set_2EEMPTY \\
& \quad ty_2Erealx_2Ereal))))\ V1t))))\ (ap\ (ap\ (c_2Ebool_2EIN\ ty_2Erealx_2Ereal) \\
& \quad V8x)\ V0s))))\ (ap\ (c_2Epred_set_2EGSPEC\ ty_2Erealx_2Ereal \\
& \quad ty_2Erealx_2Ereal)\ (\lambda V9y \in ty_2Erealx_2Ereal.(ap\ (ap\ (c_2Epair_2E_2C \\
& \quad \quad ty_2Erealx_2Ereal\ 2)\ (ap\ c_2Ereal_topology_2Esetdist\ (ap \\
& \quad \quad \quad (ap\ (c_2Epair_2E_2C\ (2^{ty_2Erealx_2Ereal})\ (2^{ty_2Erealx_2Ereal}))) \\
& (ap\ (ap\ (c_2Epred_set_2EINSERT\ ty_2Erealx_2Ereal)\ V9y)\ (c_2Epred_set_2EEMPTY \\
& \quad ty_2Erealx_2Ereal))))\ V0s))))\ (\bar{a}p\ (ap\ (c_2Ebool_2EIN\ ty_2Erealx_2Ereal) \\
& \quad V9y)\ V1t))))\ (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0)))) \\
& \hspace{10cm} (35)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealx_2Ereal}).(\forall V1t \in (2^{ty_2Erealx_2Ereal}). \\
& (p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)) (ap c_2Ereal_topology_2Ehausdist (ap (ap (c_2Epair_2E_2C \\
& (2^{ty_2Erealx_2Ereal}) (2^{ty_2Erealx_2Ereal})) V0s) V1t))))))
\end{aligned} \tag{36}$$

Theorem 1

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealx_2Ereal}).((ap c_2Ereal_topology_2Ehausdist \\
& (ap (ap (c_2Epair_2E_2C (2^{ty_2Erealx_2Ereal}) (2^{ty_2Erealx_2Ereal})) \\
& V0s) V0s)) = (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)))
\end{aligned}$$