

thm_2Ereal__topology_2EHOMEOMORPHISM__COMPOSE
(TM-
LqEukDP5M1XZ1t1VtpPCAm8jqroKxDRic)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p (ap P x))$) of type $\iota \Rightarrow \iota$.

Definition 4 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A_27a P))))$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})) P) V0P)))$

Definition 6 We define $c_2Ecombin_2E_o$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A_27c}).\lambda V1g \in (A_27c^{A_27b}).$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{1}$$

Definition 7 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 8 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (ap V1t2 V0t1))))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \tag{3}$$

Definition 9 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap (c_2Ereal_2Ereal_topology_2EDist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2EDist \in (ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)}) \quad (4)$$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (5)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax}) \quad (6)$$

Definition 10 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal. (ap (c_2Emin_2E_40 (t$

Let $c_2Erealax_2Etrealt_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealt_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal)}) \quad (7)$$

Definition 11 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal. \lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 12 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap\ V1f\ V0x)))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (8)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (9)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (10)$$

Definition 13 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \quad (11)$$

Definition 14 We define $c_2Ereal_topology_2Econtinuous_on$ to be $\lambda V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax})$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \quad (12)$$

Definition 15 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in$
Let $c_2Ereal_topology_2Ehomeomorphism : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2Ehomeomorphism \in ((2^{(ty_2Epair_2Eprod (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}) (ty_2Erealax_2Ereal))} (ty_2Erealax_2Ereal))) \quad (13)$$

Definition 16 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21) 2) (\lambda V0t \in 2.V0t)$.

Definition 17 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21) 2) (\lambda V2t \in 2.V2t)))$

Definition 18 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_21) V0t)$

Assume the following.

$$True \quad (14)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (17)$$

Assume the following.

$$((\forall V0t \in 2.(((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))))) \quad (18)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \quad (19)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (22)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A_27a}). ((\forall V2x \in A_27a. ((p V0P) \vee (p (ap V1Q V2x)))) \Leftrightarrow ((p V0P) \vee (\forall V3x \in A_27a. (p (ap V1Q V3x))))))) \quad (23)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V0A) \vee (p V1B) \vee (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))))) \quad (24)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))))) \quad (25)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \Rightarrow (p V1B)) \Leftrightarrow ((\neg(p V0A)) \vee (p V1B)))))) \quad (26)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (27)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in 2. (((((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27))))))))) \quad (28)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0f \in (2^{A_27a}). (\forall V1v \in A_27a. ((\forall V2x \in A_27a. ((V2x = V1v) \Rightarrow (p (ap V0f V2x)))) \Leftrightarrow (p (ap V0f V1v)))))) \quad (29)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow \forall A_27c.nonempty A_27c \Rightarrow (\forall V0f \in (A_27b^{A_27a}). (\forall V1g \in (A_27a^{A_27c}). (\forall V2x \in A_27c. ((ap (ap (ap (c.2Ecombin.2Eo A_27c A_27b A_27a) V0f) V1g) V2x) = (ap V0f (ap V1g V2x)))))) \quad (30)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\ & (2^{A_27a}). ((V0s = V1t) \Leftrightarrow (\forall V2x \in A_27a. ((p (ap (ap (c_2Ebool_2EIN \\ & A_27a) V2x) V0s)) \Leftrightarrow (p (ap (ap (c_2Ebool_2EIN\ A_27a) V2x) V1t))))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0y \in A_27b. (\forall V1s \in (2^{A_27a}). (\forall V2f \in (A_27b^{A_27a}). \\ & ((p (ap (ap (c_2Ebool_2EIN\ A_27b) V0y) (ap (ap (c_2Epred_set_2EIMAGE \\ & A_27a\ A_27b) V2f) V1s))) \Leftrightarrow (\exists V3x \in A_27a. ((V0y = (ap V2f V3x)) \wedge \\ & (p (ap (ap (c_2Ebool_2EIN\ A_27a) V3x) V1s))))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\ & nonempty\ A_27c \Rightarrow (\forall V0f \in (A_27c^{A_27b}). (\forall V1g \in (A_27b^{A_27a}). \\ & (\forall V2s \in (2^{A_27a}). ((ap (ap (c_2Epred_set_2EIMAGE\ A_27a \\ & A_27c) (ap (ap (c_2Ecombin_2Eo\ A_27a\ A_27c\ A_27b) V0f) V1g)) V2s) = \\ & (ap (ap (c_2Epred_set_2EIMAGE\ A_27b\ A_27c) V0f) (ap (ap (c_2Epred_set_2EIMAGE \\ & A_27a\ A_27b) V1g) V2s)))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} & (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}). (\forall V1g \in \\ & (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}). (\forall V2s \in (2^{ty_2Erealax_2Ereal}). \\ & (((p (ap (ap\ c_2Ereal_topology_2Econtinuous_on\ V0f) V2s)) \wedge \\ & (p (ap (ap\ c_2Ereal_topology_2Econtinuous_on\ V1g) (ap (ap (c_2Epred_set_2EIMAGE \\ & ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal) V0f) V2s)))))) \Rightarrow (p (ap (\\ & ap\ c_2Ereal_topology_2Econtinuous_on\ (ap (ap (c_2Ecombin_2Eo \\ & ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal) \\ & V1g) V0f)) V2s)))))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (2^{ty_2Erealax_2Ereal}).(\forall V1t \in (2^{ty_2Erealax_2Ereal}). \\
& (\forall V2f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V3g \in \\
& (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).((p (ap (ap c_2Ereal_topology_2Ehomeomorphism \\
& (ap (ap (c_2Epair_2E_2C (2^{ty_2Erealax_2Ereal}) (2^{ty_2Erealax_2Ereal})) \\
& V0s) V1t)) (ap (ap (c_2Epair_2E_2C (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}) \\
& (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal})) V2f) V3g))) \Leftrightarrow ((\forall V4x \in \\
& ty_2Erealax_2Ereal.((p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) \\
& V4x) V0s)) \Rightarrow ((ap V3g (ap V2f V4x)) = V4x))) \wedge (((ap (ap (c_2Epred_set_2EIMAGE \\
& ty_2Erealax_2Ereal ty_2Erealax_2Ereal) V2f) V0s) = V1t) \wedge ((p (\\
& ap (ap c_2Ereal_topology_2Econtinuous_on V2f) V0s)) \wedge ((\forall V5y \in \\
& ty_2Erealax_2Ereal.((p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) \\
& V5y) V1t)) \Rightarrow ((ap V2f (ap V3g V5y)) = V5y))) \wedge (((ap (ap (c_2Epred_set_2EIMAGE \\
& ty_2Erealax_2Ereal ty_2Erealax_2Ereal) V3g) V1t) = V0s) \wedge (p (ap \\
& (ap c_2Ereal_topology_2Econtinuous_on V3g) V1t))))))))))))) \\
& \hspace{15em} (35)
\end{aligned}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (36)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (37)$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \\
& \hspace{15em} (38)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \\
& \hspace{15em} (39)
\end{aligned}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (40)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg \\
& p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \\
& \hspace{15em} (41)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))))) \\
& \hspace{15em} (42)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \vee 0p) \Leftrightarrow (\\
& (p \vee 1q) \vee (p \vee 2r))) \Leftrightarrow (((p \vee 0p) \vee \neg(p \vee 1q)) \wedge ((p \vee 0p) \vee \neg(p \vee 2r))) \wedge \\
& ((p \vee 1q) \vee ((p \vee 2r) \vee \neg(p \vee 0p))))))))))
\end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \vee 0p) \Leftrightarrow (\\
& (p \vee 1q) \Rightarrow (p \vee 2r))) \Leftrightarrow (((p \vee 0p) \vee (p \vee 1q)) \wedge ((p \vee 0p) \vee \neg(p \vee 2r))) \wedge ((\\
& \neg(p \vee 1q) \vee ((p \vee 2r) \vee \neg(p \vee 0p))))))))))
\end{aligned} \tag{44}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \vee 0p) \Leftrightarrow \neg(p \vee 1q))) \Leftrightarrow (((p \vee 0p) \vee \\
& (p \vee 1q)) \wedge (\neg(p \vee 1q) \vee \neg(p \vee 0p))))))
\end{aligned} \tag{45}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \vee 0p) \Rightarrow (p \vee 1q))) \Rightarrow (p \vee 0p))) \tag{46}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \vee 0p) \Rightarrow (p \vee 1q))) \Rightarrow \neg(p \vee 1q))) \tag{47}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \vee 0p) \vee (p \vee 1q))) \Rightarrow \neg(p \vee 0p))) \tag{48}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p \vee 0p) \vee (p \vee 1q))) \Rightarrow \neg(p \vee 1q))) \tag{49}$$

Assume the following.

$$(\forall V0p \in 2. (\neg(\neg(p \vee 0p))) \Rightarrow (p \vee 0p)) \tag{50}$$

Theorem 1

$$\begin{aligned}
& (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V1g \in \\
& (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V2h \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}). \\
& (\forall V3k \in (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V4s \in \\
& (2^{ty_2Erealax_2Ereal}).(\forall V5t \in (2^{ty_2Erealax_2Ereal}). \\
& (\forall V6u \in (2^{ty_2Erealax_2Ereal}).(((p (ap (ap c_2Ereal_topology_2Ehomeomorphism \\
& (ap (ap (c_2Epair_2E_2C (2^{ty_2Erealax_2Ereal}) (2^{ty_2Erealax_2Ereal})) \\
& V4s) V5t)) (ap (ap (c_2Epair_2E_2C (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}) \\
& (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal})) V0f) V1g))) \wedge (p (ap \\
& (ap c_2Ereal_topology_2Ehomeomorphism (ap (ap (c_2Epair_2E_2C \\
& (2^{ty_2Erealax_2Ereal}) (2^{ty_2Erealax_2Ereal})) V5t) V6u)) (\\
& ap (ap (c_2Epair_2E_2C (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}) \\
& (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal})) V2h) V3k)))) \Rightarrow (p (ap \\
& (ap c_2Ereal_topology_2Ehomeomorphism (ap (ap (c_2Epair_2E_2C \\
& (2^{ty_2Erealax_2Ereal}) (2^{ty_2Erealax_2Ereal})) V4s) V6u)) (\\
& ap (ap (c_2Epair_2E_2C (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}) \\
& (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal})) (ap (ap (c_2Ecombin_2Eo \\
& ty_2Erealax_2Ereal ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\
& V2h) V0f)) (ap (ap (c_2Ecombin_2Eo ty_2Erealax_2Ereal ty_2Erealax_2Ereal \\
& ty_2Erealax_2Ereal) V1g) V3k))))))))))
\end{aligned}$$