

# thm\_2Ereal\_\_topology\_2EHOMEOMORPHISM\_ID (TMMRC1NW4Xn8otYSgGPsJ2Bf95jjcpi4wfb)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_27E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F$

Let  $ty\_2Erealx\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealx\_2Ereal \tag{1}$$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{2}$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \tag{3}$$

**Definition 8** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2E$

Let  $c\_2Ereal\_topology\_2EDist : \iota$  be given. Assume the following.

$$c\_2Ereal\_topology\_2EDist \in (ty\_2Erealax\_2Ereal^{(ty\_2Epair\_2Eprod\ ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal)}) \quad (4)$$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (5)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax}) \quad (6)$$

**Definition 9** We define  $c\_2Emin\_2E40$  to be  $\lambda A.\lambda P \in 2^A$ . **if**  $(\exists x \in A.p\ (ap\ P\ x))$  **then** (the  $(\lambda x.x \in A \wedge p)$  of type  $\iota \Rightarrow \iota$ ).

**Definition 10** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap\ (c\_2Emin\_2E40\ t$

Let  $c\_2Erealax\_2Etrealm\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal)}) \quad (7)$$

**Definition 11** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax$

**Definition 12** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A.\lambda 27a : \iota.(\lambda V0x \in A.\lambda 27a.(\lambda V1f \in (2^{A-27a}).(ap\ V1f\ V0x)))$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (8)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (9)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (10)$$

**Definition 13** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (11)$$

**Definition 14** We define  $c\_2Ebool\_2E3F$  to be  $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E40\ t$

**Definition 15** We define  $c\_2Ereal\_topology\_2Econtinuous\_on$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax})$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.\lambda 27a.nonempty\ A.\lambda 27b.nonempty\ A.\lambda 27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A.\lambda 27a\ A.\lambda 27b \in ((2^{A-27a})^{(ty\_2Epair\_2Eprod\ A.\lambda 27a\ 2)^{A-27b}}) \quad (12)$$

**Definition 16** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in$

Let  $c\_2Ereal\_topology\_2Ehomeomorphism : \iota$  be given. Assume the following.

$$c\_2Ereal\_topology\_2Ehomeomorphism \in ((2^{(ty\_2Epair\_2Eprod (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}) (ty\_2Erealax\_2Ereal))} (ty\_2Erealax\_2Ereal))) \quad (13)$$

Assume the following.

$$True \quad (14)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (16) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ & (p V0t) \Rightarrow False) \Leftrightarrow \neg (p V0t)))))) \quad (17) \end{aligned}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (18)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (19)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg (p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg ( \\ & p V0t)))))) \quad (20) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow \\ & (p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (21) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2.(\forall V1x\_27 \in 2.(\forall V2y \in 2.(\forall V3y\_27 \in \\ & 2.(((p V0x) \Leftrightarrow (p V1x\_27)) \wedge ((p V1x\_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y\_27)))) \Rightarrow \\ & (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x\_27) \Rightarrow (p V3y\_27)))))) \quad (22) \end{aligned}$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A.27a}).((ap\ (ap\ (c.2Epred\_set.2EIMAGE\ A.27a\ A.27a)\ (\lambda V1x \in A.27a.V1x))\ V0s) = (23) \\ V0s)))$$

Assume the following.

$$(\forall V0s \in (2^{ty.2Erealax.2Ereal}).(p\ (ap\ (ap\ c.2Ereal\_topology.2Econtinuous\_on\ (\lambda V1x \in ty.2Erealax.2Ereal.V1x))\ V0s))) \quad (24)$$

Assume the following.

$$\begin{aligned} & (\forall V0s \in (2^{ty.2Erealax.2Ereal}).(\forall V1t \in (2^{ty.2Erealax.2Ereal}). \\ & (\forall V2f \in (ty.2Erealax.2Ereal^{ty.2Erealax.2Ereal}).(\forall V3g \in \\ (ty.2Erealax.2Ereal^{ty.2Erealax.2Ereal}).((p\ (ap\ (ap\ c.2Ereal\_topology.2Ehomeomorphism \\ (ap\ (ap\ (c.2Epair.2E.2C\ (2^{ty.2Erealax.2Ereal})\ (2^{ty.2Erealax.2Ereal})) \\ V0s)\ V1t))\ (ap\ (ap\ (c.2Epair.2E.2C\ (ty.2Erealax.2Ereal^{ty.2Erealax.2Ereal}) \\ (ty.2Erealax.2Ereal^{ty.2Erealax.2Ereal}))\ V2f)\ V3g))) \Leftrightarrow ((\forall V4x \in \\ ty.2Erealax.2Ereal.((p\ (ap\ (ap\ (c.2Ebool.2EIN\ ty.2Erealax.2Ereal) \\ V4x)\ V0s)) \Rightarrow ((ap\ V3g\ (ap\ V2f\ V4x)) = V4x))) \wedge (((ap\ (ap\ (c.2Epred\_set.2EIMAGE \\ ty.2Erealax.2Ereal\ ty.2Erealax.2Ereal)\ V2f)\ V0s) = V1t) \wedge ((p\ ( \\ ap\ (ap\ c.2Ereal\_topology.2Econtinuous\_on\ V2f)\ V0s)) \wedge ((\forall V5y \in \\ ty.2Erealax.2Ereal.((p\ (ap\ (ap\ (c.2Ebool.2EIN\ ty.2Erealax.2Ereal) \\ V5y)\ V1t)) \Rightarrow ((ap\ V2f\ (ap\ V3g\ V5y)) = V5y))) \wedge (((ap\ (ap\ (c.2Epred\_set.2EIMAGE \\ ty.2Erealax.2Ereal\ ty.2Erealax.2Ereal)\ V3g)\ V1t) = V0s) \wedge (p\ (ap \\ (ap\ c.2Ereal\_topology.2Econtinuous\_on\ V3g)\ V1t)))))))))))))) \quad (25) \end{aligned}$$

### Theorem 1

$$\begin{aligned} & (\forall V0s \in (2^{ty.2Erealax.2Ereal}).(p\ (ap\ (ap\ c.2Ereal\_topology.2Ehomeomorphism \\ & (ap\ (ap\ (c.2Epair.2E.2C\ (2^{ty.2Erealax.2Ereal})\ (2^{ty.2Erealax.2Ereal})) \\ V0s)\ V0s))\ (ap\ (ap\ (c.2Epair.2E.2C\ (ty.2Erealax.2Ereal^{ty.2Erealax.2Ereal}) \\ (ty.2Erealax.2Ereal^{ty.2Erealax.2Ereal}))\ (\lambda V1x \in ty.2Erealax.2Ereal. \\ V1x))\ (\lambda V2x \in ty.2Erealax.2Ereal.V2x)))))) \end{aligned}$$