

thm\_2Ereal\_\_topology\_2EHOMEOMORPHISM\_\_IMP\_\_QUOTIENT  
 (TMUjitVtXkR-  
 MuHBD1DVpBCojuapUn7A73uw)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2EF$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \tag{1}$$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC A\_27a A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod A\_27a 2)^{A\_27b}}) \tag{2}$$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty ty\_2Erealax\_2Ereal \tag{3}$$

**Definition 7** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$

**Definition 8** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \end{aligned} \quad (4)$$

**Definition 9** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2E$

Let  $c\_2Ereal\_topology\_2EDist : \iota$  be given. Assume the following.

$$c\_2Ereal\_topology\_2EDist \in (ty\_2Erealax\_2Ereal^{(ty\_2Epair\_2Eprod\ ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal)}) \quad (5)$$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (6)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax\_2Ereal}) \quad (7)$$

**Definition 10** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A$ .if  $(\exists x \in A.p\ (ap\ P\ x))$  then (the  $(\lambda x.x \in A \wedge P\ x)$  of type  $\iota \Rightarrow \iota$ ).

**Definition 11** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap\ (c\_2Emin\_2E\_40\ (t$

Let  $c\_2Erealax\_2Etreall\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreall\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \quad (8)$$

**Definition 12** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (9)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (10)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (11)$$

**Definition 13** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (12)$$

**Definition 14** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 15** We define  $c\_2Ereal\_topology\_2EOpen$  to be  $\lambda V0s \in (2^{ty\_2Erealax\_2Ereal}). (ap\ (c\_2Ebool\_2E\_2$

Let  $ty\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Etopology\_2Etopology\ A0) \quad (13)$$

Let  $c\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Etopology\_2Etopology\ A\_27a \in ((ty\_2Etopology\_2Etopology\ A\_27a)^{(2^{(2^A\_27a)}})) \quad (14)$$

**Definition 16** We define  $c\_2Ereal\_topology\_2Eeuclidean$  to be  $(ap\ (c\_2Etopology\_2Etopology\ ty\_2Erealax\_2Ereal$

Let  $c\_2Etopology\_2Eopen\_in : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Etopology\_2Eopen\_in\ A\_27a \in ((2^{(2^A\_27a)})(ty\_2Etopology\_2Etopology\ A\_27a)) \quad (15)$$

**Definition 17** We define  $c\_2Epred\_set\_2EINTER$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap\ (c\_2$

**Definition 18** We define  $c\_2Ereal\_topology\_2Esubtopology$  to be  $\lambda A\_27a : \iota. \lambda V0top \in (ty\_2Etopology\_2Etopology$

**Definition 19** We define  $c\_2Epred\_set\_2ESUBSET$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap\ ($

**Definition 20** We define  $c\_2Ereal\_topology\_2Econtinuous\_on$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal$

**Definition 21** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (A\_27b^{A\_27a}). \lambda V1s \in$

Let  $c\_2Ereal\_topology\_2Ehomeomorphism : \iota$  be given. Assume the following.

$$c\_2Ereal\_topology\_2Ehomeomorphism \in ((2^{(ty\_2Epair\_2Eprod\ (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}\ ty\_2Erealax\_2Ereal))}) \quad (16)$$

Assume the following.

$$True \quad (17)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a. (p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (18)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg( \\ & p\ V0t)))))) \end{aligned} \quad (20)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}). (p (ap (ap (c\_2Epred\_set\_2ESUBSET\ A\_27a)\ V0s)\ V0s))) \quad (21)$$

Assume the following.

$$\begin{aligned} & (\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}). (\forall V1g \in \\ & (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}). (\forall V2s \in (2^{ty\_2Erealax\_2Ereal}). \\ & (\forall V3t \in (2^{ty\_2Erealax\_2Ereal}). (((p (ap (ap\ c\_2Ereal\_topology\_2Econtinuous\_on \\ & V0f)\ V2s)) \wedge ((p (ap (ap (c\_2Epred\_set\_2ESUBSET\ ty\_2Erealax\_2Ereal) \\ & (ap (ap (c\_2Epred\_set\_2EIMAGE\ ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal) \\ & V0f)\ V2s))\ V3t)) \wedge ((p (ap (ap\ c\_2Ereal\_topology\_2Econtinuous\_on \\ & V1g)\ V3t)) \wedge ((p (ap (ap (c\_2Epred\_set\_2ESUBSET\ ty\_2Erealax\_2Ereal) \\ & (ap (ap (c\_2Epred\_set\_2EIMAGE\ ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal) \\ & V1g)\ V3t))\ V2s)) \wedge (\forall V4y \in ty\_2Erealax\_2Ereal. ((p (ap (ap \\ & (c\_2Ebool\_2EIN\ ty\_2Erealax\_2Ereal)\ V4y)\ V3t)) \Rightarrow ((ap\ V0f\ (ap\ V1g \\ & V4y)) = V4y)))))) \Rightarrow (\forall V5u \in (2^{ty\_2Erealax\_2Ereal}). ((p \\ & (ap (ap (c\_2Epred\_set\_2ESUBSET\ ty\_2Erealax\_2Ereal)\ V5u)\ V3t)) \Rightarrow \\ & ((p (ap (ap (c\_2Etopology\_2Eopen\_in\ ty\_2Erealax\_2Ereal)\ (ap \\ & (ap (c\_2Ereal\_topology\_2Esubtopology\ ty\_2Erealax\_2Ereal) \\ & c\_2Ereal\_topology\_2Eeuclidean)\ V2s))\ (ap (c\_2Epred\_set\_2EGSPEC \\ & ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal)\ (\lambda V6x \in ty\_2Erealax\_2Ereal. \\ & (ap (ap (c\_2Epair\_2E\_2C\ ty\_2Erealax\_2Ereal\ 2)\ V6x)\ (ap (ap\ c\_2Ebool\_2E\_2F\_5C \\ & (ap (ap (c\_2Ebool\_2EIN\ ty\_2Erealax\_2Ereal)\ V6x)\ V2s))\ (ap (ap ( \\ & c\_2Ebool\_2EIN\ ty\_2Erealax\_2Ereal)\ (ap\ V0f\ V6x))\ V5u)))))) \Leftrightarrow ( \\ & p (ap (ap (c\_2Etopology\_2Eopen\_in\ ty\_2Erealax\_2Ereal)\ (ap (ap \\ & (c\_2Ereal\_topology\_2Esubtopology\ ty\_2Erealax\_2Ereal)\ c\_2Ereal\_topology\_2Eeuclidean) \\ & V3t))\ V5u)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & (\forall V0s \in (2^{ty\_2Erealax\_2Ereal}). (\forall V1t \in (2^{ty\_2Erealax\_2Ereal}). \\ & (\forall V2f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}). (\forall V3g \in \\ & (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}). ((p (ap (ap\ c\_2Ereal\_topology\_2Ehomeomorphism \\ & (ap (ap (c\_2Epair\_2E\_2C\ (2^{ty\_2Erealax\_2Ereal})\ (2^{ty\_2Erealax\_2Ereal})) \\ & V0s)\ V1t))\ (ap (ap (c\_2Epair\_2E\_2C\ (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}) \\ & (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}))\ V2f)\ V3g))) \Leftrightarrow ((\forall V4x \in \\ & ty\_2Erealax\_2Ereal. ((p (ap (ap (c\_2Ebool\_2EIN\ ty\_2Erealax\_2Ereal) \\ & V4x)\ V0s)) \Rightarrow ((ap\ V3g\ (ap\ V2f\ V4x)) = V4x))) \wedge (((ap (ap (c\_2Epred\_set\_2EIMAGE \\ & ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal)\ V2f)\ V0s) = V1t) \wedge ((p ( \\ & ap (ap\ c\_2Ereal\_topology\_2Econtinuous\_on\ V2f)\ V0s)) \wedge ((\forall V5y \in \\ & ty\_2Erealax\_2Ereal. ((p (ap (ap (c\_2Ebool\_2EIN\ ty\_2Erealax\_2Ereal) \\ & V5y)\ V1t)) \Rightarrow ((ap\ V2f\ (ap\ V3g\ V5y)) = V5y))) \wedge (((ap (ap (c\_2Epred\_set\_2EIMAGE \\ & ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal)\ V3g)\ V1t) = V0s) \wedge (p (ap \\ & (ap\ c\_2Ereal\_topology\_2Econtinuous\_on\ V3g)\ V1t)))))) \end{aligned} \quad (23)$$

**Theorem 1**

$$\begin{aligned}
& (\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}).(\forall V1g \in \\
& (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}).(\forall V2s \in (2^{ty\_2Erealax\_2Ereal}). \\
& (\forall V3t \in (2^{ty\_2Erealax\_2Ereal}).((p (ap (ap (c\_2Ereal\_topology\_2Ehomeomorphism \\
& (ap (ap (c\_2Epair\_2E\_2C (2^{ty\_2Erealax\_2Ereal}) (2^{ty\_2Erealax\_2Ereal})) \\
& V2s) V3t)) (ap (ap (c\_2Epair\_2E\_2C (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal} \\
& (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal})) V0f) V1g)))) \Rightarrow (\forall V4u \in \\
& (2^{ty\_2Erealax\_2Ereal}).((p (ap (ap (c\_2Epred\_set\_2ESUBSET \\
& ty\_2Erealax\_2Ereal) V4u) V3t)) \Rightarrow ((p (ap (ap (c\_2Etopology\_2Eopen\_in \\
& ty\_2Erealax\_2Ereal) (ap (ap (c\_2Ereal\_topology\_2Esubtopology \\
& ty\_2Erealax\_2Ereal) c\_2Ereal\_topology\_2Euclidean) V2s)) \\
& (ap (c\_2Epred\_set\_2EGSPEC ty\_2Erealax\_2Ereal ty\_2Erealax\_2Ereal) \\
& (\lambda V5x \in ty\_2Erealax\_2Ereal.(ap (ap (c\_2Epair\_2E\_2C ty\_2Erealax\_2Ereal \\
& 2) V5x) (ap (ap c\_2Ebool\_2E\_2F\_5C (ap (ap (c\_2Ebool\_2EIN ty\_2Erealax\_2Ereal) \\
& V5x) V2s)) (ap (ap (c\_2Ebool\_2EIN ty\_2Erealax\_2Ereal) (ap V0f V5x)) \\
& V4u)))))) \Leftrightarrow (p (ap (ap (c\_2Etopology\_2Eopen\_in ty\_2Erealax\_2Ereal) \\
& (ap (ap (c\_2Ereal\_topology\_2Esubtopology ty\_2Erealax\_2Ereal) \\
& c\_2Ereal\_topology\_2Euclidean) V3t)) V4u))))))
\end{aligned}$$