

# thm\_2Ereal\_topology\_2EHOMEOMORPHISM\_INJECTIVE\_\_CLO (TMbTGE8WT1mkEZSk45azGeLV6F3KyHpWtoM)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ecombin\_2EK$  to be  $\lambda A.\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0x \in A\_27a.(\lambda V1y \in A\_27b.V0x))$

**Definition 4** We define  $c\_2Ecombin\_2ES$  to be  $\lambda A.\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.(\lambda V0f \in ((A\_27c^{A\_27b})^{A\_27a}))$

**Definition 5** We define  $c\_2Ecombin\_2EI$  to be  $\lambda A.\lambda A\_27a : \iota.(ap (ap (c\_2Ecombin\_2ES A\_27a (A\_27a^{A\_27a})) A\_27a))$

**Definition 6** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$  then (the  $(\lambda x.x \in A \wedge p (ap P x))$ ) of type  $\iota \Rightarrow \iota$ .

**Definition 7** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A.\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40 A\_27a P))))$

**Definition 8** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A.\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$

Let  $ty\_2Erealx\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealx\_2Ereal \tag{1}$$

**Definition 9** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 10** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}) P) A\_27a) P))$

**Definition 11** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{2}$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (3)$$

**Definition 12** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2E$

Let  $c\_2Ereal\_topology\_2EDist : \iota$  be given. Assume the following.

$$c\_2Ereal\_topology\_2EDist \in (ty\_2Erealax\_2Ereal^{(ty\_2Epair\_2Eprod\ ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal)}) \quad (4)$$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (5)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax\_2Ereal}) \quad (6)$$

**Definition 13** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap\ (c\_2Emin\_2E40\ ($

Let  $c\_2Erealax\_2Etreallt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreallt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \quad (7)$$

**Definition 14** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (8)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (9)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (10)$$

**Definition 15** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (11)$$

**Definition 16** We define  $c\_2Ereal\_topology\_2Econtinuous\_on$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal})$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \quad (12)$$

**Definition 17** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in$

**Definition 18** We define  $c\_2Ereal\_topology\_2EOpen$  to be  $\lambda V0s \in (2^{ty\_2Erealax\_2Ereal}).(ap\ (c\_2Ebool\_2E$

Let  $ty\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Etopology\_2Etopology\ A0) \quad (13)$$

Let  $c\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Etopology\_2Etopology\ A\_27a \in ((ty\_2Etopology\_2Etopology\ A\_27a)^{(2^{(2^{A\_27a})})}) \quad (14)$$

**Definition 19** We define  $c\_2Ereal\_topology\_2Eeuclidean$  to be  $(ap\ (c\_2Etopology\_2Etopology\ ty\_2Erealax$

Let  $c\_2Etopology\_2Eopen\_in : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Etopology\_2Eopen\_in\ A\_27a \in ((2^{(2^{A\_27a})})^{(ty\_2Etopology\_2Etopology\ A\_27a)}) \quad (15)$$

**Definition 20** We define  $c\_2Epred\_set\_2EINTER$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c$

**Definition 21** We define  $c\_2Ereal\_topology\_2Esubtopology$  to be  $\lambda A\_27a : \iota.\lambda V0top \in (ty\_2Etopology\_2Etopology$

**Definition 22** We define  $c\_2Epred\_set\_2EBIGUNION$  to be  $\lambda A\_27a : \iota.\lambda V0P \in (2^{(2^{A\_27a})}).(ap\ (c\_2Epred\_set$

**Definition 23** We define  $c\_2Etopology\_2Etopspace$  to be  $\lambda A\_27a : \iota.\lambda V0top \in (ty\_2Etopology\_2Etopology$

**Definition 24** We define  $c\_2Ebool\_2E2F$  to be  $(ap\ (c\_2Ebool\_2E21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 25** We define  $c\_2Ebool\_2E7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E$

**Definition 26** We define  $c\_2Epred\_set\_2EDIFF$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_2$

**Definition 27** We define  $c\_2Epred\_set\_2ESUBSET$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ ($

**Definition 28** We define  $c\_2Etopology\_2Eclosed\_in$  to be  $\lambda A\_27a : \iota.\lambda V0top \in (ty\_2Etopology\_2Etopology$

Let  $c\_2Ereal\_topology\_2Ehomeomorphism : \iota$  be given. Assume the following.

$$c\_2Ereal\_topology\_2Ehomeomorphism \in ((2^{(ty\_2Epair\_2Eprod\ (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal})\ (ty\_2Erealax\_2Ereal))}) \quad (16)$$

**Definition 29** We define  $c\_2Ebool\_2E5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E21\ 2)\ (\lambda V2t \in$

Assume the following.

$$True \quad (17)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. ((p V0t1) \Rightarrow (p V1t2)) \Rightarrow ((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))) \quad (18)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2. (((p V0t) \Rightarrow False) \Rightarrow (\neg(p V0t)))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (23)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (24)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (25)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (27)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((\neg(\exists V1x \in A.27a.(p\ (ap\ V0P\ V1x)))) \Leftrightarrow (\forall V2x \in A.27a.(\neg(p\ (ap\ V0P\ V2x)))))) \quad (28)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p\ V0A) \vee (p\ V1B) \vee (p\ V2C))) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \vee (p\ V2C)))))) \quad (29)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \wedge (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \vee \neg(p\ V1B)))) \wedge ((\neg((p\ V0A) \vee (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \wedge \neg(p\ V1B))))))) \quad (30)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.((ap\ (c.2Ecombin.2EI\ A.27a)\ V0x) = V0x)) \quad (31)$$

Assume the following.

$$\begin{aligned} & (\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}).(\forall V1s \in \\ & \quad (2^{ty\_2Erealax\_2Ereal}).(\forall V2t \in (2^{ty\_2Erealax\_2Ereal}). \\ & \quad ((p\ (ap\ (ap\ c.2Ereal\_topology\_2Econtinuous\_on\ V0f)\ V1s)) \wedge \\ & \quad (((ap\ (ap\ (c.2Epred\_set\_2EIMAGE\ ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal) \\ & \quad \quad V0f)\ V1s) = V2t) \wedge ((\forall V3x \in ty\_2Erealax\_2Ereal.(\forall V4y \in \\ & \quad ty\_2Erealax\_2Ereal.(((p\ (ap\ (ap\ (c.2Ebool\_2EIN\ ty\_2Erealax\_2Ereal) \\ & \quad \quad V3x)\ V1s)) \wedge ((p\ (ap\ (ap\ (c.2Ebool\_2EIN\ ty\_2Erealax\_2Ereal) \\ & \quad \quad V4y)\ V1s)) \wedge ((ap\ V0f\ V3x) = (ap\ V0f\ V4y)))) \Rightarrow (V3x = V4y)))) \wedge (\forall V5u \in \\ & \quad (2^{ty\_2Erealax\_2Ereal}).((p\ (ap\ (ap\ (c.2Etopology\_2Eclosed\_in \\ & \quad ty\_2Erealax\_2Ereal)\ (ap\ (ap\ (c.2Ereal\_topology\_2Esubtopology \\ & \quad ty\_2Erealax\_2Ereal)\ c.2Ereal\_topology\_2Eeuclidean)\ V1s)) \\ & \quad V5u) \Rightarrow (p\ (ap\ (ap\ (c.2Etopology\_2Eclosed\_in\ ty\_2Erealax\_2Ereal) \\ & \quad (ap\ (ap\ (c.2Ereal\_topology\_2Esubtopology\ ty\_2Erealax\_2Ereal) \\ & \quad c.2Ereal\_topology\_2Eeuclidean)\ V2t))\ (ap\ (ap\ (c.2Epred\_set\_2EIMAGE \\ & \quad ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal)\ V0f)\ V5u)))))) \Rightarrow (\exists V6g \in \\ & \quad (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}).(p\ (ap\ (ap\ c.2Ereal\_topology\_2Ehomeomorphism \\ & \quad (ap\ (ap\ (c.2Epair\_2E\_2C\ (2^{ty\_2Erealax\_2Ereal})\ (2^{ty\_2Erealax\_2Ereal})) \\ & \quad V1s)\ V2t))\ (ap\ (ap\ (c.2Epair\_2E\_2C\ (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}) \\ & \quad (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}))\ V0f)\ V6g)))))) \quad (32) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}).(\forall V1g \in \\
& (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}).(\forall V2s \in (2^{ty\_2Erealax\_2Ereal}). \\
& (\forall V3t \in (2^{ty\_2Erealax\_2Ereal}).(\forall V4u \in (2^{ty\_2Erealax\_2Ereal}). \\
& (((p (ap (ap (ap c\_2Ereal\_topology\_2Ehomeomorphism (ap (ap (c\_2Epair\_2E\_2C \\
& (2^{ty\_2Erealax\_2Ereal}) (2^{ty\_2Erealax\_2Ereal})) V2s) V3t)) ( \\
& ap (ap (c\_2Epair\_2E\_2C (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}) \\
& (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal})) V0f) V1g))) \wedge (p (ap \\
& (ap (c\_2Etopology\_2Eclosed\_in ty\_2Erealax\_2Ereal) (ap (ap ( \\
& c\_2Ereal\_topology\_2Esubtopology ty\_2Erealax\_2Ereal) c\_2Ereal\_topology\_2Eeuclidean) \\
& V2s)) V4u))) \Rightarrow (p (ap (ap (c\_2Etopology\_2Eclosed\_in ty\_2Erealax\_2Ereal) \\
& (ap (ap (c\_2Ereal\_topology\_2Esubtopology ty\_2Erealax\_2Ereal) \\
& c\_2Ereal\_topology\_2Eeuclidean) V3t)) (ap (ap (c\_2Epred\_set\_2EIMAGE \\
& ty\_2Erealax\_2Ereal ty\_2Erealax\_2Ereal) V0f) V4u))))))))) \\
& \tag{33}
\end{aligned}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{34}$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{35}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \\
& \tag{36}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \\
& \tag{37}
\end{aligned}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \tag{38}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg \\
& p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p))))))))) \\
& \tag{39}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))))) \\
& \tag{40}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee \neg(p V1q)) \wedge ((p V0p) \vee \neg(p V2r))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee \neg(p V0p))))))))))
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((p V0p) \vee \neg(p V2r))) \wedge (( \\
& \neg(p V1q) \vee ((p V2r) \vee \neg(p V0p))))))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow \neg(p V1q)) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge (\neg(p V1q) \vee \neg(p V0p))))))
\end{aligned} \tag{43}$$

**Theorem 1**

$$\begin{aligned}
& (\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}). (\forall V1s \in \\
& (2^{ty\_2Erealax\_2Ereal}). (\forall V2t \in (2^{ty\_2Erealax\_2Ereal}). \\
& (((p (ap (ap c\_2Ereal\_topology\_2Econtinuous\_on V0f) V1s)) \wedge \\
& (((ap (ap (c\_2Epred\_set\_2EIMAGE ty\_2Erealax\_2Ereal ty\_2Erealax\_2Ereal) \\
& V0f) V1s) = V2t) \wedge (\forall V3x \in ty\_2Erealax\_2Ereal. (\forall V4y \in \\
& ty\_2Erealax\_2Ereal. (((p (ap (ap (c\_2Ebool\_2EIN ty\_2Erealax\_2Ereal) \\
& V3x) V1s)) \wedge ((p (ap (ap (c\_2Ebool\_2EIN ty\_2Erealax\_2Ereal) V4y) \\
& V1s)) \wedge ((ap V0f V3x) = (ap V0f V4y)))))) \Rightarrow (V3x = V4y)))))) \Rightarrow ((\exists V5g \in \\
& (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}). (p (ap (ap c\_2Ereal\_topology\_2Ehomeomorphism \\
& (ap (ap (c\_2Epair\_2E\_2C (2^{ty\_2Erealax\_2Ereal}) (2^{ty\_2Erealax\_2Ereal}) \\
& V1s) V2t)) (ap (ap (c\_2Epair\_2E\_2C (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}) \\
& (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal})) V0f) V5g)))))) \Leftrightarrow (\forall V6u \in \\
& (2^{ty\_2Erealax\_2Ereal}). ((p (ap (ap (c\_2Etopology\_2Eclosed\_in \\
& ty\_2Erealax\_2Ereal) (ap (ap (c\_2Ereal\_topology\_2Esubtopology \\
& ty\_2Erealax\_2Ereal) c\_2Ereal\_topology\_2Eeuclidean) V1s)) \\
& V6u)) \Rightarrow (p (ap (ap (c\_2Etopology\_2Eclosed\_in ty\_2Erealax\_2Ereal) \\
& (ap (ap (c\_2Ereal\_topology\_2Esubtopology ty\_2Erealax\_2Ereal) \\
& c\_2Ereal\_topology\_2Eeuclidean) V2t)) (ap (ap (c\_2Epred\_set\_2EIMAGE \\
& ty\_2Erealax\_2Ereal ty\_2Erealax\_2Ereal) V0f) V6u)))))))))
\end{aligned}$$