

thm_2Ereal__topology_2EINTERIOR__LIMIT__POINT (TMYyjKAD5xUZfk46n9hLQFLFKUBxDx2TnAS)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 3 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 4 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ ($

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})ty_2Enum_2Enum) \quad (6)$$

Definition 7 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2E_2B))$

Definition 8 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (7)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (8)$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \quad (9)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})ty_2Erealax_2Ereal) \quad (10)$$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A$. **if** $(\exists x \in A.p (ap\ P\ x))$ **then** (the $(\lambda x.x \in A \wedge p\ x)$) of type $\iota \Rightarrow \iota$.

Definition 10 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E_40\ (ap\ V0a)))$

Let $c_2Erealax_2Etrealm_inv : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_inv \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (11)$$

Let $c_2Erealax_2Etrealm_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (12)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})} \quad (13)$$

Definition 11 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 12 We define $c_2Erealax_2Ereal_Einv$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal_ABS)$

Definition 26 We define $c_2Ereal_topology_2EOpen$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}).(ap (c_2Ebool_2E2$

Definition 27 We define $c_2Ereal_topology_2Elimit_point_of$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1s \in ($

Let $c_2Ereal_topology_2Eball : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2Eball \in ((2^{ty_2Erealax_2Ereal})(ty_2Epair_2Eprod ty_2Erealax_2Ereal ty_2Erealax_2Ereal)) \quad (19)$$

Definition 28 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap ($

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a A_27b \in ((2^{A_27a})((ty_2Epair_2Eprod A_27a 2)^{A_27b})) \end{aligned} \quad (20)$$

Definition 29 We define $c_2Ereal_topology_2Einterior$ to be $\lambda V0s \in (2^{ty_2Erealax_2Ereal}).(ap (c_2Epred_set_2E$

Definition 30 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

Assume the following.

$$True \quad (21)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ (p V0t) \Rightarrow False) \Leftrightarrow \neg(p V0t)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} ((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge \\ ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (23)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \quad (24)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in \\ A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ p V0t)))))) \end{aligned} \quad (26)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V0A) \vee (p V1B) \wedge (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C))))))) \quad (27)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (28)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty \ A_27a \Rightarrow \forall A_27b.nonempty \ A_27b \Rightarrow (\\ & \quad \forall V0f \in (A_27b^{A_27a}). (\forall V1b \in 2. (\forall V2x \in A_27a. \\ & \quad (\forall V3y \in A_27a. ((ap V0f (ap (ap (c_2Ebool_2ECOND \ A_27a) \\ & \quad V1b) V2x) V3y)) = (ap (ap (ap (c_2Ebool_2ECOND \ A_27b) V1b) (ap V0f \\ & \quad V2x)) (ap V0f V3y)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in \\ & \quad 2. (((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))) \Rightarrow \\ & \quad (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27)))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Erealx_2Ereal. (\forall V1y \in ty_2Erealx_2Ereal. \\ & \quad ((p (ap (ap c_2Ereal_2Ereal_lte V0x) V1y)) \Leftrightarrow ((p (ap (ap c_2Erealx_2Ereal_lt \\ & \quad V0x) V1y)) \vee (V0x = V1y)))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Erealx_2Ereal. (\forall V1y \in ty_2Erealx_2Ereal. \\ & \quad (\forall V2z \in ty_2Erealx_2Ereal. (((p (ap (ap c_2Erealx_2Ereal_lt \\ & \quad V0x) V1y)) \wedge (p (ap (ap c_2Ereal_2Ereal_lte V1y) V2z))) \Rightarrow (p (ap (\\ & \quad ap c_2Erealx_2Ereal_lt V0x) V2z)))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} & (\forall V0d \in ty_2Erealx_2Ereal. ((p (ap (ap c_2Erealx_2Ereal_lt \\ & \quad (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) (ap (ap c_2Ereal_2E_2F \\ & \quad V0d) (ap c_2Ereal_2Ereal_of_num (ap c_2Earithmetic_2ENUMERAL \\ & \quad (ap c_2Earithmetic_2EBIT2 c_2Earithmetic_2EZERO)))))) \Leftrightarrow (p (\\ & \quad ap (ap c_2Erealx_2Ereal_lt (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) \\ & \quad V0d)))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned}
& (\forall V0d \in ty_2Erealax_2Ereal. ((p (ap (ap c_2Erealax_2Ereal_lt \\
& (ap (ap c_2Ereal_2E_2F V0d) (ap c_2Ereal_2Ereal_of_num (ap c_2Earithmic_2ENUMERAL \\
& (ap c_2Earithmic_2EBIT2 c_2Earithmic_2EZERO)))))) V0d)) \Leftrightarrow \\
& (p (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)) V0d))))
\end{aligned} \tag{34}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (p (ap (ap c_2Ereal_2Ereal_lte (ap (ap c_2Ereal_2Emin V0x) V1y)) \\
& V0x))))
\end{aligned} \tag{35}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((ap c_2Ereal_topology_2EDist (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal \\
& ty_2Erealax_2Ereal) V0x) V1y)) = (ap c_2Ereal_topology_2EDist \\
& (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\
& V1y) V0x))))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((\neg(V0x = V1y)) \Leftrightarrow (p (ap (ap c_2Erealax_2Ereal_lt (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)) (ap c_2Ereal_topology_2EDist (ap (ap (c_2Epair_2E_2C \\
& ty_2Erealax_2Ereal ty_2Erealax_2Ereal) V0x) V1y))))))
\end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1e \in ty_2Erealax_2Ereal. \\
& ((p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Ereal_2Ereal_of_num \\
& c_2Enum_2E0)) V1e)) \Rightarrow (\exists V2y \in ty_2Erealax_2Ereal. ((ap c_2Ereal_topology_2EDist \\
& (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\
& V0x) V2y)) = V1e))))))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2e \in ty_2Erealax_2Ereal. ((p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) \\
& V1y) (ap c_2Ereal_topology_2Eball (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal \\
& ty_2Erealax_2Ereal) V0x) V2e)))) \Leftrightarrow (p (ap (ap c_2Erealax_2Ereal_lt \\
& (ap c_2Ereal_topology_2EDist (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal \\
& ty_2Erealax_2Ereal) V0x) V1y))) V2e))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1s \in (2^{ty_2Erealax_2Ereal}). \\
& ((p (ap (ap (c_2Ereal_topology_2Elimit_point_of V0x) V1s)) \Leftrightarrow \\
& (\forall V2e \in ty_2Erealax_2Ereal. ((p (ap (ap (c_2Erealax_2Ereal_lt \\
& (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) V2e)) \Rightarrow (\exists V3x_27 \in \\
& ty_2Erealax_2Ereal. ((p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) \\
& V3x_27) V1s)) \wedge ((\neg(V3x_27 = V0x)) \wedge (p (ap (ap (c_2Erealax_2Ereal_lt \\
& (ap c_2Ereal_topology_2EDist (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal \\
& ty_2Erealax_2Ereal) V3x_27) V0x))) V2e)))))))))
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1s \in (2^{ty_2Erealax_2Ereal}). \\
& ((p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) V0x) (ap c_2Ereal_topology_2Einterior \\
& V1s))) \Leftrightarrow (\exists V2e \in ty_2Erealax_2Ereal. ((p (ap (ap (c_2Erealax_2Ereal_lt \\
& (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) V2e)) \wedge (p (ap (ap (\\
& c_2Epred_set_2ESUBSET ty_2Erealax_2Ereal) (ap c_2Ereal_topology_2Eball \\
& (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\
& V0x) V2e))) V1s))))))
\end{aligned} \tag{41}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{42}$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{43}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))
\end{aligned} \tag{44}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False))))
\end{aligned} \tag{45}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \tag{46}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(\\
& p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p)))))))))
\end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))))) \\
& \tag{48}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge ((p V0p) \vee (\neg(p V2r)))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \\
& \tag{49}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((p V0p) \vee (\neg(p V2r))) \wedge (\\
& \neg(p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \\
& \tag{50}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \\
& \tag{51}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (\forall V3s \in \\
& 2. (((p V0p) \Leftrightarrow (ap (ap (c_2Ebool.2ECOND 2) V1q) V2r) V3s))) \Leftrightarrow \\
& (((p V0p) \vee ((p V1q) \vee (\neg(p V3s)))) \wedge (((p V0p) \vee (\neg(p V2r)) \vee (\neg(p V1q)))) \wedge \\
& (((p V0p) \vee (\neg(p V2r)) \vee (\neg(p V3s)))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg \\
& p V0p)))) \wedge ((p V1q) \vee ((p V3s) \vee (\neg(p V0p)))))))))) \\
& \tag{52}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \\
& \tag{53}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \\
& \tag{54}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \\
& \tag{55}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \\
& \tag{56}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \\
& \tag{57}
\end{aligned}$$

Theorem 1

$$(\forall V_0s \in ({}^2{}^{ty}Erealax_2Ereal).(\forall V_1x \in ty_2Erealax_2Ereal. \\ ((p (ap (ap (c_2Ebool_2EIN ty_2Erealax_2Ereal) V_1x) (ap c_2Ereal_topology_2Einterior \\ V_0s))) \Rightarrow (p (ap (ap c_2Ereal_topology_2Elimit_point_of V_1x) \\ V_0s))))))$$