

thm_2Ereal__topology_2EINTERVAL__IMAGE__STRETCH__INTE (TMP32NNjdHtw3H3EEeEx3nixStEX9TZJvGP)

October 26, 2020

Definition 1 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (the (\lambda x.x \in A \wedge p x))$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_3F$ to be $\lambda A.\lambda P \in (2^{A-27a}).(ap V0P (ap (c_2Emin_2E_40 A P)))$

Definition 4 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{3}$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})\ ty_2Erealax_2Ereal) \tag{4}$$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}) P)))$

Definition 6 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E_40 (ty_2Erealax_2Ereal V0a)))$

Let $c_2Erealax_2Etrealt_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealt_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})\ (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)) \tag{5}$$

Definition 7 We define $c_Erealax_Ereal_lt$ to be $\lambda V0T1 \in ty_Erealax_Ereal.\lambda V1T2 \in ty_Erealax_Ereal.$

Definition 8 We define c_Ebool_EF to be $(ap (c_Ebool_E21 2) (\lambda V0t \in 2.V0t))$.

Definition 9 We define $c_Emin_E3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 10 We define c_Ebool_E7E to be $(\lambda V0t \in 2.(ap (ap c_Emin_E3D_3D_3E V0t) c_Ebool_E21 2))$

Definition 11 We define $c_Ereal_Ereal_lte$ to be $\lambda V0x \in ty_Erealax_Ereal.\lambda V1y \in ty_Erealax_Ereal.$

Definition 12 We define $c_Ebool_E2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_E21 2) (\lambda V2t \in 2.V2t))))$

Definition 13 We define c_Ebool_ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap (c_Ebool_E21 2) (V2t2))))))$

Definition 14 We define c_Ereal_EEmax to be $\lambda V0x \in ty_Erealax_Ereal.\lambda V1y \in ty_Erealax_Ereal.$

Definition 15 We define c_Ereal_Emin to be $\lambda V0x \in ty_Erealax_Ereal.\lambda V1y \in ty_Erealax_Ereal.$

Definition 16 We define $c_Epred_set_EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_Ebool_EF)$.

Let $ty_Elist_Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_Elist_Elist A0) \quad (6)$$

Let $c_Elist_ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_Elist_ENIL A_27a \in (ty_Elist_Elist A_27a) \quad (7)$$

Let $c_Epair_EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_Epair_EABS_prod A_27a A_27b \in ((ty_Epair_Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (8)$$

Definition 17 We define c_Epair_E2C to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_Ebool_E21 2) (V0x V1y))$

Let $c_Elist_ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_Elist_ECONS A_27a \in (((ty_Elist_Elist A_27a)^{(ty_Elist_Elist A_27a)})^{A_27a}) \quad (9)$$

Let $c_Elist_EHd : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_Elist_EHd A_27a \in (A_27a)^{(ty_Elist_Elist A_27a)} \quad (10)$$

Let $c_Epair_ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_Epair_ESND A_27a A_27b \in (A_27b)^{(ty_Epair_Eprod A_27a A_27b)} \quad (11)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST \\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (12)$$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \end{aligned} \quad (13)$$

Definition 18 We define $c_2Ereal_topology_2ECLOSED_interval$ to be $\lambda V0l \in (ty_2Elist_2Elist\ (ty_2Epa$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (14)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (15)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (16)$$

Definition 19 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 20 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (17)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (18)$$

Definition 21 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (19)$$

Definition 22 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Definition 23 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Erealax_2Etreal_mul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_mul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)) (20)$$

Let $c_2Erealax_2Etreal_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)) (21)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}} (22)$$

Definition 24 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 25 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 26 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(\lambda p\ V1f\ V0x)))$

Definition 27 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in$

Definition 28 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(\lambda p\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Assume the following.

$$True (23)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) (24)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) (25)$$

Assume the following.

$$((\forall V0t \in 2.((\neg (\neg (p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) (26)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) (27)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) (28)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\
& p V0t))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((ap (c_2Emin_2E_40 \\
& A_27a) (\lambda V1y \in A_27a.(ap (ap (c_2Emin_2E_3D A_27a) V1y) V0x))) = \\
& V0x))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow \\
& ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3))))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\\
& \forall V0b \in 2.(\forall V1f \in (A_27b^{A_27a}).(\forall V2g \in (A_27b^{A_27a}). \\
& (\forall V3x \in A_27a.((ap (ap (ap (ap (c_2Ebool_2ECOND (A_27b^{A_27a}) \\
& V0b) V1f) V2g) V3x) = (ap (ap (ap (c_2Ebool_2ECOND A_27b) V0b) (ap \\
& V1f V3x)) (ap V2g V3x))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\\
& \forall V0f \in (A_27b^{A_27a}).(\forall V1b \in 2.(\forall V2x \in A_27a. \\
& (\forall V3y \in A_27a.((ap V0f (ap (ap (ap (c_2Ebool_2ECOND A_27a) \\
& V1b) V2x) V3y)) = (ap (ap (ap (c_2Ebool_2ECOND A_27b) V1b) (ap V0f \\
& V2x)) (ap V0f V3y))))))
\end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in 2. \\
& (\forall V2x \in A_27a.(\forall V3x_27 \in A_27a.(\forall V4y \in A_27a. \\
& (\forall V5y_27 \in A_27a.(((p V0P) \Leftrightarrow (p V1Q)) \wedge (((p V1Q) \Rightarrow (V2x = V3x_27)) \wedge \\
& ((\neg(p V1Q)) \Rightarrow (V4y = V5y_27)))))) \Rightarrow ((ap (ap (ap (c_2Ebool_2ECOND A_27a) \\
& V0P) V2x) V4y) = (ap (ap (ap (c_2Ebool_2ECOND A_27a) V1Q) V3x_27) \\
& V5y_27))))))
\end{aligned} \tag{34}$$

Assume the following.

$$\begin{aligned}
& (\forall V0a \in ty_2Erealax_2Ereal. (\forall V1b \in ty_2Erealax_2Ereal. \\
& \quad (\forall V2m \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). ((ap (ap (\\
& \quad \quad c_2Epred_set_2EIMAGE ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\
& \quad \quad (\lambda V3x \in ty_2Erealax_2Ereal. (ap (c_2Emin_2E_40 ty_2Erealax_2Ereal) \\
& \quad \quad (\lambda V4f \in ty_2Erealax_2Ereal. (ap (ap (c_2Emin_2E_3D ty_2Erealax_2Ereal) \\
V4f) (ap (ap c_2Erealax_2Ereal_mul (ap V2m (ap c_2Earithmetic_2ENUMERAL \\
& \quad \quad (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) V3x)))))) \\
& \quad (ap c_2Ereal_topology_2ECLOSED_interval (ap (ap (c_2Elist_2ECONS \\
& \quad \quad (ty_2Epair_2Eprod ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\
& \quad \quad (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\
& \quad \quad V0a) V1b)) (c_2Elist_2ENIL (ty_2Epair_2Eprod ty_2Erealax_2Ereal \\
& \quad \quad ty_2Erealax_2Ereal)))))) = (ap (ap (ap (c_2Ebool_2ECOND (2^{ty_2Erealax_2Ereal})) \\
(ap (ap (c_2Emin_2E_3D (2^{ty_2Erealax_2Ereal})) (ap c_2Ereal_topology_2ECLOSED_interval \\
& \quad \quad (ap (ap (c_2Elist_2ECONS (ty_2Epair_2Eprod ty_2Erealax_2Ereal \\
& \quad \quad ty_2Erealax_2Ereal) (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal \\
& \quad \quad ty_2Erealax_2Ereal) V0a) V1b)) (c_2Elist_2ENIL (ty_2Epair_2Eprod \\
& \quad \quad ty_2Erealax_2Ereal ty_2Erealax_2Ereal)))))) (c_2Epred_set_2EEMPTY \\
& \quad \quad ty_2Erealax_2Ereal))) (c_2Epred_set_2EEMPTY ty_2Erealax_2Ereal) \\
& \quad \quad (ap c_2Ereal_topology_2ECLOSED_interval (ap (ap (c_2Elist_2ECONS \\
& \quad \quad (ty_2Epair_2Eprod ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\
& \quad \quad (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\
& \quad \quad (ap (c_2Emin_2E_40 ty_2Erealax_2Ereal) (\lambda V5f \in ty_2Erealax_2Ereal. \\
& \quad \quad (ap (ap (c_2Emin_2E_3D ty_2Erealax_2Ereal) V5f) (ap (ap c_2Ereal_2Emin \\
& \quad \quad (ap (ap c_2Erealax_2Ereal_mul (ap V2m (ap c_2Earithmetic_2ENUMERAL \\
& \quad \quad (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) V0a)) (\\
& \quad \quad ap (ap c_2Erealax_2Ereal_mul (ap V2m (ap c_2Earithmetic_2ENUMERAL \\
& \quad \quad (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) V1b)))))) \\
& \quad \quad (ap (c_2Emin_2E_40 ty_2Erealax_2Ereal) (\lambda V6f \in ty_2Erealax_2Ereal. \\
& \quad \quad (ap (ap (c_2Emin_2E_3D ty_2Erealax_2Ereal) V6f) (ap (ap c_2Ereal_2Emax \\
& \quad \quad (ap (ap c_2Erealax_2Ereal_mul (ap V2m (ap c_2Earithmetic_2ENUMERAL \\
& \quad \quad (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) V0a)) (\\
& \quad \quad ap (ap c_2Erealax_2Ereal_mul (ap V2m (ap c_2Earithmetic_2ENUMERAL \\
& \quad \quad (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) V1b)))))) \\
& \quad \quad (c_2Elist_2ENIL (ty_2Epair_2Eprod ty_2Erealax_2Ereal ty_2Erealax_2Ereal))))))))) \\
& \hspace{15em} (35)
\end{aligned}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (36)$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (37)$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (38)
\end{aligned}$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (39)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (40)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (41)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (42)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (43)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (44)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (45)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (\forall V3s \in 2. (((p V0p) \Leftrightarrow (p (ap (ap (ap (c_2Ebool_2ECOND 2) V1q) V2r) V3s)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (\neg(p V3s)))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V3s)))) \wedge (((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))) \wedge ((p V1q) \vee ((p V3s) \vee (\neg(p V0p)))))))))) \quad (46)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg(p V0p) \Rightarrow (p V1q)) \Rightarrow (p V0p)))) \quad (47)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (48)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))))) \quad (49)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (50)$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (51)$$

Theorem 1

$$\begin{aligned} & (\forall V0a \in ty_2Erealax_2Ereal. (\forall V1b \in ty_2Erealax_2Ereal. \\ & (\forall V2m \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). (\exists V3u \in \\ & ty_2Erealax_2Ereal. (\exists V4v \in ty_2Erealax_2Ereal. ((ap (\\ & ap (c_2Epred_set_2EIMAGE ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\ & (\lambda V5x \in ty_2Erealax_2Ereal. (ap (c_2Emin_2E_40 ty_2Erealax_2Ereal) \\ & (\lambda V6f \in ty_2Erealax_2Ereal. (ap (ap (c_2Emin_2E_3D ty_2Erealax_2Ereal) \\ & V6f) (ap (ap c_2Erealax_2Ereal_mul (ap V2m (ap c_2Earithmetic_2ENUMERAL \\ & (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))) V5x)))))) \\ & (ap c_2Ereal_topology_2ECLOSED_interval (ap (ap (c_2Elist_2ECONS \\ & (ty_2Epair_2Eprod ty_2Erealax_2Ereal ty_2Erealax_2Ereal)) \\ & (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal ty_2Erealax_2Ereal) \\ & V0a) V1b)) (c_2Elist_2ENIL (ty_2Epair_2Eprod ty_2Erealax_2Ereal \\ & ty_2Erealax_2Ereal)))))) = (ap c_2Ereal_topology_2ECLOSED_interval \\ & (ap (ap (c_2Elist_2ECONS (ty_2Epair_2Eprod ty_2Erealax_2Ereal \\ & ty_2Erealax_2Ereal)) (ap (ap (c_2Epair_2E_2C ty_2Erealax_2Ereal \\ & ty_2Erealax_2Ereal) V3u) V4v)) (c_2Elist_2ENIL (ty_2Epair_2Eprod \\ & ty_2Erealax_2Ereal ty_2Erealax_2Ereal)))))))))) \end{aligned}$$