

thm\_2Ereal\_\_topology\_2EIN\_\_COMPONENTS\_\_BIGUNION\_\_COM  
(TMFL3MKgFHskXSMomWq93muHgU363zimBUJ)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \quad (1)$$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2ESND A\_27a A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod A\_27a A\_27b)}) \quad (2)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EFST A\_27a A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod A\_27a A\_27b)}) \quad (3)$$

**Definition 7** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c^{A\_27b})$

**Definition 8** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

**Definition 9** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. c\_2Ebool\_2EF)$ .

**Definition 10** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap\ V1f\ V0x)))$

**Definition 11** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2. (c\_2Ebool\_2E\_21\ 2))))$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a. nonempty\ A\_27a \Rightarrow \forall A\_27b. nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \end{aligned} \quad (4)$$

**Definition 12** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2. (c\_2Ebool\_2E\_21\ 2))))$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a. nonempty\ A\_27a \Rightarrow \forall A\_27b. nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \end{aligned} \quad (5)$$

**Definition 13** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. \lambda V1s \in (2^{A\_27a}). (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2. (c\_2Ebool\_2E\_21\ 2))))$

**Definition 14** We define  $c\_2Epred\_set\_2EDIFF$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2. (c\_2Ebool\_2E\_21\ 2))))$

**Definition 15** We define  $c\_2Epred\_set\_2EDELETE$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1x \in A\_27a. (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2. (c\_2Ebool\_2E\_21\ 2))))$

**Definition 16** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A. \lambda P \in 2^A. \mathbf{if}\ (\exists x \in A. p\ (ap\ P\ x))\ \mathbf{then}\ (the\ (\lambda x. x \in A \wedge p\ (ap\ P\ x)))\ \mathbf{of\ type}\ \iota \Rightarrow \iota$ .

**Definition 17** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ V0P\ (ap\ (c\_2Emin\_2E\_40)\ (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2. (c\_2Ebool\_2E\_21\ 2))))))$

**Definition 18** We define  $c\_2Epred\_set\_2EBIGUNION$  to be  $\lambda A\_27a : \iota. \lambda V0P \in (2^{(2^{A\_27a})}). (ap\ (c\_2Epred\_set\_2EGSPEC)\ (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2. (c\_2Ebool\_2E\_21\ 2))))$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \quad (6)$$

**Definition 19** We define  $c\_2Epred\_set\_2ESUBSET$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2. (c\_2Ebool\_2E\_21\ 2))))$

**Definition 20** We define  $c\_2Epred\_set\_2EINTER$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2. (c\_2Ebool\_2E\_21\ 2))))$

**Definition 21** We define  $c\_2Epred\_set\_2EUNION$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2. (c\_2Ebool\_2E\_21\ 2))))$

Let  $c\_2Ereal\_topology\_2EDist : \iota$  be given. Assume the following.

$$c\_2Ereal\_topology\_2EDist \in (ty\_2Erealax\_2Ereal^{(ty\_2Epair\_2Eprod\ ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal)}) \quad (7)$$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (8)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax\_2Ereal}) \quad (9)$$

**Definition 22** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap (c\_2Emin\_2E40 (t$   
Let  $c\_2Erealax\_2Etreall\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreall\_lt \in ((2^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal)) \quad (10)$$

**Definition 23** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$   
Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (11)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (12)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (13)$$

**Definition 24** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (14)$$

**Definition 25** We define  $c\_2Ereal\_topology\_2EOpen$  to be  $\lambda V0s \in (2^{ty\_2Erealax\_2Ereal}).(ap\ (c\_2Ebool\_2E2$

**Definition 26** We define  $c\_2Ereal\_topology\_2Econnected$  to be  $\lambda V0s \in (2^{ty\_2Erealax\_2Ereal}).(ap\ c\_2Ebool\_2E2$

**Definition 27** We define  $c\_2Ereal\_topology\_2Econnected\_component$  to be  $\lambda V0s \in (2^{ty\_2Erealax\_2Ereal}).\lambda V$

**Definition 28** We define  $c\_2Ereal\_topology\_2Ecomponents$  to be  $\lambda V0s \in (2^{ty\_2Erealax\_2Ereal}).(ap\ (c\_2Epre$

Assume the following.

$$True \quad (15)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p\ V0t) \Leftrightarrow (p\ V0t))) \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (( \\ & (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (18)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (19)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (20)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in \\ & 2. (((p\ V0x) \Leftrightarrow (p\ V1x\_27)) \wedge ((p\ V1x\_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y\_27)))))) \Rightarrow \\ & ((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x\_27) \Rightarrow (p\ V3y\_27)))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\ & nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow \forall A\_27e.nonempty \\ & A\_27e \Rightarrow \forall A\_27f.nonempty\ A\_27f \Rightarrow \forall A\_27g.nonempty\ A\_27g \Rightarrow \\ & (\forall V0Q \in (2^{A\_27b}). ((\forall V1P \in (2^{A\_27a}). (\forall V2f \in \\ & (A\_27b^{A\_27a}). ((\forall V3z \in A\_27b. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\ & A\_27b)\ V3z)\ (ap\ (c\_2Epred\_set\_2EGSPEC\ A\_27b\ A\_27a)\ (\lambda V4x \in \\ & A\_27a. (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27b\ 2)\ (ap\ V2f\ V4x)\ (ap\ V1P\ V4x)))))) \Rightarrow \\ & (p\ (ap\ V0Q\ V3z)))) \Leftrightarrow (\forall V5x \in A\_27a. ((p\ (ap\ V1P\ V5x)) \Rightarrow (p\ (ap\ V0Q \\ & (ap\ V2f\ V5x)))))) \wedge ((\forall V6P \in ((2^{A\_27d})^{A\_27e}). (\forall V7f \in \\ & ((A\_27b^{A\_27d})^{A\_27e}). ((\forall V8z \in A\_27b. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\ & A\_27b)\ V8z)\ (ap\ (c\_2Epred\_set\_2EGSPEC\ A\_27b\ (ty\_2Epair\_2Eprod \\ & A\_27c\ A\_27d))\ (ap\ (c\_2Epair\_2EUNCURRY\ A\_27c\ A\_27d\ (ty\_2Epair\_2Eprod \\ & A\_27b\ 2))\ (\lambda V9x \in A\_27c. (\lambda V10y \in A\_27d. (ap\ (ap\ (c\_2Epair\_2E\_2C \\ & A\_27b\ 2)\ (ap\ (ap\ V7f\ V9x)\ V10y)\ (ap\ (ap\ V6P\ V9x)\ V10y)))))) \Rightarrow (p \\ & (ap\ V0Q\ V8z)))) \Leftrightarrow (\forall V11x \in A\_27c. (\forall V12y \in A\_27d. ((p \\ & (ap\ (ap\ V6P\ V11x)\ V12y)) \Rightarrow (p\ (ap\ V0Q\ (ap\ (ap\ V7f\ V11x)\ V12y)))))) \wedge \\ & (\forall V13P \in (((2^{A\_27g})^{A\_27f})^{A\_27e}). (\forall V14f \in (((A\_27b^{A\_27g})^{A\_27f})^{A\_27e}). \\ & ((\forall V15z \in A\_27b. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27b)\ V15z)\ ( \\ & ap\ (c\_2Epred\_set\_2EGSPEC\ A\_27b\ (ty\_2Epair\_2Eprod\ A\_27e\ (ty\_2Epair\_2Eprod \\ & A\_27f\ A\_27g)))\ (ap\ (c\_2Epair\_2EUNCURRY\ A\_27e\ (ty\_2Epair\_2Eprod \\ & A\_27f\ A\_27g)\ (ty\_2Epair\_2Eprod\ A\_27b\ 2))\ (\lambda V16w \in A\_27e. (ap \\ & (c\_2Epair\_2EUNCURRY\ A\_27f\ A\_27g\ (ty\_2Epair\_2Eprod\ A\_27b\ 2)) \\ & (\lambda V17x \in A\_27f. (\lambda V18y \in A\_27g. (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27b \\ & 2)\ (ap\ (ap\ (ap\ V14f\ V16w)\ V17x)\ V18y)\ (ap\ (ap\ (ap\ V13P\ V16w)\ V17x \\ & V18y)))))) \Rightarrow (p\ (ap\ V0Q\ V15z)))) \Leftrightarrow (\forall V19w \in A\_27e. (\forall V20x \in \\ & A\_27f. (\forall V21y \in A\_27g. ((p\ (ap\ (ap\ (ap\ V13P\ V19w)\ V20x)\ V21y)) \Rightarrow \\ & (p\ (ap\ V0Q\ (ap\ (ap\ (ap\ V14f\ V19w)\ V20x)\ V21y)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned}
& (\forall V0s \in (2^{ty\_2Erealax\_2Ereal}). (\forall V1x \in ty\_2Erealax\_2Ereal. \\
& ((ap (ap (c\_2Epred\_set\_2EDIFF ty\_2Erealax\_2Ereal) V0s) (ap ( \\
& ap c\_2Ereal\_topology\_2Econnected\_component V0s) V1x))) = (ap \\
& (c\_2Epred\_set\_2EBIGUNION ty\_2Erealax\_2Ereal) (ap (ap (c\_2Epred\_set\_2EDELETE \\
& (2^{ty\_2Erealax\_2Ereal}) (ap (c\_2Epred\_set\_2EGSPEC (2^{ty\_2Erealax\_2Ereal} \\
& ty\_2Erealax\_2Ereal) (\lambda V2y \in ty\_2Erealax\_2Ereal. (ap (ap (c\_2Epair\_2E\_2C \\
& (2^{ty\_2Erealax\_2Ereal}) 2) (ap (ap c\_2Ereal\_topology\_2Econnected\_component \\
& V0s) V2y))) (ap (ap (c\_2Ebool\_2EIN ty\_2Erealax\_2Ereal) V2y) V0s)))))) \\
& (ap (ap c\_2Ereal\_topology\_2Econnected\_component V0s) V1x)))))) \\
& \tag{23}
\end{aligned}$$

**Theorem 1**

$$\begin{aligned}
& (\forall V0s \in (2^{ty\_2Erealax\_2Ereal}). (\forall V1c \in (2^{ty\_2Erealax\_2Ereal}). \\
& ((p (ap (ap (c\_2Ebool\_2EIN (2^{ty\_2Erealax\_2Ereal})) V1c) (ap c\_2Ereal\_topology\_2Ecomponents \\
& V0s))) \Rightarrow ((ap (ap (c\_2Epred\_set\_2EDIFF ty\_2Erealax\_2Ereal) V0s) \\
& V1c) = (ap (c\_2Epred\_set\_2EBIGUNION ty\_2Erealax\_2Ereal) (ap \\
& (ap (c\_2Epred\_set\_2EDELETE (2^{ty\_2Erealax\_2Ereal}) (ap c\_2Ereal\_topology\_2Ecomponents \\
& V0s)) V1c))))))
\end{aligned}$$