

# thm\_2Ereal\_\_topology\_2EISOMETRY\_\_IMP\_\_EMBEDDING (TMJrNze6xsprwKJKS94vMy6SVBw7opKV23b)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ecombin\_2EK$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0x \in A\_27a.(\lambda V1y \in A\_27b.V0x))$

**Definition 4** We define  $c\_2Ecombin\_2ES$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.(\lambda V0f \in ((A\_27c^{A\_27b})^{A\_27a}))$

**Definition 5** We define  $c\_2Ecombin\_2EI$  to be  $\lambda A\_27a : \iota.(ap (ap (c\_2Ecombin\_2ES A\_27a (A\_27a^{A\_27a})) A\_27a))$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{3}$$

**Definition 6** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $ty\_2Erealx\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealx\_2Ereal \tag{4}$$

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealx\_2Ereal^{ty\_2Enum\_2Enum}) \tag{5}$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (6)$$

Let  $c\_2Ereal\_topology\_2Ehomeomorphism : \iota$  be given. Assume the following.

$$c\_2Ereal\_topology\_2Ehomeomorphism \in ((2^{(ty\_2Epair\_2Eprod\ (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal})\ (ty\_2Erealax\_2Ereal))}) \quad (7)$$

**Definition 7** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A$ . **if**  $(\exists x \in A.p\ (ap\ P\ x))$  **then** *(the*  $(\lambda x.x \in A \wedge p\ x)$  *of type*  $\iota \Rightarrow \iota$ .

**Definition 8** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A.\lambda P \in (2^{A-27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40\ A\ P)))$

**Definition 9** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 10** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda P \in (2^{A-27a}).(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A-27a}\ P))))$

**Definition 11** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2.(ap\ (c\_2Emin\_2E\_3D\ (2^{A-27a}\ V2t))))))$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A-27b})^{A-27a}}) \quad (8)$$

**Definition 12** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A.\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Emin\_2E\_40\ (c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b)))$

Let  $c\_2Ereal\_topology\_2EDist : \iota$  be given. Assume the following.

$$c\_2Ereal\_topology\_2EDist \in (ty\_2Erealax\_2Ereal^{(ty\_2Epair\_2Eprod\ ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal)}) \quad (9)$$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (10)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax\_2Ereal}) \quad (11)$$

**Definition 13** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap\ (c\_2Emin\_2E\_40\ (c\_2Erealax\_2Ereal\_REP\_CLASS\ V0a)))$

Let  $c\_2Erealax\_2Etreallt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreallt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \quad (12)$$

**Definition 14** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal.(ap\ (c\_2Emin\_2E\_40\ (c\_2Erealax\_2Etreallt\ V0T1\ V1T2)))$

**Definition 15** We define  $c\_Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap\ V1f\ V0x)))$

**Definition 16** We define  $c\_Ereal\_topology\_2Econtinuous\_on$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Ereal})$

**Definition 17** We define  $c\_Ereal\_topology\_2EOpen$  to be  $\lambda V0s \in (2^{ty\_2Erealax\_2Ereal}). (ap\ (c\_Ebool\_2E2E$

Let  $ty\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Etopology\_2Etopology\ A0) \quad (13)$$

Let  $c\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Etopology\_2Etopology\ A\_27a \in ((ty\_2Etopology\_2Etopology\ A\_27a)^{(2^{(2^{A\_27a})})}) \quad (14)$$

**Definition 18** We define  $c\_Ereal\_topology\_2Eeuclidean$  to be  $(ap\ (c\_2Etopology\_2Etopology\ ty\_2Erealax\_2Ereal$

Let  $c\_2Etopology\_2Eopen\_in : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Etopology\_2Eopen\_in\ A\_27a \in ((2^{(2^{A\_27a})})^{(ty\_2Etopology\_2Etopology\ A\_27a)}) \quad (15)$$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{((ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b})}) \quad (16)$$

**Definition 19** We define  $c\_2Epred\_set\_2EINTER$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap\ (c\_2E$

**Definition 20** We define  $c\_Ereal\_topology\_2Esubtopology$  to be  $\lambda A\_27a : \iota. \lambda V0top \in (ty\_2Etopology\_2Etopology$

**Definition 21** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (A\_27b^{A\_27a}). \lambda V1s \in$

**Definition 22** We define  $c\_Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E2E\_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 23** We define  $c\_Ebool\_2E5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E2E\_21\ 2)\ (\lambda V2t \in 2. ($

**Definition 24** We define  $c\_Ebool\_2E7E$  to be  $(\lambda V0t \in 2. (ap\ (ap\ c\_2Emin\_2E3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E2E$

Assume the following.

$$True \quad (17)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee (\neg(p V0t)))) \quad (20)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (21)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \wedge (p V1t2) \wedge (p V2t3)) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \wedge (p V2t3)))))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2.(((p V0t) \Rightarrow False) \Rightarrow (\neg(p V0t)))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (25)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (27)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (28)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (29)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.(\forall V1y \in A_{.27a}.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (30)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (31)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0P \in (2^{A_{.27a}}).(\neg(\forall V1x \in A_{.27a}.(p\ (ap\ V0P\ V1x)))) \Leftrightarrow (\exists V2x \in A_{.27a}.(\neg(p\ (ap\ V0P\ V2x))))) \quad (32)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0P \in (2^{A_{.27a}}).(\neg(\exists V1x \in A_{.27a}.(p\ (ap\ V0P\ V1x)))) \Leftrightarrow (\forall V2x \in A_{.27a}.(\neg(p\ (ap\ V0P\ V2x))))) \quad (33)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0P \in (2^{A_{.27a}}).(\forall V1Q \in 2.(((\exists V2x \in A_{.27a}.(p\ (ap\ V0P\ V2x))) \vee (p\ V1Q)) \Leftrightarrow (\exists V3x \in A_{.27a}.((p\ (ap\ V0P\ V3x)) \vee (p\ V1Q))))) \quad (34)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A_{.27a}}).(((p\ V0P) \vee (\exists V2x \in A_{.27a}.(p\ (ap\ V1Q\ V2x)))) \Leftrightarrow (\exists V3x \in A_{.27a}.((p\ V0P) \vee (p\ (ap\ V1Q\ V3x))))) \quad (35)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p\ V0A) \vee ((p\ V1B) \vee (p\ V2C))) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \vee (p\ V2C))))) \quad (36)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p\ V0A) \vee (p\ V1B)) \Leftrightarrow ((p\ V1B) \vee (p\ V0A)))) \quad (37)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \wedge (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A)) \vee (\neg(p\ V1B)))) \wedge (((\neg(p\ V0A) \vee (p\ V1B)) \Leftrightarrow ((\neg(p\ V0A)) \wedge (\neg(p\ V1B))))) \quad (38)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))) \quad (39)$$

Assume the following.

$$2.(((p \ V0x) \Leftrightarrow (p \ V1x\_27)) \wedge ((p \ V1x\_27) \Rightarrow ((p \ V2y) \Leftrightarrow (p \ V3y\_27)))) \Rightarrow \\ 2.(((p \ V0x) \Rightarrow (p \ V2y)) \Leftrightarrow ((p \ V1x\_27) \Rightarrow (p \ V3y\_27)))) \quad (40)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow ( \\ \forall V0P \in ((2^{A\_27b})^{A\_27a}).((\forall V1x \in A\_27a.(\exists V2y \in \\ A\_27b.(p \ (ap \ (ap \ V0P \ V1x) \ V2y)))) \Leftrightarrow (\exists V3f \in (A\_27b^{A\_27a}).( \\ \forall V4x \in A\_27a.(p \ (ap \ (ap \ V0P \ V4x) \ (ap \ V3f \ V4x))))))) \quad (41)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a.((ap \ (c\_2Ecombin\_2EI \\ A\_27a) \ V0x) = V0x)) \quad (42)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.(\forall V1y \in ty\_2Erealax\_2Ereal. \\ (((ap \ c\_2Ereal\_topology\_2EDist \ (ap \ (ap \ (c\_2Epair\_2E\_2C \ ty\_2Erealax\_2Ereal \\ ty\_2Erealax\_2Ereal) \ V0x) \ V1y)) = (ap \ c\_2Ereal\_2Ereal\_of\_num \\ c\_2Enum\_2E0)) \Leftrightarrow (V0x = V1y)))) \quad (43)$$

Assume the following.

$$(\forall V0s \in (2^{ty\_2Erealax\_2Ereal}).(\forall V1f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}). \\ ((\forall V2x \in ty\_2Erealax\_2Ereal.(\forall V3y \in ty\_2Erealax\_2Ereal. \\ (((p \ (ap \ (ap \ (c\_2Ebool\_2EIN \ ty\_2Erealax\_2Ereal) \ V2x) \ V0s)) \wedge (p \\ (ap \ (ap \ (c\_2Ebool\_2EIN \ ty\_2Erealax\_2Ereal) \ V3y) \ V0s))) \Rightarrow ((ap \ c\_2Ereal\_topology\_2EDist \\ (ap \ (ap \ (c\_2Epair\_2E\_2C \ ty\_2Erealax\_2Ereal \ ty\_2Erealax\_2Ereal) \\ (ap \ V1f \ V2x)) \ (ap \ V1f \ V3y))) = (ap \ c\_2Ereal\_topology\_2EDist \ (ap \\ (ap \ (c\_2Epair\_2E\_2C \ ty\_2Erealax\_2Ereal \ ty\_2Erealax\_2Ereal) \\ V2x) \ V3y)))))) \Rightarrow (p \ (ap \ (ap \ c\_2Ereal\_topology\_2Econtinuous\_on \\ V1f) \ V0s)))))) \quad (44)$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}).(\forall V1s \in \\
& \quad (2^{ty\_2Erealax\_2Ereal}).(\forall V2t \in (2^{ty\_2Erealax\_2Ereal}). \\
& \quad ((p (ap (ap c\_2Ereal\_topology\_2Econtinuous\_on V0f) V1s)) \wedge \\
& \quad (((ap (ap (c\_2Epred\_set\_2EIMAGE ty\_2Erealax\_2Ereal ty\_2Erealax\_2Ereal) \\
& \quad \quad V0f) V1s) = V2t) \wedge ((\forall V3x \in ty\_2Erealax\_2Ereal.(\forall V4y \in \\
& \quad ty\_2Erealax\_2Ereal.(((p (ap (ap (c\_2Ebool\_2EIN ty\_2Erealax\_2Ereal) \\
& \quad \quad V3x) V1s)) \wedge ((p (ap (ap (c\_2Ebool\_2EIN ty\_2Erealax\_2Ereal) V4y) \\
& \quad \quad V1s)) \wedge ((ap V0f V3x) = (ap V0f V4y)))) \Rightarrow (V3x = V4y)))) \wedge (\forall V5u \in \\
& \quad (2^{ty\_2Erealax\_2Ereal}).((p (ap (ap (c\_2Etopology\_2Eopen\_in \\
& \quad \quad ty\_2Erealax\_2Ereal) (ap (ap (c\_2Ereal\_topology\_2Esubtopology \\
& \quad \quad \quad ty\_2Erealax\_2Ereal) c\_2Ereal\_topology\_2Eeuclidean) V1s)) \\
& \quad \quad V5u)) \Rightarrow (p (ap (ap (c\_2Etopology\_2Eopen\_in ty\_2Erealax\_2Ereal) \\
& \quad \quad \quad (ap (ap (c\_2Ereal\_topology\_2Esubtopology ty\_2Erealax\_2Ereal) \\
& \quad \quad \quad \quad c\_2Ereal\_topology\_2Eeuclidean) V2t)) (ap (ap (c\_2Epred\_set\_2EIMAGE \\
& \quad \quad \quad \quad ty\_2Erealax\_2Ereal ty\_2Erealax\_2Ereal) V0f) V5u)))))) \Rightarrow (\exists V6g \in \\
& \quad (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}).(p (ap (ap c\_2Ereal\_topology\_2Ehomeomorphism \\
& \quad \quad (ap (ap (c\_2Epair\_2E\_2C (2^{ty\_2Erealax\_2Ereal}) (2^{ty\_2Erealax\_2Ereal})) \\
& \quad \quad \quad V1s) V2t)) (ap (ap (c\_2Epair\_2E\_2C (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}) \\
& \quad \quad \quad \quad (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal})) V0f) V6g))))))))) \\
& \hspace{15em} (45)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}).(\forall V1s \in \\
& \quad (2^{ty\_2Erealax\_2Ereal}).(\forall V2t \in (2^{ty\_2Erealax\_2Ereal}). \\
& \quad (\forall V3u \in (2^{ty\_2Erealax\_2Ereal}).((((ap (ap (c\_2Epred\_set\_2EIMAGE \\
& \quad ty\_2Erealax\_2Ereal ty\_2Erealax\_2Ereal) V0f) V1s) = V2t) \wedge ((\forall V4x \in \\
& \quad ty\_2Erealax\_2Ereal.(\forall V5y \in ty\_2Erealax\_2Ereal.(((p ( \\
& \quad \quad ap (ap (c\_2Ebool\_2EIN ty\_2Erealax\_2Ereal) V4x) V1s)) \wedge (p (ap (ap \\
& \quad \quad (c\_2Ebool\_2EIN ty\_2Erealax\_2Ereal) V5y) V1s)))) \Rightarrow ((ap c\_2Ereal\_topology\_2EDist \\
& \quad \quad (ap (ap (c\_2Epair\_2E\_2C ty\_2Erealax\_2Ereal ty\_2Erealax\_2Ereal) \\
& \quad \quad \quad (ap V0f V4x)) (ap V0f V5y))) = (ap c\_2Ereal\_topology\_2EDist (ap \\
& \quad \quad \quad (ap (c\_2Epair\_2E\_2C ty\_2Erealax\_2Ereal ty\_2Erealax\_2Ereal) \\
& \quad \quad \quad \quad V4x) V5y)))))) \wedge (p (ap (ap (c\_2Etopology\_2Eopen\_in ty\_2Erealax\_2Ereal) \\
& \quad \quad \quad (ap (ap (c\_2Ereal\_topology\_2Esubtopology ty\_2Erealax\_2Ereal) \\
& \quad \quad \quad \quad c\_2Ereal\_topology\_2Eeuclidean) V1s)) V3u)))) \Rightarrow (p (ap (ap (c\_2Etopology\_2Eopen\_in \\
& \quad \quad \quad ty\_2Erealax\_2Ereal) (ap (ap (c\_2Ereal\_topology\_2Esubtopology \\
& \quad \quad \quad \quad \quad ty\_2Erealax\_2Ereal) c\_2Ereal\_topology\_2Eeuclidean) V2t)) \\
& \quad \quad \quad (ap (ap (c\_2Epred\_set\_2EIMAGE ty\_2Erealax\_2Ereal ty\_2Erealax\_2Ereal) \\
& \quad \quad \quad \quad \quad V0f) V3u))))))))) \\
& \hspace{15em} (46)
\end{aligned}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \hspace{15em} (47)$$

Assume the following.

$$(\forall V0A \in 2.((p \vee 0A) \Rightarrow ((\neg(p \vee 0A)) \Rightarrow \text{False}))) \quad (48)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p \vee 0A) \vee (p \vee 1B))) \Rightarrow \text{False}) \Leftrightarrow ((p \vee 0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p \vee 1B)) \Rightarrow \text{False})))) \quad (49)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p \vee 0A)) \vee (p \vee 1B))) \Rightarrow \text{False}) \Leftrightarrow ((p \vee 0A) \Rightarrow ((\neg(p \vee 1B)) \Rightarrow \text{False})))) \quad (50)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p \vee 0A)) \Rightarrow \text{False}) \Rightarrow (((p \vee 0A) \Rightarrow \text{False}) \Rightarrow \text{False}))) \quad (51)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \vee 0p) \Leftrightarrow (p \vee 1q) \Leftrightarrow (p \vee 2r))) \Leftrightarrow (((p \vee 0p) \vee ((p \vee 1q) \vee (p \vee 2r))) \wedge (((p \vee 0p) \vee ((\neg(p \vee 2r)) \vee (\neg(p \vee 1q)))) \wedge (((p \vee 1q) \vee ((\neg(p \vee 2r)) \vee (\neg(p \vee 0p)))) \wedge ((p \vee 2r) \vee ((\neg(p \vee 1q)) \vee (\neg(p \vee 0p)))))))))) \quad (52)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \vee 0p) \Leftrightarrow (p \vee 1q) \wedge (p \vee 2r)) \Leftrightarrow (((p \vee 0p) \vee ((\neg(p \vee 1q)) \vee (\neg(p \vee 2r)))) \wedge (((p \vee 1q) \vee (\neg(p \vee 0p))) \wedge ((p \vee 2r) \vee (\neg(p \vee 0p)))))))) \quad (53)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \vee 0p) \Leftrightarrow (p \vee 1q) \vee (p \vee 2r)) \Leftrightarrow (((p \vee 0p) \vee (\neg(p \vee 1q))) \wedge (((p \vee 0p) \vee (\neg(p \vee 2r))) \wedge ((p \vee 1q) \vee ((p \vee 2r) \vee (\neg(p \vee 0p)))))))) \quad (54)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \vee 0p) \Leftrightarrow (p \vee 1q) \Rightarrow (p \vee 2r)) \Leftrightarrow (((p \vee 0p) \vee (p \vee 1q)) \wedge (((p \vee 0p) \vee (\neg(p \vee 2r))) \wedge ((\neg(p \vee 1q)) \vee ((p \vee 2r) \vee (\neg(p \vee 0p)))))))) \quad (55)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p \vee 0p) \Leftrightarrow (\neg(p \vee 1q))) \Leftrightarrow (((p \vee 0p) \vee (p \vee 1q)) \wedge ((\neg(p \vee 1q)) \vee (\neg(p \vee 0p)))))) \quad (56)$$



**Theorem 1**

$$\begin{aligned}
& (\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}).(\forall V1s \in \\
& \quad (2^{ty\_2Erealax\_2Ereal}).(\forall V2t \in (2^{ty\_2Erealax\_2Ereal}). \\
& (((ap (ap (c\_2Epred\_set\_2EIMAGE ty\_2Erealax\_2Ereal ty\_2Erealax\_2Ereal) \\
& \quad V0f) V1s) = V2t) \wedge (\forall V3x \in ty\_2Erealax\_2Ereal.(\forall V4y \in \\
& \quad ty\_2Erealax\_2Ereal.((p (ap (ap (c\_2Ebool\_2EIN ty\_2Erealax\_2Ereal) \\
& \quad V3x) V1s)) \wedge (p (ap (ap (c\_2Ebool\_2EIN ty\_2Erealax\_2Ereal) V4y) \\
& \quad V1s))) \Rightarrow ((ap c\_2Ereal\_topology\_2EDist (ap (ap (c\_2Epair\_2E\_2C \\
& \quad ty\_2Erealax\_2Ereal ty\_2Erealax\_2Ereal) (ap V0f V3x)) (ap V0f V4y))) = \\
& \quad (ap c\_2Ereal\_topology\_2EDist (ap (ap (c\_2Epair\_2E\_2C ty\_2Erealax\_2Ereal \\
& \quad ty\_2Erealax\_2Ereal) V3x) V4y)))))) \Rightarrow (\exists V5g \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}). \\
& \quad (p (ap (ap c\_2Ereal\_topology\_2Ehomeomorphism (ap (ap (c\_2Epair\_2E\_2C \\
& \quad (2^{ty\_2Erealax\_2Ereal}) (2^{ty\_2Erealax\_2Ereal})) V1s) V2t)) ( \\
& \quad ap (ap (c\_2Epair\_2E\_2C (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}) \\
& \quad (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal})) V0f) V5g))))))
\end{aligned}$$