

thm_2Ereal__topology_2ELE__1
(TMJ4vWG8TqZWJF7FhURVQZqq56vcj9gaszR)

October 26, 2020

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 3 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 4 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c_2Emin_2E_3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V2x \in 2.V2x)))$

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ (ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))))$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{6}$$

Definition 7 We define $c_2Earithmic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmic_2EZERO) V0n)$.

Definition 8 We define $c_2Earithmic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 9 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21) 2) (\lambda V0t \in 2.V0t)$.

Definition 10 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 11 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E) V0t) c_2Ebool_2E_21)$.

Definition 12 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21) 2) (\lambda V2t \in 2.V2t) V1t2) V0t1)$.

Definition 13 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge P x))$ of type $\iota \Rightarrow \iota$.

Definition 14 We define $c_2Ebool_2E_3F$ to be $\lambda A.\lambda P : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c_2Emin_2E_40) V0P)))$.

Definition 15 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.V1n$.

Definition 16 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21) 2) (\lambda V2t \in 2.V2t) V1t2) V0t1)$.

Definition 17 We define $c_2Earithmic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.V1n$.

Assume the following.

$$\begin{aligned} ((ap c_2Earithmic_2ENUMERAL (ap c_2Earithmic_2EBIT1 c_2Earithmic_2EZERO)) = \\ (ap c_2Enum_2ESUC c_2Enum_2E0)) \end{aligned} \tag{7}$$

Assume the following.

$$\begin{aligned} (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum. \\ (\neg(p (ap (ap c_2Eprim_rec_2E_3C) V0m) V1n))) \Leftrightarrow (p (ap (ap c_2Earithmic_2E_3C_3D) \\ V1n) V0m)))) \end{aligned} \tag{8}$$

Assume the following.

$$True \tag{9}$$

Assume the following.

$$\forall A.\lambda P : \iota.(\lambda V0t \in 2.((\forall V1x \in A.P V1x) \Leftrightarrow (p V0t))) \tag{10}$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \tag{11}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \vee (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \vee True) \Leftrightarrow True) \wedge \\
& (((False \vee (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee False) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee \\
& (p \ V0t)) \Leftrightarrow (p \ V0t))))))
\end{aligned} \tag{12}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge ((\\
& (p \ V0t) \Rightarrow False) \Leftrightarrow (\neg (p \ V0t))))))
\end{aligned} \tag{13}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in \\
& A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x))))
\end{aligned} \tag{14}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0m \in ty_2Enum_2Enum.((p \ (ap \ (ap \ c_2Eprim_rec_2E_3C \\
& V0m) \ c_2Enum_2E0)) \Leftrightarrow False) \wedge (\forall V1m \in ty_2Enum_2Enum.(\forall V2n \in \\
& ty_2Enum_2Enum.((p \ (ap \ (ap \ c_2Eprim_rec_2E_3C \ V1m) \ (ap \ c_2Enum_2ESUC \\
& V2n)) \Leftrightarrow ((V1m = V2n) \vee (p \ (ap \ (ap \ c_2Eprim_rec_2E_3C \ V1m) \ V2n))))))
\end{aligned} \tag{15}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum.((p \ (ap \ (ap \ c_2Eprim_rec_2E_3C \\
& c_2Enum_2E0) \ V0n)) \Leftrightarrow (\neg (V0n = c_2Enum_2E0))))
\end{aligned} \tag{16}$$

Theorem 1

$$\begin{aligned}
& ((\forall V0n \in ty_2Enum_2Enum.((\neg (V0n = c_2Enum_2E0)) \Rightarrow (p \ (ap \\
& (ap \ c_2Eprim_rec_2E_3C \ c_2Enum_2E0) \ V0n)))) \wedge ((\forall V1n \in \\
& ty_2Enum_2Enum.((\neg (V1n = c_2Enum_2E0)) \Rightarrow (p \ (ap \ (ap \ c_2Earithmetic_2E_3C_3D \\
& (ap \ c_2Earithmetic_2ENUMERAL \ (ap \ c_2Earithmetic_2EBIT1 \ c_2Earithmetic_2EZERO))) \\
& V1n)))) \wedge ((\forall V2n \in ty_2Enum_2Enum.((p \ (ap \ (ap \ c_2Eprim_rec_2E_3C \\
& c_2Enum_2E0) \ V2n)) \Rightarrow (\neg (V2n = c_2Enum_2E0)))) \wedge ((\forall V3n \in ty_2Enum_2Enum. \\
& ((p \ (ap \ (ap \ c_2Eprim_rec_2E_3C \ c_2Enum_2E0) \ V3n)) \Rightarrow (p \ (ap \ (ap \ c_2Earithmetic_2E_3C_3D \\
& (ap \ c_2Earithmetic_2ENUMERAL \ (ap \ c_2Earithmetic_2EBIT1 \ c_2Earithmetic_2EZERO))) \\
& V3n)))) \wedge ((\forall V4n \in ty_2Enum_2Enum.((p \ (ap \ (ap \ c_2Earithmetic_2E_3C_3D \\
& (ap \ c_2Earithmetic_2ENUMERAL \ (ap \ c_2Earithmetic_2EBIT1 \ c_2Earithmetic_2EZERO))) \\
& V4n)) \Rightarrow (p \ (ap \ (ap \ c_2Eprim_rec_2E_3C \ c_2Enum_2E0) \ V4n)))) \wedge (\forall V5n \in \\
& ty_2Enum_2Enum.((p \ (ap \ (ap \ c_2Earithmetic_2E_3C_3D \ (ap \ c_2Earithmetic_2ENUMERAL \\
& (ap \ c_2Earithmetic_2EBIT1 \ c_2Earithmetic_2EZERO))) \ V5n)) \Rightarrow (\\
& \neg (V5n = c_2Enum_2E0))))))
\end{aligned}$$