

thm_2Ereal__topology_2ELIM__AT__INFINITY (TMTvD8zGr8zasUSDQGVS6tZZwnEFBsDGGBk)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_ET$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 5 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2)) (\lambda V2t \in 2.V2t)))$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{1}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{3}$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})\ ty_2Erealax_2Ereal) \tag{4}$$

Definition 6 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap\ P\ x))$ **then** (the $(\lambda x.x \in A \wedge P\ x)$ of type $\iota \Rightarrow \iota$).

Definition 7 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E_40 (ty_2Erealax_2Ereal\ a)))$

Let $c_2Erealax_2Etreal_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_neg \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)\ (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)) \quad (5)$$

Let $c_2Erealax_2Etreal_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})\ (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)) \quad (6)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})} \quad (7)$$

Definition 8 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 9 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal_neg)$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega\omega \quad (8)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (9)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum)^{\omega\omega} \quad (10)$$

Definition 10 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal)^{ty_2Enum_2Enum} \quad (11)$$

Let $c_2Erealax_2Etreal_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreal_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})\ (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)) \quad (12)$$

Definition 11 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Definition 12 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 13 We define c_2Ebool_2E7E to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E3D_3D_3E\ V0t)\ c_2Ebool_2E7E))$

Definition 14 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Definition 15 We define c_2Ebool_2ECOND to be $\lambda A.27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.27a.(\lambda V2t2 \in A.27a.($

Definition 16 We define c_2Ereal_2Eabs to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap (ap (ap (c_2Ebool_2ECONI$

Definition 17 We define $c_2Ereal_2Ereal_ge$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Definition 18 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40$

Let $ty_2Ereal_topology_2Eenet : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Ereal_topology_2Eenet A0) \quad (13)$$

Let $c_2Ereal_topology_2Emk_net : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow c_2Ereal_topology_2Emk_net \\ A_27a \in ((ty_2Ereal_topology_2Eenet A_27a)^{(2^{A_27a})^{A_27a}}) \end{aligned} \quad (14)$$

Definition 19 We define $c_2Ereal_topology_2Eat_infinity$ to be $(ap (c_2Ereal_topology_2Emk_net ty_2E$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (15)$$

Definition 20 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2$

Let $c_2Ereal_topology_2EDist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2EDist \in (ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod ty_2Erealax_2Ereal ty_2Erealax_2Ereal)}) \quad (16)$$

Let $c_2Ereal_topology_2Eenetord : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ereal_topology_2Eenetord A_27a \in (((2^{A_27a})^{A_27a})^{(ty_2Ereal_topology_2Eenet A_27a)}) \quad (17)$$

Definition 21 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

Definition 22 We define $c_2Ereal_topology_2Etrivial_limit$ to be $\lambda A_27a : \iota.\lambda V0net \in (ty_2Ereal_topology$

Definition 23 We define $c_2Ereal_topology_2Eeventually$ to be $\lambda A_27a : \iota.\lambda V0p \in (2^{A_27a}).\lambda V1net \in (ty_2$

Definition 24 We define $c_2Ereal_topology_2E_2D_2D_3E$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_2Erealax_2Ereal^{A$

Assume the following.

$$True \quad (18)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (19)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (21)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (22)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in 2. (((((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))))))) \quad (23)$$

Assume the following.

$$(\forall V0p \in (2^{ty_2Erealax_2Ereal}). ((p\ (ap\ (ap\ (c_2Ereal_topology_2Eeventually\ ty_2Erealax_2Ereal)\ V0p)\ c_2Ereal_topology_2Eat_infinity)) \Leftrightarrow (\exists V1b \in ty_2Erealax_2Ereal. (\forall V2x \in ty_2Erealax_2Ereal. ((p\ (ap\ (ap\ c_2Ereal_2Ereal_ge\ (ap\ c_2Ereal_2Eabs\ V2x))\ V1b)) \Rightarrow (p\ (ap\ V0p\ V2x))))))) \quad (24)$$

Theorem 1

$$(\forall V0f \in (ty_2Erealax_2Ereal)^{ty_2Erealax_2Ereal}). (\forall V1l \in ty_2Erealax_2Ereal. ((p\ (ap\ (ap\ (ap\ (ap\ (c_2Ereal_topology_2E_2D_2D_3E\ ty_2Erealax_2Ereal)\ V0f)\ V1l)\ c_2Ereal_topology_2Eat_infinity)) \Leftrightarrow (\forall V2e \in ty_2Erealax_2Ereal. ((p\ (ap\ (ap\ c_2Erealax_2Ereal_lt\ (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))\ V2e)) \Rightarrow (\exists V3b \in ty_2Erealax_2Ereal. (\forall V4x \in ty_2Erealax_2Ereal. ((p\ (ap\ (ap\ c_2Ereal_2Ereal_ge\ (ap\ c_2Ereal_2Eabs\ V4x))\ V3b)) \Rightarrow (p\ (ap\ (ap\ c_2Erealax_2Ereal_lt\ (ap\ c_2Ereal_topology_2EDist\ (ap\ (ap\ (c_2Epair_2E_2C\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)\ (ap\ V0f\ V4x))\ V1l))\ V2e)))))))))) \quad (24)$$