

thm_2Ereal__topology_2ELIM__CASES__SEQUENTIALLY
(TML-
LkbS5VzK9L8Gm9yHKab9zCntCUhL6goW)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Definition 7 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{2}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{3}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{4}$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap\ P\ x)) \text{ then } (the\ (\lambda x.x \in A \wedge p$
of type $\iota \Rightarrow \iota$.

Definition 10 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P (ap (c_2Emin_2E_40$

Definition 11 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 12 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21\ 2) (\lambda V2t \in$

Definition 13 We define $c_2Earithmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 14 We define $c_2Earithmetic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 15 We define $c_2Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Let $ty_2Ereal_topology_2Enet : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ereal_topology_2Enet\ A0) \quad (5)$$

Let $c_2Ereal_topology_2Emk_net : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ereal_topology_2Emk_net\ A_27a \in ((ty_2Ereal_topology_2Enet\ A_27a)^{(2^{A_27a})^{A_27a}}) \quad (6)$$

Definition 16 We define $c_2Ereal_topology_2Esequentially$ to be $(ap (c_2Ereal_topology_2Emk_net\ ty_2Ereal_topology_2Emk_net$

Definition 17 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \quad (7)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (8)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (9)$$

Definition 18 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2$

Let $c_2Ereal_topology_2EDist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2EDist \in (ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)}) \quad (10)$$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (11)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax}) \quad (12)$$

Definition 19 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E_40\ t))$

Let $c_2Erealax_2Etrealt_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealt_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal)}) \quad (13)$$

Definition 20 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$

Let $c_2Ereal_topology_2Enetord : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ereal_topology_2Enetord\ A_27a \in (((2^{A_27a})^{A_27a})^{(ty_2Ereal_topology_2Enet\ A_27a)}) \quad (14)$$

Definition 21 We define $c_2Ereal_topology_2Etrivial_limit$ to be $\lambda A_27a : \iota.\lambda V0net \in (ty_2Ereal_topology_2Etrivial_limit)$

Definition 22 We define $c_2Ereal_topology_2Eeventually$ to be $\lambda A_27a : \iota.\lambda V0p \in (2^{A_27a}).\lambda V1net \in (ty_2Ereal_topology_2Eeventually)$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \quad (15)$$

Definition 23 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \quad (16)$$

Definition 24 We define $c_2Ereal_topology_2E_2D_2D_3E$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_2Erealax_2Ereal^A)$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b})}) \quad (17)$$

Definition 25 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap\ V1f\ V0x)))$

Definition 26 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap\ (c_2Epred_set_2EINSERT))$

Definition 27 We define `c_2Epred_set_2EEMPTY` to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2EF)$.

Definition 28 We define `c_2Epred_set_2EFINITE` to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). (ap (c_2Ebool_2E_21 (2$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\neg(p (ap (ap c_2Eprim_rec_2E_3C V0m) V1n))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D V1n) V0m)))))) \quad (18)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\neg(p (ap (ap c_2Earithmetic_2E_3C_3D V0m) V1n))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C V1n) V0m)))))) \quad (19)$$

Assume the following.

$$True \quad (20)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (22)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (24)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. (p (ap (c_2Epred_set_2EFINITE ty_2Enum_2Enum) (ap (c_2Epred_set_2EGSPEC ty_2Enum_2Enum ty_2Enum_2Enum) (\lambda V1m \in ty_2Enum_2Enum. (ap (ap (c_2Epair_2E_2C ty_2Enum_2Enum 2) V1m) (ap (ap c_2Eprim_rec_2E_3C V1m) V0n))))))) \quad (25)$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum.(p (ap (c_2Epred_set_2EFINITE \\
& ty_2Enum_2Enum) (ap (c_2Epred_set_2EGSPEC ty_2Enum_2Enum ty_2Enum_2Enum) \\
& (\lambda V1m \in ty_2Enum_2Enum.(ap (ap (c_2Epair_2E_2C ty_2Enum_2Enum \\
& 2) V1m) (ap (ap c_2Earithmetic_2E_3C_3D V1m) V0n))))))))) \\
& \tag{26}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0P \in (2^{ty_2Enum_2Enum}).(\forall V1f \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). \\
& (\forall V2g \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).(\forall V3l \in \\
& ty_2Erealax_2Ereal.((p (ap (c_2Epred_set_2EFINITE ty_2Enum_2Enum) \\
& (ap (c_2Epred_set_2EGSPEC ty_2Enum_2Enum ty_2Enum_2Enum) (\\
& \lambda V4n \in ty_2Enum_2Enum.(ap (ap (c_2Epair_2E_2C ty_2Enum_2Enum \\
& 2) V4n) (ap V0P V4n))))))))) \Rightarrow ((p (ap (ap (ap (c_2Ereal_topology_2E_2D_2D_3E \\
& ty_2Enum_2Enum) (\lambda V5n \in ty_2Enum_2Enum.(ap (ap (ap (c_2Ebool_2ECOND \\
& ty_2Erealax_2Ereal) (ap V0P V5n)) (ap V1f V5n)) (ap V2g V5n)))))) V3l \\
& c_2Ereal_topology_2Esequentially)) \Leftrightarrow (p (ap (ap (ap (c_2Ereal_topology_2E_2D_2D_3E \\
& ty_2Enum_2Enum) V2g) V3l) c_2Ereal_topology_2Esequentially))))))))) \\
& \tag{27}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0P \in (2^{ty_2Enum_2Enum}).(\forall V1f \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}). \\
& (\forall V2g \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).(\forall V3l \in \\
& ty_2Erealax_2Ereal.((p (ap (c_2Epred_set_2EFINITE ty_2Enum_2Enum) \\
& (ap (c_2Epred_set_2EGSPEC ty_2Enum_2Enum ty_2Enum_2Enum) (\\
& \lambda V4n \in ty_2Enum_2Enum.(ap (ap (c_2Epair_2E_2C ty_2Enum_2Enum \\
& 2) V4n) (ap c_2Ebool_2E_7E (ap V0P V4n))))))))) \Rightarrow ((p (ap (ap (ap (c_2Ereal_topology_2E_2D_2D_3E \\
& ty_2Enum_2Enum) (\lambda V5n \in ty_2Enum_2Enum.(ap (ap (ap (c_2Ebool_2ECOND \\
& ty_2Erealax_2Ereal) (ap V0P V5n)) (ap V1f V5n)) (ap V2g V5n)))))) V3l \\
& c_2Ereal_topology_2Esequentially)) \Leftrightarrow (p (ap (ap (ap (c_2Ereal_topology_2E_2D_2D_3E \\
& ty_2Enum_2Enum) V1f) V3l) c_2Ereal_topology_2Esequentially))))))))) \\
& \tag{28}
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& (\forall V0f \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).(\forall V1g \in \\
& (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}).(\forall V2l \in ty_2Erealax_2Ereal. \\
& (\forall V3m \in ty_2Enum_2Enum.(((p (ap (ap (ap (ap (c_2Ereal_topology_2E_2D_2D_3E \\
& ty_2Enum_2Enum) (\lambda V4n \in ty_2Enum_2Enum.(ap (ap (ap (c_2Ebool_2ECOND \\
& ty_2Erealax_2Ereal) (ap (ap c_2Earithmic_2E_3C_3D V3m) V4n)) \\
& (ap V0f V4n)) (ap V1g V4n)))) V2l) c_2Ereal_topology_2Esequentially)) \Leftrightarrow \\
& (p (ap (ap (ap (c_2Ereal_topology_2E_2D_2D_3E ty_2Enum_2Enum) \\
& V0f) V2l) c_2Ereal_topology_2Esequentially))) \wedge (((p (ap (ap \\
& (ap (c_2Ereal_topology_2E_2D_2D_3E ty_2Enum_2Enum) (\lambda V5n \in \\
& ty_2Enum_2Enum.(ap (ap (ap (c_2Ebool_2ECOND ty_2Erealax_2Ereal) \\
& (ap (ap c_2Eprim_rec_2E_3C V3m) V5n)) (ap V0f V5n)) (ap V1g V5n)))) \\
& V2l) c_2Ereal_topology_2Esequentially)) \Leftrightarrow (p (ap (ap (ap (c_2Ereal_topology_2E_2D_2D_3E \\
& ty_2Enum_2Enum) V0f) V2l) c_2Ereal_topology_2Esequentially))) \wedge \\
& (((p (ap (ap (ap (ap (c_2Ereal_topology_2E_2D_2D_3E ty_2Enum_2Enum) \\
& (\lambda V6n \in ty_2Enum_2Enum.(ap (ap (ap (c_2Ebool_2ECOND ty_2Erealax_2Ereal) \\
& (ap (ap c_2Earithmic_2E_3C_3D V6n) V3m)) (ap V0f V6n)) (ap V1g \\
& V6n)))) V2l) c_2Ereal_topology_2Esequentially)) \Leftrightarrow (p (ap (ap \\
& (ap (c_2Ereal_topology_2E_2D_2D_3E ty_2Enum_2Enum) V1g) V2l) \\
& c_2Ereal_topology_2Esequentially))) \wedge ((p (ap (ap (ap (c_2Ereal_topology_2E_2D_2D_3E \\
& ty_2Enum_2Enum) (\lambda V7n \in ty_2Enum_2Enum.(ap (ap (ap (c_2Ebool_2ECOND \\
& ty_2Erealax_2Ereal) (ap (ap c_2Eprim_rec_2E_3C V7n) V3m)) (ap \\
& V0f V7n)) (ap V1g V7n)))) V2l) c_2Ereal_topology_2Esequentially)) \Leftrightarrow \\
& (p (ap (ap (ap (c_2Ereal_topology_2E_2D_2D_3E ty_2Enum_2Enum) \\
& V1g) V2l) c_2Ereal_topology_2Esequentially)))))))))
\end{aligned}$$