

# thm\_2Ereal\_\_topology\_2ELIM\_\_COMPONENT\_\_EQ (TMSKKp8fYiAX3LYB4ZrNL2u8pK8feYxjSRp)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ecombin\_2EC$  to be  $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.\lambda A.\lambda c : \iota.(\lambda V0f \in ((A\_27c^{A\_27b})^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A\_27a})).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 5** We define  $c\_2Ecombin\_2Eo$  to be  $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.\lambda A.\lambda c : \iota.(\lambda V0f \in (A\_27b^{A\_27c})).\lambda V1g$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \tag{1}$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{2}$$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \tag{3}$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})\ ty\_2Erealax\_2Ereal) \tag{4}$$

**Definition 6** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap\ P\ x))$  **then** (the  $(\lambda x.x \in A \wedge p$  of type  $\iota \Rightarrow \iota$ ).

**Definition 7** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap (c\_2Emin\_2E\_40 (ty$

Let  $c\_2Erealax\_2Etreall\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreall\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)) \quad (5)$$

**Definition 8** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 9** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 10** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 11** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_7E))$

**Definition 12** We define  $c\_2Ereal\_2Ereal\_lte$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

Let  $ty\_2Ereal\_topology\_2Enet : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ereal\_topology\_2Enet\ A0) \quad (6)$$

Let  $c\_2Ereal\_topology\_2Enetord : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ereal\_topology\_2Enetord\ A\_27a \in ((2^{A\_27a})^{A\_27a})(ty\_2Ereal\_topology\_2Enet\ A\_27a) \quad (7)$$

**Definition 13** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 14** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2.V2t$

**Definition 15** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2.V2t$

**Definition 16** We define  $c\_2Ereal\_topology\_2Etrivial\_limit$  to be  $\lambda A\_27a : \iota.\lambda V0net \in (ty\_2Ereal\_topology\_2Enet\ A\_27a)$

**Definition 17** We define  $c\_2Ereal\_topology\_2Eeventually$  to be  $\lambda A\_27a : \iota.\lambda V0p \in (2^{A\_27a}).\lambda V1net \in (ty\_2Ereal\_topology\_2Enet\ A\_27a)$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (8)$$

**Definition 18** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Emin\_2E\_40$

Let  $c\_2Ereal\_topology\_2EDist : \iota$  be given. Assume the following.

$$c\_2Ereal\_topology\_2EDist \in (ty\_2Erealax\_2Ereal^{(ty\_2Epair\_2Eprod\ ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal)}) \quad (9)$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (10)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (11)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (12)$$

**Definition 19** We define  $c\_2Enum\_2E0$  to be (ap  $c\_2Enum\_2EABS\_num$   $c\_2Enum\_2EZERO\_REP$ ).

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (13)$$

**Definition 20** We define  $c\_2Ereal\_topology\_2E\_2D\_2D\_3E$  to be  $\lambda A\_27a : \iota. \lambda V0f \in (ty\_2Erealax\_2Ereal^A$

Assume the following.

$$True \quad (14)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (15)$$

Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a. (p V0t) \Leftrightarrow (p V0t))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow \neg (p V0t)))))) \quad (17)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (18)$$

Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (19)$$

Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (21)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (22)$$

Assume the following.

$$2.(((\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \Rightarrow (23)$$

Assume the following.

$$(\forall V0x \in ty\_2Erealax\_2Ereal.(\forall V1y \in ty\_2Erealax\_2Ereal.(((p (ap (ap c\_2Ereal\_2Ereal\_lte V0x) V1y)) \wedge (p (ap (ap c\_2Ereal\_2Ereal\_lte V1y) V0x))) \Leftrightarrow (V0x = V1y)))) \Rightarrow (24)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0net \in (ty\_2Ereal\_topology\_2Enet A\_27a).(\forall V1p \in (2^{A\_27a}).(\forall V2q \in (2^{A\_27a}).((p (ap (ap c\_2Ereal\_topology\_2Eeventually A\_27a) (\lambda V3x \in A\_27a. (ap (ap c\_2Ebool\_2E\_2F\_5C (ap V1p V3x)) (ap V2q V3x)))) V0net)) \Leftrightarrow ((p (ap (ap c\_2Ereal\_topology\_2Eeventually A\_27a) V1p) V0net)) \wedge (p (ap (ap c\_2Ereal\_topology\_2Eeventually A\_27a) V2q) V0net)))))) \Rightarrow (25)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow (\forall V0net \in (ty\_2Ereal\_topology\_2Enet A\_27a).(\forall V1f \in (ty\_2Erealax\_2Ereal^{A\_27a}).(\forall V2l \in ty\_2Erealax\_2Ereal.(\forall V3b \in ty\_2Erealax\_2Ereal.(\forall V4k \in A\_27b.(((\neg (p (ap (c\_2Ereal\_topology\_2Etrivial\_limit A\_27a) V0net))) \wedge (p (ap (ap (ap (c\_2Ereal\_topology\_2E\_2D\_2D\_3E A\_27a) V1f) V2l) V0net)) \wedge (p (ap (ap (c\_2Ereal\_topology\_2Eeventually A\_27a) (\lambda V5x \in A\_27a.(ap (ap c\_2Ereal\_2Ereal\_lte (ap V1f V5x)) V3b))) V0net)))) \Rightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte V2l) V3b)))))) \Rightarrow (26)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0net \in (ty\_2Ereal\_topology\_2Enet A\_27a).(\forall V1f \in (ty\_2Erealax\_2Ereal^{A\_27a}).(\forall V2l \in ty\_2Erealax\_2Ereal.(\forall V3b \in ty\_2Erealax\_2Ereal.(((\neg (p (ap (c\_2Ereal\_topology\_2Etrivial\_limit A\_27a) V0net))) \wedge (p (ap (ap (ap (c\_2Ereal\_topology\_2E\_2D\_2D\_3E A\_27a) V1f) V2l) V0net)) \wedge (p (ap (ap (c\_2Ereal\_topology\_2Eeventually A\_27a) (\lambda V4x \in A\_27a.(ap (ap c\_2Ereal\_2Ereal\_lte V3b) (ap V1f V4x))) V0net)))) \Rightarrow (p (ap (ap c\_2Ereal\_2Ereal\_lte V3b) V2l)))))) \Rightarrow (27)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \Rightarrow (28)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (29)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (30)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (32)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (33)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (34)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (35)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (36)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (37)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (38)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (39)$$

**Theorem 1**

$$\begin{aligned} & \forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow ( \\ & \forall V0net \in (ty\_2Ereal\_topology\_2Enet\ A_{27a}).(\forall V1f \in \\ & (ty\_2Erealax\_2Ereal^{A_{27a}}).(\forall V2i \in A_{27b}.(\forall V3l \in \\ & ty\_2Erealax\_2Ereal.(\forall V4b \in ty\_2Erealax\_2Ereal.(((p ( \\ ap (ap (ap (c\_2Ereal\_topology\_2E\_2D\_2D\_3E\ A_{27a})\ V1f)\ V3l)\ V0net))) \wedge \\ & ((\neg(p (ap (c\_2Ereal\_topology\_2Etrivial\_limit\ A_{27a})\ V0net)))) \wedge \\ & (p (ap (ap (c\_2Ereal\_topology\_2Eeventually\ A_{27a}) (\lambda V5x \in \\ A_{27a}.(ap (ap (c\_2Emin\_2E\_3D\ ty\_2Erealax\_2Ereal) (ap\ V1f\ V5x)) \\ V4b)))) V0net)))))) \Rightarrow (V3l = V4b)))))) \end{aligned}$$