

thm_2Ereal_topology_2ELIM_COMPOSE_AT
(TMU-
vWZ4MbZMLqj5iqpSTNq5ywaVcWrUTepN)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2ET$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_2E21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define $c_2Ebool_2E_2EF$ to be $(ap (c_2Ebool_2E_2E21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_2E7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2EF$

Definition 7 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2E_2ET)$.

Definition 8 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A-27c}).\lambda V1g$

Let $ty_2Erealx_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealx_2Ereal \tag{1}$$

Definition 9 We define $c_2Ebool_2E_2E2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_2E21 2) (\lambda V2t \in 2.V2t))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A-27b})^{A-27a}}) \tag{3}$$

Definition 10 We define $c_2Epair_2E_2C$ to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0x \in A.27a.\lambda V1y \in A.27b.(ap (c_2Ereal_topology_2EDist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2EDist \in (ty_2Erealax_2Ereal^{(ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal)}) \quad (4)$$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (5)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal}) \quad (6)$$

Definition 11 We define $c_2Emin_2E.40$ to be $\lambda A.\lambda P \in 2^A.$ **if** $(\exists x \in A.p (ap\ P\ x))$ **then** $(the (\lambda x.x \in A \wedge p\ x))$ of type $\iota \Rightarrow \iota$.

Definition 12 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E.40 (the (\lambda x.x \in A \wedge p\ x))))$

Let $c_2Erealax_2Etreall_lt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreall_lt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (7)$$

Definition 13 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.(c_2Erealax_2Etreall_lt\ T1\ T2)$

Definition 14 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal.(c_2Ereal_2Ereal_of_num\ x\ y)$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (8)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (9)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (10)$$

Definition 15 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \quad (11)$$

Let $ty_2Ereal_topology_2Enet : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ereal_topology_2Enet\ A0) \quad (12)$$

Let $c_2Ereal_topology_2Emk_net : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Ereal_topology_2Emk_net\ A.27a \in ((ty_2Ereal_topology_2Enet\ A.27a)^{(2^{A.27a})^{A.27a}}) \quad (13)$$

Definition 16 We define $c_2Ereal_topology_2Eat$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Ereal_topology_2Eat$

Definition 17 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Let $c_2Ereal_topology_2Eenetord : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ereal_topology_2Eenetord A_27a \in ((2^{A_27a})^{A_27a})^{(ty_2Ereal_topology_2Eenet A_27a)} \quad (14)$$

Definition 18 We define $c_2Ereal_topology_2Ewithin$ to be $\lambda A_27a : \iota.\lambda V0net \in (ty_2Ereal_topology_2Ewithin$

Definition 19 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_4O$

Definition 20 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

Definition 21 We define $c_2Ereal_topology_2Etrivial_limit$ to be $\lambda A_27a : \iota.\lambda V0net \in (ty_2Ereal_topology_2Etrivial_limit$

Definition 22 We define $c_2Ereal_topology_2Eeventually$ to be $\lambda A_27a : \iota.\lambda V0p \in (2^{A_27a}).\lambda V1net \in (ty_2Ereal_topology_2Eeventually$

Definition 23 We define $c_2Ereal_topology_2E_2D_2D_3E$ to be $\lambda A_27a : \iota.\lambda V0f \in (ty_2Erealax_2Ereal^A$

Assume the following.

$$True \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg (\\ & p V0t)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(p (ap (ap (c_2Ebool_2EIN A_27a) V0x) (c_2Epred_set_2EUNIV A_27a)))) \quad (19)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty_2Erealax_2Ereal.((ap (ap (c_2Ereal_topology_2Ewithin \\ & ty_2Erealax_2Ereal) (ap c_2Ereal_topology_2Eat V0x)) (c_2Epred_set_2EUNIV \\ & ty_2Erealax_2Ereal)) = (ap c_2Ereal_topology_2Eat V0x))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0net \in (ty_2Ereal_topology_2Enet \\
& \quad A.27a).(\forall V1f \in (ty_2Erealax_2Ereal^{A.27a}).(\forall V2g \in \\
& (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V3s \in (2^{ty_2Erealax_2Ereal}). \\
& \quad (\forall V4y \in ty_2Erealax_2Ereal.(\forall V5z \in ty_2Erealax_2Ereal. \\
& ((p\ (ap\ (ap\ (ap\ (c_2Ereal_topology_2E_2D_2D_3E\ A.27a)\ V1f)\ V4y) \\
& \quad V0net)) \wedge ((p\ (ap\ (ap\ (c_2Ereal_topology_2Eeventually\ A.27a) \\
& \quad (\lambda V6w \in A.27a.(ap\ (ap\ c_2Ebool_2E_2F_5C\ (ap\ (ap\ (c_2Ebool_2EIN \\
& \quad ty_2Erealax_2Ereal)\ (ap\ V1f\ V6w))\ V3s))\ (ap\ (ap\ c_2Emin_2E_3D_3D_3E \\
& \quad (ap\ (ap\ (c_2Emin_2E_3D\ ty_2Erealax_2Ereal)\ (ap\ V1f\ V6w))\ V4y)) \\
& \quad (ap\ (ap\ (c_2Emin_2E_3D\ ty_2Erealax_2Ereal)\ (ap\ V2g\ V4y))\ V5z)))))) \\
& V0net)) \wedge (p\ (ap\ (ap\ (ap\ (c_2Ereal_topology_2E_2D_2D_3E\ ty_2Erealax_2Ereal) \\
& \quad V2g)\ V5z)\ (ap\ (ap\ (c_2Ereal_topology_2Ewithin\ ty_2Erealax_2Ereal) \\
& \quad (ap\ c_2Ereal_topology_2Eat\ V4y))\ V3s)))))) \Rightarrow (p\ (ap\ (ap\ (ap\ (c_2Ereal_topology_2E_2D_2D_3E \\
& \quad A.27a)\ (ap\ (ap\ (c_2Ecombin_2Eo\ A.27a\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal) \\
& \quad V2g)\ V1f))\ V5z)\ V0net)))))))))
\end{aligned} \tag{21}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0net \in (ty_2Ereal_topology_2Enet \\
& \quad A.27a).(\forall V1f \in (ty_2Erealax_2Ereal^{A.27a}).(\forall V2g \in \\
& (ty_2Erealax_2Ereal^{ty_2Erealax_2Ereal}).(\forall V3y \in ty_2Erealax_2Ereal. \\
& (\forall V4z \in ty_2Erealax_2Ereal.((p\ (ap\ (ap\ (ap\ (c_2Ereal_topology_2E_2D_2D_3E \\
& \quad A.27a)\ V1f)\ V3y)\ V0net)) \wedge ((p\ (ap\ (ap\ (c_2Ereal_topology_2Eeventually \\
& \quad A.27a)\ (\lambda V5w \in A.27a.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ (ap\ (ap\ (c_2Emin_2E_3D \\
& \quad ty_2Erealax_2Ereal)\ (ap\ V1f\ V5w))\ V3y))\ (ap\ (ap\ (c_2Emin_2E_3D \\
& \quad ty_2Erealax_2Ereal)\ (ap\ V2g\ V3y))\ V4z))))))\ V0net)) \wedge (p\ (ap\ (ap\ (ap \\
& \quad (c_2Ereal_topology_2E_2D_2D_3E\ ty_2Erealax_2Ereal)\ V2g)\ V4z) \\
& \quad (ap\ c_2Ereal_topology_2Eat\ V3y)))))) \Rightarrow (p\ (ap\ (ap\ (ap\ (c_2Ereal_topology_2E_2D_2D_3E \\
& \quad A.27a)\ (ap\ (ap\ (c_2Ecombin_2Eo\ A.27a\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal) \\
& \quad V2g)\ V1f))\ V4z)\ V0net)))))))))
\end{aligned}$$