

thm_2Ereal__topology_2ELIM__TRANSFORM (TMVwZb6wyoA4tEFhLFrcgn7f3ZMek9S4x7H)

October 26, 2020

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 3 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 4 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 5 We define c_2Ebool_2E21 to be $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E3D (2^{A-27a}))$

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ (ap\ c_2Enum_2EREP_num\ c_2Enum_2ESUC_REP))$

Let $c_2Earithmetic_2E2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{6}$$

Definition 7 We define $c_2Earithmic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmic_2EBIT1) n)$.

Definition 8 We define $c_2Earithmic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (7)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (8)$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \quad (9)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal}) \quad (10)$$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap\ P\ x)) \mathbf{then} (the (\lambda x.x \in A \wedge p\ x))$ of type $\iota \Rightarrow \iota$.

Definition 10 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E_40) a)$.

Let $c_2Erealax_2Etreallt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreallt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (11)$$

Definition 11 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal$.

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Enum_2Enum}) \quad (12)$$

Definition 12 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21) 2) (\lambda V0t \in 2.V0t)$.

Definition 13 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 14 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap\ c_2Emin_2E_3D_3D_3E\ V0t) c_2Ebool_2E_21))$.

Definition 15 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$.

Let $c_2Erealx_2Etreal_add : \iota$ be given. Assume the following.

$$c_2Erealx_2Etreal_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)))(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal) \quad (13)$$

Let $c_2Erealx_2Etreal_eq : \iota$ be given. Assume the following.

$$c_2Erealx_2Etreal_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)) \quad (14)$$

Let $c_2Erealx_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealx_2Ereal_ABS_CLASS \in (ty_2Erealx_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}}) \quad (15)$$

Definition 16 We define $c_2Erealx_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 17 We define $c_2Erealx_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealx_2Ereal.\lambda V1T2 \in ty_2Erealx_2Ereal$

Let $c_2Erealx_2Etreal_mul : \iota$ be given. Assume the following.

$$c_2Erealx_2Etreal_mul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)))(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal) \quad (16)$$

Definition 18 We define $c_2Erealx_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealx_2Ereal.\lambda V1T2 \in ty_2Erealx_2Ereal$

Let $c_2Erealx_2Etreal_neg : \iota$ be given. Assume the following.

$$c_2Erealx_2Etreal_neg \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)) \quad (17)$$

Definition 19 We define $c_2Erealx_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealx_2Ereal.(ap\ c_2Erealx_2Ereal$

Definition 20 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealx_2Ereal.\lambda V1y \in ty_2Erealx_2Ereal$

Definition 21 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b}A_27a})}) \quad (18)$$

Definition 22 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2$

Let $c_2Ereal_topology_2EDist : \iota$ be given. Assume the following.

$$c_2Ereal_topology_2EDist \in (ty_2Erealx_2Ereal)^{(ty_2Epair_2Eprod\ ty_2Erealx_2Ereal\ ty_2Erealx_2Ereal)} \quad (19)$$

Let $ty_2Ereal_topology_2Enet : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ereal_topology_2Enet\ A0) \quad (20)$$

Let $c_2Ereal_topology_2Enetord : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ereal_topology_2Enetord\ A_27a \in \quad (21)$$

$$(((2^{A_27a})^{A_27a})^{(ty_2Ereal_topology_2Enet\ A_27a)})$$

Definition 23 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 24 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 25 We define $c_2Ereal_topology_2Etrivial_limit$ to be $\lambda A_27a : \iota. \lambda V0net \in (ty_2Ereal_topology$

Definition 26 We define $c_2Ereal_topology_2Eeventually$ to be $\lambda A_27a : \iota. \lambda V0p \in (2^{A_27a}). \lambda V1net \in (ty_2$

Definition 27 We define $c_2Ereal_topology_2E_2D_2D_3E$ to be $\lambda A_27a : \iota. \lambda V0f \in (ty_2Erealax_2Ereal^A$

Assume the following.

$$True \quad (22)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ & (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True)))) \end{aligned} \quad (25)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (26)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (27)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0f \in (A_27b^{A_27a}). (\forall V1g \in (A_27b^{A_27a}). ((V0f = \\ & V1g) \Leftrightarrow (\forall V2x \in A_27a. ((ap\ V0f\ V2x) = (ap\ V1g\ V2x)))))) \end{aligned} \quad (28)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (29)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B))))))) \quad (30)$$

Assume the following.

$$(\forall V0P \in 2.(\forall V1Q \in 2.(((p V0P) \Leftrightarrow (p V1Q)) \Rightarrow ((p V0P) \Rightarrow (p V1Q)))) \quad (31)$$

Assume the following.

$$(\forall V0x \in ty_2Erealx_2Ereal.(\forall V1y \in ty_2Erealx_2Ereal.((ap (ap c_2Erealx_2Ereal_add V0x) V1y) = (ap (ap c_2Erealx_2Ereal_add V1y) V0x)))) \quad (32)$$

Assume the following.

$$(\forall V0x \in ty_2Erealx_2Ereal.(\forall V1y \in ty_2Erealx_2Ereal.(\forall V2z \in ty_2Erealx_2Ereal.((ap (ap c_2Erealx_2Ereal_add V0x) (ap (ap c_2Erealx_2Ereal_add V1y) V2z)) = (ap (ap c_2Erealx_2Ereal_add (ap (ap c_2Erealx_2Ereal_add V0x) V1y)) V2z)))))) \quad (33)$$

Assume the following.

$$(\forall V0x \in ty_2Erealx_2Ereal.((ap (ap c_2Erealx_2Ereal_add (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) V0x) = V0x)) \quad (34)$$

Assume the following.

$$(\forall V0x \in ty_2Erealx_2Ereal.((ap (ap c_2Erealx_2Ereal_add (ap c_2Erealx_2Ereal_neg V0x)) V0x) = (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0))) \quad (35)$$

Assume the following.

$$(\forall V0x \in ty_2Erealx_2Ereal.((ap (ap c_2Erealx_2Ereal_mul (ap c_2Ereal_2Ereal_of_num (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))) V0x) = V0x)) \quad (36)$$

Assume the following.

$$(\forall V0x \in ty_2Erealx_2Ereal.((ap (ap c_2Erealx_2Ereal_add V0x) (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) = V0x)) \quad (37)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. ((ap (ap c_2Erealax_2Ereal_add V0x) (ap c_2Erealax_2Ereal_neg V0x)) = (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)))) \quad (38)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. ((ap c_2Erealax_2Ereal_neg (ap (ap c_2Erealax_2Ereal_add V0x) V1y)) = (ap (ap c_2Erealax_2Ereal_add (ap c_2Erealax_2Ereal_neg V0x)) (ap c_2Erealax_2Ereal_neg V1y)))))) \quad (39)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. ((ap (ap c_2Erealax_2Ereal_mul (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) V0x) = (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)))) \quad (40)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. (p (ap (ap c_2Ereal_2Ereal_lte V0x) V0x))) \quad (41)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. (((p (ap (ap c_2Ereal_2Ereal_lte V0x) V1y)) \wedge (p (ap (ap c_2Ereal_2Ereal_lte V1y) V0x)))) \Leftrightarrow (V0x = V1y)))) \quad (42)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. ((ap (ap c_2Erealax_2Ereal_mul (ap c_2Erealax_2Ereal_neg V0x)) V1y) = (ap c_2Erealax_2Ereal_neg (ap (ap c_2Erealax_2Ereal_mul V0x) V1y)))))) \quad (43)$$

Assume the following.

$$(\forall V0y \in ty_2Erealax_2Ereal. (\forall V1x \in ty_2Erealax_2Ereal. ((p (ap (ap c_2Erealax_2Ereal_lt V1x) V0y)) \Leftrightarrow (\neg (p (ap (ap c_2Ereal_2Ereal_lte V0y) V1x)))))) \quad (44)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. ((p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Erealax_2Ereal_neg V0x)) V1y)) \Leftrightarrow (p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0)) (ap (ap c_2Erealax_2Ereal_add V0x) V1y)))))) \quad (45)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((p (ap (ap c_2Ereal_2Ereal_lte (ap c_2Erealax_2Ereal_neg V0x)) \\
& (ap c_2Erealax_2Ereal_neg V1y)))) \Leftrightarrow (p (ap (ap c_2Ereal_2Ereal_lte \\
& V1y) V0x))))))
\end{aligned} \tag{46}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((ap c_2Erealax_2Ereal_neg \\
& (ap c_2Erealax_2Ereal_neg V0x)) = V0x))
\end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& ((p (ap (ap c_2Ereal_2Ereal_lte V0x) (ap c_2Erealax_2Ereal_neg \\
& V1y)))) \Leftrightarrow (p (ap (ap c_2Ereal_2Ereal_lte (ap (ap c_2Erealax_2Ereal_add \\
& V0x) V1y)) (ap c_2Ereal_2Ereal_of_num c_2Enum_2E0))))))
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& (\forall V2z \in ty_2Erealax_2Ereal. ((ap (ap c_2Erealax_2Ereal_mul \\
& (ap (ap c_2Erealax_2Ereal_add V0x) V1y)) V2z) = (ap (ap c_2Erealax_2Ereal_add \\
& (ap (ap c_2Erealax_2Ereal_mul V0x) V2z)) (ap (ap c_2Erealax_2Ereal_mul \\
& V1y) V2z))))))
\end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (\forall V0net \in (ty_2Ereal_topology_2Enet \\
& A_27a). (\forall V1f \in (ty_2Erealax_2Ereal^{A_27a}). (\forall V2l \in \\
& ty_2Erealax_2Ereal. ((p (ap (ap (ap (c_2Ereal_topology_2E_2D_2D_3E \\
& A_27a) V1f) V2l) V0net))) \Rightarrow (p (ap (ap (ap (c_2Ereal_topology_2E_2D_2D_3E \\
& A_27a) (\lambda V3x \in A_27a. (ap c_2Erealax_2Ereal_neg (ap V1f V3x))) \\
& (ap c_2Erealax_2Ereal_neg V2l)) V0net))))))
\end{aligned} \tag{50}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (\forall V0net \in (ty_2Ereal_topology_2Enet \\
& A_27a). (\forall V1f \in (ty_2Erealax_2Ereal^{A_27a}). (\forall V2g \in \\
& (ty_2Erealax_2Ereal^{A_27a}). (\forall V3l \in ty_2Erealax_2Ereal. \\
& (\forall V4m \in ty_2Erealax_2Ereal. (((p (ap (ap (ap (c_2Ereal_topology_2E_2D_2D_3E \\
& A_27a) V1f) V3l) V0net)) \wedge (p (ap (ap (ap (c_2Ereal_topology_2E_2D_2D_3E \\
& A_27a) V2g) V4m) V0net))) \Rightarrow (p (ap (ap (ap (c_2Ereal_topology_2E_2D_2D_3E \\
& A_27a) (\lambda V5x \in A_27a. (ap (ap c_2Ereal_2Ereal_sub (ap V1f V5x)) \\
& (ap V2g V5x)))) (ap (ap c_2Ereal_2Ereal_sub V3l) V4m)) V0net))))))
\end{aligned} \tag{51}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{52}$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (53)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (54)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (55)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (56)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ((p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (57)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (58)$$

Theorem 1

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0net \in (ty_2Ereal_topology_2Enet \\ & \quad A.27a).(\forall V1f \in (ty_2Erealax_2Ereal^{A.27a}).(\forall V2g \in \\ & \quad (ty_2Erealax_2Ereal^{A.27a}).(\forall V3l \in ty_2Erealax_2Ereal. \\ & \quad (((p (ap (ap (ap (c.2Ereal_topology_2E_2D_2D_3E \ A.27a) (\lambda V4x \in \\ & \quad A.27a.(ap (ap \ c.2Ereal.2Ereal_sub (ap V1f \ V4x)) (ap V2g \ V4x)))) \\ & \quad (ap \ c.2Ereal.2Ereal_of_num \ c.2Enum_2E0)) \ V0net)) \wedge (p (ap (ap \\ & \quad (ap (c.2Ereal_topology_2E_2D_2D_3E \ A.27a) \ V1f) \ V3l) \ V0net))) \Rightarrow \\ & \quad (p (ap (ap (ap (c.2Ereal_topology_2E_2D_2D_3E \ A.27a) \ V2g) \ V3l) \\ & \quad \quad \quad V0net)))))) \end{aligned}$$