

# thm\_2Ereal\_\_topology\_2ELIM\_\_TRANSFORM\_\_EQ (TMad2u8uc93iyZF37JWvJEJg3m9yzkDcfkv)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_27E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2EF$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \tag{1}$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{2}$$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \tag{3}$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})\ ty\_2Erealax) \tag{4}$$

**Definition 7** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$  **then** (the  $(\lambda x.x \in A \wedge p$  of type  $\iota \Rightarrow \iota$ ).

**Definition 8** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap (c\_2Emin\_2E40 (ty$

Let  $c\_2Erealax\_2Etrealm\_neg : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_neg \in ((ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)) \quad (5)$$

Let  $c\_2Erealax\_2Etrealm\_eq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_eq \in ((2^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)) \quad (6)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal)^{(2^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)}} \quad (7)$$

**Definition 9** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)$

**Definition 10** We define  $c\_2Erealax\_2Ereal\_neg$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap c\_2Erealax\_2Ereal$

Let  $c\_2Eenum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Eenum\_2EZERO\_REP \in \omega \quad (8)$$

Let  $ty\_2Eenum\_2Enum : \iota$  be given. Assume the following.

$$nonempty ty\_2Eenum\_2Enum \quad (9)$$

Let  $c\_2Eenum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Eenum\_2EABS\_num \in (ty\_2Eenum\_2Enum)^{\omega} \quad (10)$$

**Definition 11** We define  $c\_2Eenum\_2E0$  to be  $(ap c\_2Eenum\_2EABS\_num c\_2Eenum\_2EZERO\_REP)$ .

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal)^{ty\_2Eenum\_2Enum} \quad (11)$$

Let  $c\_2Erealax\_2Etrealm\_add : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_add \in (((ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal))^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)}) \quad (12)$$

**Definition 12** We define  $c\_2Erealax\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 13** We define  $c\_2Ereal\_2Ereal\_sub$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

**Definition 14** We define  $c\_2Ebool\_2E2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E21 2) (\lambda V2t \in$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \end{aligned} \quad (13)$$

**Definition 15** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2E$

Let  $c\_2Ereal\_topology\_2EDist : \iota$  be given. Assume the following.

$$c\_2Ereal\_topology\_2EDist \in (ty\_2Erealax\_2Ereal^{(ty\_2Epair\_2Eprod\ ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal)}) \quad (14)$$

Let  $c\_2Erealax\_2Etrealm\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \quad (15)$$

**Definition 16** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

Let  $ty\_2Ereal\_topology\_2Eenet : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ereal\_topology\_2Eenet\ A0) \quad (16)$$

Let  $c\_2Ereal\_topology\_2Eenetord : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ereal\_topology\_2Eenetord\ A\_27a \in ((2^{A\_27a})^{A\_27a})^{(ty\_2Ereal\_topology\_2Eenet\ A\_27a)} \quad (17)$$

**Definition 17** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 18** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2$

**Definition 19** We define  $c\_2Ereal\_topology\_2Etrivial\_limit$  to be  $\lambda A\_27a : \iota.\lambda V0net \in (ty\_2Ereal\_topology\_2E$

**Definition 20** We define  $c\_2Ereal\_topology\_2Eeventually$  to be  $\lambda A\_27a : \iota.\lambda V0p \in (2^{A\_27a}).\lambda V1net \in (ty\_2E$

**Definition 21** We define  $c\_2Ereal\_topology\_2E\_2D\_2D\_3E$  to be  $\lambda A\_27a : \iota.\lambda V0f \in (ty\_2Erealax\_2Ereal^A$

Assume the following.

$$True \quad (18)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p \\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (20)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a. (\forall V1y \in A.27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (22)$$

Assume the following.

$$((ap\ c.2Erealax.2Ereal\_neg\ (ap\ c.2Ereal.2Ereal\_of\_num\ c.2Enum.2E0)) = (ap\ c.2Ereal.2Ereal\_of\_num\ c.2Enum.2E0)) \quad (23)$$

Assume the following.

$$(\forall V0x \in ty.2Erealax.2Ereal. (\forall V1y \in ty.2Erealax.2Ereal. ((ap\ c.2Erealax.2Ereal\_neg\ (ap\ (ap\ c.2Ereal.2Ereal\_sub\ V0x)\ V1y)) = (ap\ (ap\ c.2Ereal.2Ereal\_sub\ V1y)\ V0x)))) \quad (24)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0net \in (ty.2Ereal\_topology.2Enet\ A.27a). (\forall V1f \in (ty.2Erealax.2Ereal^{A.27a}). (\forall V2l \in ty.2Erealax.2Ereal. ((p\ (ap\ (ap\ (ap\ (c.2Ereal\_topology.2E.2D.2D.3E\ A.27a)\ (\lambda V3x \in A.27a. (ap\ c.2Erealax.2Ereal\_neg\ (ap\ V1f\ V3x))))\ (ap\ c.2Erealax.2Ereal\_neg\ V2l))\ V0net)) \Leftrightarrow (p\ (ap\ (ap\ (ap\ (c.2Ereal\_topology.2E.2D.2D.3E\ A.27a)\ V1f)\ V2l)\ V0net)))))) \quad (25)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0net \in (ty.2Ereal\_topology.2Enet\ A.27a). (\forall V1f \in (ty.2Erealax.2Ereal^{A.27a}). (\forall V2g \in (ty.2Erealax.2Ereal^{A.27a}). (\forall V3l \in ty.2Erealax.2Ereal. (((p\ (ap\ (ap\ (ap\ (c.2Ereal\_topology.2E.2D.2D.3E\ A.27a)\ (\lambda V4x \in A.27a. (ap\ (ap\ c.2Ereal.2Ereal\_sub\ (ap\ V1f\ V4x))\ (ap\ V2g\ V4x))))\ (ap\ c.2Ereal.2Ereal\_of\_num\ c.2Enum.2E0))\ V0net)) \wedge (p\ (ap\ (ap\ (ap\ (c.2Ereal\_topology.2E.2D.2D.3E\ A.27a)\ V1f)\ V3l)\ V0net))) \Rightarrow (p\ (ap\ (ap\ (ap\ (c.2Ereal\_topology.2E.2D.2D.3E\ A.27a)\ V2g)\ V3l)\ V0net)))))) \quad (26)$$

**Theorem 1**

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow & (\forall V0net \in (ty\_2Ereal\_topology\_2Enet \\ & A.27a).(\forall V1f \in (ty\_2Erealax\_2Ereal^{A.27a}).(\forall V2g \in \\ & (ty\_2Erealax\_2Ereal^{A.27a}).(\forall V3l \in ty\_2Erealax\_2Ereal. \\ & ((p\ (ap\ (ap\ (ap\ (c\_2Ereal\_topology\_2E\_2D\_2D\_3E\ A.27a)\ (\lambda V4x \in \\ & A.27a.(ap\ (ap\ c\_2Ereal\_2Ereal\_sub\ (ap\ V1f\ V4x))\ (ap\ V2g\ V4x)))) \\ & (ap\ c\_2Ereal\_2Ereal\_of\_num\ c\_2Enum\_2E0))\ V0net)) \Rightarrow ((p\ (ap\ ( \\ & ap\ (ap\ (c\_2Ereal\_topology\_2E\_2D\_2D\_3E\ A.27a)\ V1f)\ V3l)\ V0net)) \Leftrightarrow \\ & (p\ (ap\ (ap\ (ap\ (c\_2Ereal\_topology\_2E\_2D\_2D\_3E\ A.27a)\ V2g)\ V3l) \\ & V0net))))))))) \end{aligned}$$