

# thm\_2Ereal\_\_topology\_2ELIM\_\_TRANSFORM\_\_WITHIN (TMT6mswkPHLTMr1ZsFnobjTMNTzfWmZZLJE)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2EF$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \quad (1)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (2)$$

**Definition 8** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2E$

Let  $ty\_2Erealx\_2Ereal : \iota$  be given. Assume the following.

$$nonempty ty\_2Erealx\_2Ereal \quad (3)$$

Let  $c\_2Ereal\_topology\_2EDist : \iota$  be given. Assume the following.

$$c\_2Ereal\_topology\_2EDist \in (ty\_2Erealx\_2Ereal^{(ty\_2Epair\_2Eprod ty\_2Erealx\_2Ereal ty\_2Erealx\_2Ereal)}) \quad (4)$$

**Definition 9** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap\ V1f\ V0x)))$

**Definition 10** We define  $c\_2Emin\_2E40$  to be  $\lambda A. \lambda P \in 2^A. \mathbf{if}\ (\exists x \in A. p\ (ap\ P\ x))\ \mathbf{then}\ (the\ (\lambda x. x \in A) \wedge p)$  of type  $\iota \Rightarrow \iota$ .

**Definition 11** We define  $c\_2Ebool\_2E3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ V0P\ (ap\ (c\_2Emin\_2E40\ (ap\ P\ x))\ V0x))))$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (5)$$

Let  $c\_2Erealax\_2Ereal\_2ERE\_2ECLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_2ERE\_2ECLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax\_2Ereal\_2ERE\_2ECLASS}) \quad (6)$$

**Definition 12** We define  $c\_2Erealax\_2Ereal\_2ERE$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal. (ap\ (c\_2Emin\_2E40\ (ap\ P\ x))\ V0a)$

Let  $c\_2Erealax\_2Etreall\_2Et : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreall\_2Et \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \quad (7)$$

**Definition 13** We define  $c\_2Erealax\_2Ereal\_2Elt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal. \lambda V1T2 \in ty\_2Erealax\_2Ereal. (c\_2Emin\_2E40\ (ap\ P\ x)\ T1\ T2)$

**Definition 14** We define  $c\_2Ereal\_2Ereal\_2Elte$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal. \lambda V1y \in ty\_2Erealax\_2Ereal. (c\_2Emin\_2E40\ (ap\ P\ x)\ V0x\ V1y)$

Let  $c\_2Eenum\_2EZERO\_2ERE : \iota$  be given. Assume the following.

$$c\_2Eenum\_2EZERO\_2ERE \in \omega \quad (8)$$

Let  $ty\_2Eenum\_2Eenum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eenum\_2Eenum \quad (9)$$

Let  $c\_2Eenum\_2EABS\_2Eenum : \iota$  be given. Assume the following.

$$c\_2Eenum\_2EABS\_2Eenum \in (ty\_2Eenum\_2Eenum^{\omega}) \quad (10)$$

**Definition 15** We define  $c\_2Eenum\_2E0$  to be  $(ap\ c\_2Eenum\_2EABS\_2Eenum\ c\_2Eenum\_2EZERO\_2ERE)$ .

Let  $c\_2Ereal\_2Ereal\_2Eof\_2Eenum : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_2Eof\_2Eenum \in (ty\_2Erealax\_2Ereal^{ty\_2Eenum\_2Eenum}) \quad (11)$$

Let  $ty\_2Ereal\_2Etopology\_2Eenet : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ereal\_2Etopology\_2Eenet\ A0) \quad (12)$$

Let  $c\_2Ereal\_2Etopology\_2Emk\_2Eenet : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Ereal\_2Etopology\_2Emk\_2Eenet\ A\_27a \in ((ty\_2Ereal\_2Etopology\_2Eenet\ A\_27a)^{(2^{A\_27a})^{A\_27a}}) \quad (13)$$

**Definition 16** We define  $c\_2Ereal\_topology\_2Eat$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap (c\_2Ereal\_topology\_2Eat) a)$

Let  $c\_2Ereal\_topology\_2Eenetord : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Ereal\_topology\_2Eenetord A\_27a \in ((2^{A\_27a})^{A\_27a})^{(ty\_2Ereal\_topology\_2Eenet A\_27a)} \quad (14)$$

**Definition 17** We define  $c\_2Ereal\_topology\_2Ewithin$  to be  $\lambda A\_27a : \iota.\lambda V0net \in (ty\_2Ereal\_topology\_2Ewithin A\_27a net)$

Let  $c\_2Erealax\_2Etrealm\_neg : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_neg \in ((ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)}) \quad (15)$$

Let  $c\_2Erealax\_2Etrealm\_eq : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_eq \in ((2^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)}) \quad (16)$$

Let  $c\_2Erealax\_2Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_ABS\_CLASS \in (ty\_2Erealax\_2Ereal)^{(2^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})} \quad (17)$$

**Definition 18** We define  $c\_2Erealax\_2Ereal\_ABS$  to be  $\lambda V0r \in (ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)$

**Definition 19** We define  $c\_2Erealax\_2Ereal\_neg$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap c\_2Erealax\_2Ereal\_neg T1)$

Let  $c\_2Erealax\_2Etrealm\_add : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_add \in (((ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod ty\_2Ehreal\_2Ehreal ty\_2Ehreal\_2Ehreal)}) \quad (18)$$

**Definition 20** We define  $c\_2Erealax\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal.(c\_2Erealax\_2Ereal\_add T1 T2)$

**Definition 21** We define  $c\_2Ereal\_2Ereal\_sub$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal.(c\_2Ereal\_2Ereal\_sub x y)$

**Definition 22** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21) t2) t1))$

**Definition 23** We define  $c\_2Ereal\_topology\_2Etrivial\_limit$  to be  $\lambda A\_27a : \iota.\lambda V0net \in (ty\_2Ereal\_topology\_2Etrivial\_limit A\_27a net)$

**Definition 24** We define  $c\_2Ereal\_topology\_2Eeventually$  to be  $\lambda A\_27a : \iota.\lambda V0p \in (2^{A\_27a}).\lambda V1net \in (ty\_2Ereal\_topology\_2Eeventually A\_27a p net)$

**Definition 25** We define  $c\_2Ereal\_topology\_2E\_2D\_2D\_3E$  to be  $\lambda A\_27a : \iota.\lambda V0f \in (ty\_2Erealax\_2Ereal)^A$

Assume the following.

$$True \quad (19)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p V0t) \Leftrightarrow (p V0t)))) \quad (20)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge \\
& (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \quad (21)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (( \\
& (p \ V0t) \Rightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \quad (22)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in \\
& A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x))) \quad (23)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\
& p \ V0t)))))) \quad (24)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p \ V0t1) \Rightarrow \\
& ((p \ V1t2) \Rightarrow (p \ V2t3))) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \Rightarrow (p \ V2t3)))))) \quad (25)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in \\
& 2. (((p \ V0x) \Leftrightarrow (p \ V1x\_27)) \wedge ((p \ V1x\_27) \Rightarrow ((p \ V2y) \Leftrightarrow (p \ V3y\_27)))) \Rightarrow \\
& (((p \ V0x) \Rightarrow (p \ V2y)) \Leftrightarrow ((p \ V1x\_27) \Rightarrow (p \ V3y\_27)))))) \quad (26)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealx\_2Ereal. ((ap \ (ap \ c\_2Ereal\_2Ereal\_sub \\
& V0x) \ V0x) = (ap \ c\_2Ereal\_2Ereal\_of\_num \ c\_2Enum\_2E0))) \quad (27)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Erealx\_2Ereal. ((ap \ c\_2Ereal\_topology\_2EDist \\
& (ap \ (ap \ (c\_2Epair\_2E\_2C \ ty\_2Erealx\_2Ereal \ ty\_2Erealx\_2Ereal) \\
& V0x) \ V0x) = (ap \ c\_2Ereal\_2Ereal\_of\_num \ c\_2Enum\_2E0))) \quad (28)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}).(\forall V1l \in \\
& \quad ty\_2Erealax\_2Ereal.(\forall V2a \in ty\_2Erealax\_2Ereal.(\forall V3s \in \\
& \quad (2^{ty\_2Erealax\_2Ereal}).((p (ap (ap (ap (ap (c\_2Ereal\_topology\_2E\_2D\_2D\_3E \\
& \quad ty\_2Erealax\_2Ereal) V0f) V1l) (ap (ap (c\_2Ereal\_topology\_2Ewithin \\
& \quad ty\_2Erealax\_2Ereal) (ap c\_2Ereal\_topology\_2Eat V2a)) V3s))) \Leftrightarrow \\
& \quad (\forall V4e \in ty\_2Erealax\_2Ereal.((p (ap (ap c\_2Erealax\_2Ereal\_lt \\
& \quad (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) V4e)) \Rightarrow (\exists V5d \in \\
& \quad ty\_2Erealax\_2Ereal.((p (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num \\
& \quad c\_2Enum\_2E0)) V5d)) \wedge (\forall V6x \in ty\_2Erealax\_2Ereal.(((p ( \\
& \quad ap (ap (c\_2Ebool\_2EIN ty\_2Erealax\_2Ereal) V6x) V3s)) \wedge ((p (ap ( \\
& \quad ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) \\
& \quad (ap c\_2Ereal\_topology\_2EDist (ap (ap (c\_2Epair\_2E\_2C ty\_2Erealax\_2Ereal \\
& \quad ty\_2Erealax\_2Ereal) V6x) V2a)))))) \wedge (p (ap (ap c\_2Erealax\_2Ereal\_lt \\
& \quad (ap c\_2Ereal\_topology\_2EDist (ap (ap (c\_2Epair\_2E\_2C ty\_2Erealax\_2Ereal \\
& \quad ty\_2Erealax\_2Ereal) V6x) V2a))) V5d)))))) \Rightarrow (p (ap (ap c\_2Erealax\_2Ereal\_lt \\
& \quad (ap c\_2Ereal\_topology\_2EDist (ap (ap (c\_2Epair\_2E\_2C ty\_2Erealax\_2Ereal \\
& \quad ty\_2Erealax\_2Ereal) (ap V0f V6x)) V1l))) V4e))))))))))))) \\
& \hspace{15em} (29)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0net \in (ty\_2Ereal\_topology\_2E\_net \\
& \quad A\_27a).(\forall V1f \in (ty\_2Erealax\_2Ereal^{A\_27a}).(\forall V2g \in \\
& \quad (ty\_2Erealax\_2Ereal^{A\_27a}).(\forall V3l \in ty\_2Erealax\_2Ereal. \\
& \quad (((p (ap (ap (ap (c\_2Ereal\_topology\_2E\_2D\_2D\_3E A\_27a) (\lambda V4x \in \\
& \quad A\_27a.(ap (ap c\_2Ereal\_2Ereal\_sub (ap V1f V4x)) (ap V2g V4x)))))) \\
& \quad (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) V0net)) \wedge (p (ap (ap \\
& \quad (ap (c\_2Ereal\_topology\_2E\_2D\_2D\_3E A\_27a) V1f) V3l) V0net))) \Rightarrow \\
& \quad (p (ap (ap (ap (ap (c\_2Ereal\_topology\_2E\_2D\_2D\_3E A\_27a) V2g) V3l) \\
& \quad V0net))))))))) \\
& \hspace{15em} (30)
\end{aligned}$$

**Theorem 1**

$$\begin{aligned} & (\forall V0l \in ty\_2Erealax\_2Ereal. (\forall V1f \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}). \\ & \quad (\forall V2g \in (ty\_2Erealax\_2Ereal^{ty\_2Erealax\_2Ereal}). (\forall V3x \in \\ & \quad \quad ty\_2Erealax\_2Ereal. (\forall V4s \in (2^{ty\_2Erealax\_2Ereal}). ( \\ & \quad \quad \quad \forall V5d \in ty\_2Erealax\_2Ereal. (((p (ap (ap (ap c\_2Erealax\_2Ereal\_lt \\ & \quad \quad \quad (ap c\_2Ereal\_2Ereal\_of\_num c\_2Enum\_2E0)) V5d)) \wedge ((\forall V6x\_27 \in \\ & \quad \quad \quad ty\_2Erealax\_2Ereal. (((p (ap (ap (c\_2Ebool\_2EIN ty\_2Erealax\_2Ereal) \\ & \quad \quad \quad V6x\_27) V4s)) \wedge ((p (ap (ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_2Ereal\_of\_num \\ & \quad \quad \quad c\_2Enum\_2E0)) (ap c\_2Ereal\_topology\_2EDist (ap (ap (c\_2Epair\_2E\_2C \\ & \quad \quad \quad ty\_2Erealax\_2Ereal ty\_2Erealax\_2Ereal) V6x\_27) V3x)))) \wedge (p ( \\ & \quad \quad \quad \quad ap (ap c\_2Erealax\_2Ereal\_lt (ap c\_2Ereal\_topology\_2EDist ( \\ & \quad \quad \quad \quad \quad ap (ap (c\_2Epair\_2E\_2C ty\_2Erealax\_2Ereal ty\_2Erealax\_2Ereal) \\ & \quad \quad \quad \quad \quad V6x\_27) V3x))) V5d)))) \Rightarrow ((ap V1f V6x\_27) = (ap V2g V6x\_27)))) \wedge (p \\ & \quad \quad \quad \quad (ap (ap (ap (c\_2Ereal\_topology\_2E\_2D\_2D\_3E ty\_2Erealax\_2Ereal) \\ & \quad \quad \quad \quad \quad V1f) V0l) (ap (ap (c\_2Ereal\_topology\_2Ewithin ty\_2Erealax\_2Ereal) \\ & \quad \quad \quad \quad \quad (ap c\_2Ereal\_topology\_2Eat V3x)) V4s)))))) \Rightarrow (p (ap (ap (ap (c\_2Ereal\_topology\_2E\_2D\_2D\_3E \\ & \quad \quad \quad \quad \quad ty\_2Erealax\_2Ereal) V2g) V0l) (ap (ap (c\_2Ereal\_topology\_2Ewithin \\ & \quad \quad \quad \quad \quad ty\_2Erealax\_2Ereal) (ap c\_2Ereal\_topology\_2Eat V3x)) V4s))))))))) \end{aligned}$$